

Six Sleep Personalities

Discovery Kit & Custom Plan Workbook

"Not every baby is the same. Finally, a plan that knows that."

■ The Snacker

■ The Overthinker

■ The Sensitive Soul

■ The Night Owl

■ The Catnapper

■ The Party Animal

WHAT'S INSIDE THIS KIT

- Step 1:** Discovery Quiz — 6 questions to identify your baby's personality
- Step 2:** Personality Result Sheet — score, confirm, and record
- Step 3:** Blended Types Guide — for babies that are two things at once
- Step 4:** Custom Plan Pages — one per personality, with strategies + mistakes
- Step 5:** 7-Night Progress Tracker — tailored milestones per personality
- Step 6:** Master Notes page — combine everything into your personal plan

Start the Quiz

Personality Plans

Blended Types

Sleep, Baby. Please. · Six & Thriving

INSTRUCTIONS

How to Use This Kit

Three steps from here to a plan that actually fits your baby.

STEP 1 TAKE THE DISCOVERY QUIZ

Take the Discovery Quiz

Answer 6 honest questions about your baby's behaviour. Choose the answer that describes your baby most of the time — not during a leap, illness, or unusual week. Tally your scores on the Result Sheet on the next page.

STEP 2 FIND YOUR BABY'S PERSONALITY

Find Your Baby's Personality

Your highest-scoring personality is your primary type. If two are close (within 2 points), you likely have a blended baby. Check the Blended Types Guide for your specific combination — it's more common than you'd think.

STEP 3 TURN TO YOUR CUSTOM PLAN

Turn to Your Custom Plan

Each personality gets a dedicated plan page: what works, what to avoid, which sleep training methods fit best, and a night-by-night week-one plan. Read your plan page before tonight. Commit to it for at least 7 days.

IMPORTANT: BLENDED BABIES

Most babies are a blend of two personalities. You might have an Overthinker who's also a Sensitive Soul, or a Snacker who's also a Party Animal. The quiz will flag close scores. The Blended Types Guide has specific combination strategies — read it if your scores are close.

JUMP DIRECTLY TO A PERSONALITY PLAN:

[Snacker](#)[Overthinker](#)[Sensitive Soul](#)[Night Owl](#)[Catnapper](#)[Party Animal](#)[< Previous](#)[Home](#)[Next >](#)

Discovery Quiz — Questions 1 to 3

Choose the *ONE* option that best describes your baby most of the time.

1

How does your baby typically fall asleep?

- ☐ A. On the breast or bottle — always
- ☐ B. Fighting it hard, very wakeful until they crash
- ☐ C. Needs specific conditions (sound, movement, your presence)
- ☐ D. Simply not tired until late — 9 or 10 p.m.
- ☐ E. Falls asleep fine but doesn't stay asleep

2

What best describes your baby's night wakings?

- ☐ A. Wakes every 1–2 hours, calmed immediately by feeding
- ☐ B. Wakes and can't seem to turn the brain off — very alert
- ☐ C. Wakes upset at any change, needs extra reassurance
- ☐ D. Sleeps fine once down — just impossible to get down early
- ☐ E. Wakes after exactly 30–45 minutes every nap
- ☐ F. Wakes 1–4 a.m. perfectly happy — not crying, just awake

3

How does your baby respond to stimulation before bed?

- ☐ A. Doesn't matter much — they settle once fed
- ☐ B. Gets MORE awake — any stimulation fires them up
- ☐ C. Gets upset or dysregulated — overwhelmed easily
- ☐ D. Completely fine with activity late — doesn't phase them
- ☐ E. Normal response — this isn't the main issue

[< Previous](#)[Home](#)[Next >](#)

Discovery Quiz — Questions 4 to 6

Keep choosing the most accurate answer — not the answer you wish were true.

4

What's bedtime like in your house?

- ☐ A. Works — but only if I feed them to sleep
- ☐ B. Long and exhausting — they fight it for an hour or more
- ☐ C. Smooth when everything is the same, disaster if anything is different
- ☐ D. Easy — at 9 or 10 p.m. They're just not tired earlier
- ☐ E. Fine — it's the staying asleep that's the problem

5

When your baby wakes, what calms them fastest?

- ☐ A. Feeding — every single time
- ☐ B. Nothing simple — they stay alert and interested in everything
- ☐ C. Your presence and very calm, regulated handling
- ☐ D. They're usually not upset — just not tired yet
- ☐ E. Being picked up — but they wake again the moment you put them down
- ☐ F. Nothing — they're not upset, they're just awake and fine

6

What does a typical nap look like?

- ☐ A. Short unless I feed them back to sleep mid-nap
- ☐ B. Short — they don't fully switch off during the day
- ☐ C. Variable — good when environment is consistent, bad when it changes
- ☐ D. Fine — naps aren't the main problem
- ☐ E. Always 30–45 min, then fully awake — never longer

[< Previous](#)
[Night waking is the main problem, n](#)
[Home](#)
[Next >](#)

RESULTS

Your Discovery Result Sheet

Tally your quiz answers below. Your top score is your baby's primary personality.

HOW TO SCORE

Q1: A=Snacker(2) B=Overthinker(1) C=Sensitive(1) D=Night Owl(1) E=Catnapper/Party Animal(1)

Q2: A=Snacker(1) B=Overthinker(1) C=Sensitive(1) D=Night Owl(1) E=Catnapper(1) F=Party Animal(2)

Q3: A=Snacker(1) B=Overthinker(2) C=Sensitive(2) D=Night Owl(1) E=Catnapper/Party Animal(1)

Q4: A=Snacker(2) B=Overthinker(1) C=Sensitive(2) D=Night Owl(2) E=Catnapper/Party Animal(1)

Q5: A=Snacker(2) B=Overthinker(1) C=Sensitive(2) D=Night Owl(1) E=Catnapper(1) F=Party Animal(2)

Q6: A=Snacker(1) B=Overthinker(1) C=Sensitive(1) D=Night Owl(1) E=Catnapper(2) F=Party Animal(1)

■ Snacker

■ Overthinker

■ Sensitive Soul

■ Night Owl

■ Catnapper

■ Party Animal

My score:

My score:

My score:

My score:

My score:

My score:

MY BABY'S PRIMARY PERSONALITY:

SECONDARY (if close):

JUMP TO YOUR PERSONALITY'S CUSTOM PLAN:

■ Snacker

■ Overthinker

■ Sensitive Soul

■ Night Owl

■ Catnapper

■ Party Animal

If two scores are within 2 points:

→ Blended Types Guide

< Previous

Home

Next >

BLENDED TYPES

Blended Personalities — Your Combination Guide

Most babies are two things at once. Find your combination and read the bridge strategy.

If your two highest quiz scores are within 2 points of each other, you have a blended baby. Find your combination below. If your combination isn't listed, read both individual plan pages and apply the gentler strategy first.

■ The Snacker

+

■ The Sensitive Soul

→ Snacker's Plan

Break the feed association gently and slowly — rush it and they'll dysregulate badly. Fading is your best method. Routine consistency is the foundation; feeding decoupling is the work. Do one at a time: lock the routine for a week, then address feeds.

■ The Overthinker

+

■ The Sensitive Soul

→ Overthinker's Plan

The hardest combination — needs both minimal stimulation AND extraordinary sensitivity. The room must be perfect (Overthinker), the routine must be identical (Sensitive Soul). Neither parent should show stress. Chair method at a distance may be your best approach.

■ The Snacker

+

■ The Party Animal

→ Snacker's Plan

Classic baby number five. Feeding to sleep causes the habitual waking; circadian issues cause the timing. Address the feed association at bedtime first. Use complete darkness and a boring non-response at 2 a.m. while you gradually drop the habit feeds.

■ The Catnapper

+

■ The Party Animal

→ Catnapper's Plan

Short naps leave them slightly under-rested; the 2 a.m. party is a circadian/boredom issue. Focus on nap environment (darkness, white noise) first. The night waking often improves when daytime sleep improves. Make 2 a.m. the most boring moment in the universe.

■ The Overthinker

+

■ The Catnapper

→ Overthinker's Plan

Alert brain at every cycle transition. The 45-min wake is powered by an easily-aroused mind. Perfect nap environment + earlier nap timing + boring pre-nap routine. No interaction at the 45-min point — any engagement is rewarding for an Overthinker.

■ The Night Owl

+

■ The Sensitive Soul

→ Night Owl's Plan

Don't try to shift the clock and sleep train at the same time. Shift the clock first — 10 minutes at a time, over 3 weeks. Once you've reached target bedtime, the Sensitive Soul routine work can begin. Disruption during the shift will set back both goals.

< Previous

Home

Next >

Custom Personality Plans — Index

Find your personality. Flip to their plan. Read it before tonight.

■ The Snacker

Feeds little and often. Food is their sleep cue.

CORE CHALLENGE:

Breaking the feed-to-sleep association without disrupting nutrition.

BEST METHOD: Ferber / Graduated Extinction

→ Full Plan

■ The Overthinker

Alert, curious, never wants to miss a thing.

CORE CHALLENGE:

Getting an extremely alert brain to disengage from stimulation.

BEST METHOD: Graduated Extinction (Ferber)

→ Full Plan

■ The Sensitive Soul

Picks up on everything. Consistency is everything.

CORE CHALLENGE:

Maintaining absolute consistency while staying calm yourself.

BEST METHOD: Fading

→ Full Plan

■ The Night Owl

Running on a later clock. Can't sleep before they're ready.

CORE CHALLENGE:

Gradually shifting a delayed circadian rhythm without nightly battles.

BEST METHOD: Any method — but ONLY after circadian shift is complete

→ Full Plan

■ The Catnapper

30–45 min naps only. Wakes at every sleep cycle transition.

CORE CHALLENGE:

Teaching independent sleep cycle transitions — the 45-minute skill.

BEST METHOD: Graduated Extinction for naps

→ Full Plan

■ The Party Animal

Wakes 1–4 a.m. ready to party. Not crying — happy.

CORE CHALLENGE:

Making the 2 a.m. party so boring it stops being worth attending.

BEST METHOD: Graduated Extinction

→ Full Plan

SLEEP PERSONALITY PLAN

■ The Snacker

Feeds little and often. Food is their sleep cue.

WHO THEY ARE

The Snacker feeds little and often. They've learned to associate feeding with sleep, and they wake frequently throughout the night — not from hunger, but because the breast or bottle is their sleep cue. They may seem to feed all night, leaving you exhausted and questioning your supply.

CORE CHALLENGE: Breaking the feed-to-sleep association without disrupting nutrition.

✓ WHAT WORKS

- Gradually consolidate feeds — fewer, larger feeds over time rather than abrupt cuts.
- Use 'feed, then wake slightly, then settle' sequence at every bedtime.
- Introduce a pacifier or lovey as a substitute comfort cue.
- Feed at the START of the awake window, not the end — decouples feed from sleep onset.
- Ensure full feeds during the day so hunger isn't a genuine night driver.
- Dream-feed before YOUR bedtime to extend the first overnight stretch.

✗ COMMON MISTAKES

- Feeding every single time they wake — reinforces the association each time.
- Assuming they're hungry because they seem calmed by feeding — it's comfort, not hunger.
- Cutting night feeds too abruptly — gradual reduction works better for this type.
- Skipping the awake window after a feed — they need that gap before crib.

RECOMMENDED METHODS:

Ferber / Graduated Extinction · Fading

AVOID / USE WITH CAUTION:

Full extinction (too abrupt for breaking an association)

"Hunger and habit look the same at 2 a.m. You can learn the difference."

My notes:

[< Previous](#)

[Home](#)

[Next >](#)

The Snacker — Week 1 Plan

Concrete targets for your first 7 nights.

YOUR WEEK 1 TARGETS — DO THESE FIRST

- ☐ **Target 1:** Feed, then fully wake, then put down — in that order, every time.
- ☐ **Target 2:** No feeding within 20 minutes of sleep onset.
- ☐ **Target 3:** Introduce a consistent comfort object (muslin, lovey) at every transfer.

7-NIGHT LOG

Night	Bedtime	Settled?	Wakings	Settle time	Key observation
Night 1					
Night 2					
Night 3					
Night 4					
Night 5					
Night 6					
Night 7					

Pattern I noticed after 3 nights:

"Hunger and habit look the same at 2 a.m. You can learn the difference."

[< Previous](#)

[Home](#)

[Next >](#)

The Snacker — Progress Tracker

Check milestones as they happen. These are YOUR markers for this personality type.

PERSONALITY-SPECIFIC MILESTONES

☐ First night feed dropped or significantly reduced	Date achieved:
☐ Woke but resettled without feeding	Date achieved:
☐ Feeding clearly separated from bedtime routine	Date achieved:
☐ Two consecutive nights without a habit feed	Date achieved:
☐ Sleeping 4+ hour first stretch	Date achieved:

WEEKLY SNAPSHOT

	Week 1	Week 2	Week 3	Week 4
Avg settle time				
Night wakings				
Longest stretch				
Best night				

What's working best for MY baby:

Adjustment I'll make next week:

[< Previous](#)[Home](#)[Next >](#)

SLEEP PERSONALITY PLAN

■ The Overthinker

Alert, curious, never wants to miss a thing.

WHO THEY ARE

The Overthinker is alert, curious, and deeply interested in everything happening around them. They don't want to miss anything. They fight sleep even when they're clearly exhausted, because the world is just too interesting. They have a hair-trigger startle reflex and are usually watching everything.

CORE CHALLENGE: Getting an extremely alert brain to disengage from stimulation.

✓ WHAT WORKS

- Earlier bedtime than you'd think — overtiredness makes alertness worse, not better.
- Extreme low-stimulation wind-down: no mobiles, no interactive toys, nothing interesting.
- Darker, quieter room than average — dimmer than you think necessary.
- No eye contact in the final 5 minutes before transfer — gaze is stimulating.
- White noise to mask environmental sound that triggers the 'what was that?' reflex.
- Same exact room exit every single night — unpredictability triggers alertness.

✗ COMMON MISTAKES

- Keeping them up 'until they're really tired' — cortisol kicks in and they get a second wind.
- Doing exciting play before bed thinking it'll tire them — it over-stimulates instead.
- Talking to them during night wakings — any interaction is interesting to an Overthinker.
- Night lights or dim screens in the room — even minimal visual interest keeps them awake.

RECOMMENDED METHODS:

Graduated Extinction (Ferber) · Extinction (CIO)

AVOID / USE WITH CAUTION:

Chair Method (your presence is interesting)

"The most boring bedtime you can build is the most powerful one for this baby."

My notes:

[< Previous](#)

[Home](#)

[Next >](#)

■ The Overthinker — Week 1 Plan

Concrete targets for your first 7 nights.

YOUR WEEK 1 TARGETS — DO THESE FIRST

- ☐ **Target 1:** Bedtime moved 20–30 min earlier than current time.
- ☐ **Target 2:** All visual stimulation removed from bedroom and final 30 min.
- ☐ **Target 3:** Zero eye contact in the last 5 minutes before crib transfer.

7-NIGHT LOG

Night	Bedtime	Settled?	Wakings	Settle time	Key observation
Night 1					
Night 2					
Night 3					
Night 4					
Night 5					
Night 6					
Night 7					

Pattern I noticed after 3 nights:

"The most boring bedtime you can build is the most powerful one for this baby."

< Previous

Home

Next >

■ The Overthinker — Progress Tracker

Check milestones as they happen. These are YOUR markers for this personality type.

PERSONALITY-SPECIFIC MILESTONES

☐ First bedtime without a second wind	Date achieved:
☐ Settled in under 20 minutes	Date achieved:
☐ First night without calling out after initial settling	Date achieved:
☐ Woke but stayed quiet/drowsy without full arousal	Date achieved:
☐ Three consecutive nights under 15 min to settle	Date achieved:

WEEKLY SNAPSHOT

	Week 1	Week 2	Week 3	Week 4
Avg settle time				
Night wakings				
Longest stretch				
Best night				

What's working best for MY baby:

Adjustment I'll make next week:

[< Previous](#)[Home](#)[Next >](#)

SLEEP PERSONALITY PLAN

■ The Sensitive Soul

Picks up on everything. Consistency is everything.

WHO THEY ARE

The Sensitive Soul picks up on everything — a change in your tone, a slightly different bedtime, a new smell in the room. They're easily startled, emotionally attuned, and prone to more frequent waking during periods of change or stress in the household. They feel everything — including your stress.

CORE CHALLENGE: Maintaining absolute consistency while staying calm yourself.

✓ WHAT WORKS

- Extraordinary routine consistency — same order, same words, same exit, every night.
- Calm and regulated caregiver energy — they feel your anxiety and mirror it.
- Gentler sleep training approach: fading or chair method over extinction.
- Extra attention to developmental leap timing — adjust expectations during leaps.
- Pre-emptive comfort before transitions (house guests, travel, changes) not reactive.
- A single, dedicated comfort object introduced early and consistently.

✗ COMMON MISTAKES

- Using cry-it-out without preparation — too dysregulating for this type.
- Changing the routine even slightly without a gradual transition.
- Bringing stress into the bedtime routine — they will absorb it.
- Inconsistency between caregivers — must be fully aligned.

RECOMMENDED METHODS:

Fading · Chair Method

AVOID / USE WITH CAUTION:

Full extinction without gradual preparation

"Your calm IS the routine. They need you regulated first."

My notes:

[< Previous](#)

[Home](#)

[Next >](#)

■ The Sensitive Soul — Week 1 Plan

Concrete targets for your first 7 nights.

YOUR WEEK 1 TARGETS — DO THESE FIRST

- ☐ **Target 1:** Write out the exact routine — word for word, step by step. Post it.
- ☐ **Target 2:** All caregivers align on identical routine before any sleep training begins.
- ☐ **Target 3:** Identify one calming ritual to anchor the final 5 minutes (song, phrase, touch).

7-NIGHT LOG

Night	Bedtime	Settled?	Wakings	Settle time	Key observation
Night 1					
Night 2					
Night 3					
Night 4					
Night 5					
Night 6					
Night 7					

Pattern I noticed after 3 nights:

"Your calm IS the routine. They need you regulated first."

< Previous

Home

Next >

The Sensitive Soul — Progress Tracker

Check milestones as they happen. These are YOUR markers for this personality type.

PERSONALITY-SPECIFIC MILESTONES

☐ First full routine completed without distress	Date achieved:
☐ Settled with less than 5 min of fussing	Date achieved:
☐ First night with no call-backs after lights out	Date achieved:
☐ Three consecutive nights with consistent routine observed	Date achieved:
☐ First nap resettled without full caregiver intervention	Date achieved:

WEEKLY SNAPSHOT

	Week 1	Week 2	Week 3	Week 4
Avg settle time				
Night wakings				
Longest stretch				
Best night				

What's working best for MY baby:

Adjustment I'll make next week:

[< Previous](#)[Home](#)[Next >](#)

SLEEP PERSONALITY PLAN

■ The Night Owl

Running on a later clock. Can't sleep before they're ready.

WHO THEY ARE

The Night Owl genuinely seems to be running on a later circadian schedule. They're not tired at 7 p.m. — they're tired at 9 or 10 p.m. They'll let you know if you try to put them down before they're ready. Forcing an early bedtime results in lengthy battles and erodes your trust in the whole process.

CORE CHALLENGE: Gradually shifting a delayed circadian rhythm without nightly battles.

✓ WHAT WORKS

- Gradually shift bedtime earlier: 10–15 minutes every 2–3 days — not all at once.
- Maximize morning light exposure immediately upon waking — even 10 minutes outside.
- Shorten or cap the last nap of the day to build sleep pressure by evening.
- Bright light in the morning, dimness from 5 p.m. — light is your circadian lever.
- Do NOT start sleep training until bedtime is within 30 min of target — you'll fail otherwise.
- Feed schedule shifts with bedtime — everything slides together.

✗ COMMON MISTAKES

- Forcing a 7 p.m. bedtime before the rhythm has shifted — leads to hours of battles.
- Keeping daytime naps at normal times while only shifting bedtime.
- Blackout curtains in the morning — the baby needs morning light to reset the clock.
- Giving up on the shift after 2–3 days — takes 2–3 weeks minimum.

RECOMMENDED METHODS:

Any method — but ONLY after circadian shift is complete

AVOID / USE WITH CAUTION:

Starting any method before the schedule has been properly adjusted

"You are not fighting your baby. You are moving their clock. It takes time."

My notes:

[< Previous](#)

[Home](#)

[Next >](#)

The Night Owl — Week 1 Plan

Concrete targets for your first 7 nights.

YOUR WEEK 1 TARGETS — DO THESE FIRST

- ☐ **Target 1:** Note current true sleep onset time (when they actually fall asleep willingly).
- ☐ **Target 2:** Begin 10-min daily bedtime shift — move everything earlier, not just bedtime.
- ☐ **Target 3:** Commit to morning light exposure within 20 min of waking, every day.

7-NIGHT LOG

Night	Bedtime	Settled?	Wakings	Settle time	Key observation
Night 1					
Night 2					
Night 3					
Night 4					
Night 5					
Night 6					
Night 7					

Pattern I noticed after 3 nights:

"You are not fighting your baby. You are moving their clock. It takes time."

[< Previous](#)

[Home](#)

[Next >](#)

The Night Owl — Progress Tracker

Check milestones as they happen. These are YOUR markers for this personality type.

PERSONALITY-SPECIFIC MILESTONES

- | | |
|---|-------------------------------------|
| ☐ Bedtime shifted 15 min earlier without resistance | Date achieved: <input type="text"/> |
| ☐ Bedtime shifted 30 min earlier without resistance | Date achieved: <input type="text"/> |
| ☐ First evening where baby showed tiredness before 8:30 p.m. | Date achieved: <input type="text"/> |
| ☐ Bedtime reached target time | Date achieved: <input type="text"/> |
| ☐ First full week at target bedtime with consistent settling | Date achieved: <input type="text"/> |

WEEKLY SNAPSHOT

	Week 1	Week 2	Week 3	Week 4
Avg settle time				
Night wakings				
Longest stretch				
Best night				

What's working best for MY baby:

Adjustment I'll make next week:

[< Previous](#)[Home](#)[Next >](#)

SLEEP PERSONALITY PLAN

■ The Catnapper

30–45 min naps only. Wakes at every sleep cycle transition.

WHO THEY ARE

The Catnapper never naps for more than 30–45 minutes. They surface from the first sleep cycle and wake fully — leaving you with a baby who isn't fully rested and a window of time that's too short for you to accomplish anything. The problem isn't falling asleep, it's linking sleep cycles.

CORE CHALLENGE: Teaching independent sleep cycle transitions — the 45-minute skill.

✓ WHAT WORKS

- Be in the room at the 40-minute mark to attempt resettling before full waking.
- Ensure optimal nap environment: true darkness and white noise (critical for naps).
- For younger babies: accept a 3-nap schedule accounting for shorter nap lengths.
- Extend awake windows slightly — undertiredness contributes to catnapping.
- A consistent pre-nap wind-down mini-routine (3–5 min) signals sleep is longer.
- Motion sleep (carrier, pram) for one nap per day while working on crib naps.

✗ COMMON MISTAKES

- Immediately picking them up at 45 minutes — removes the chance to resettle.
- Giving up on nap extension after 2–3 days — takes a full week to shift.
- Napping in different locations each time — inconsistency disrupts cycle linking.
- Timing naps based on clock rather than wake windows — overtiredness breaks cycles.

RECOMMENDED METHODS:

Graduated Extinction for naps · Fading for nap extensions

AVOID / USE WITH CAUTION:

Relying on motion sleep long-term for all naps

"The 45-minute wall is a skill gap, not a permanent trait. You can teach through it."

My notes:

< Previous

Home

Next >

■ The Catnapper — Week 1 Plan

Concrete targets for your first 7 nights.

YOUR WEEK 1 TARGETS — DO THESE FIRST

- ☐ **Target 1:** Add 3-min pre-nap routine (identical every time: one song, curtains, white noise, crib).
- ☐ **Target 2:** Stay out of room for 10 min after the 45-min wake — log what happens.
- ☐ **Target 3:** Ensure nap environment is at least as dark as nighttime sleep.

7-NIGHT LOG

Night	Bedtime	Settled?	Wakings	Settle time	Key observation
Night 1					
Night 2					
Night 3					
Night 4					
Night 5					
Night 6					
Night 7					

Pattern I noticed after 3 nights:

"The 45-minute wall is a skill gap, not a permanent trait. You can teach through it."

[< Previous](#)

[Home](#)

[Next >](#)

The Catnapper — Progress Tracker

Check milestones as they happen. These are YOUR markers for this personality type.

PERSONALITY-SPECIFIC MILESTONES

☐ First nap extended past 50 minutes	Date achieved:
☐ Resettled after 45-min wake without full pick-up	Date achieved:
☐ First 60+ minute nap	Date achieved:
☐ Two consecutive days with at least one long nap	Date achieved:
☐ Three out of five naps over 45 minutes in a week	Date achieved:

WEEKLY SNAPSHOT

	Week 1	Week 2	Week 3	Week 4
Avg settle time				
Night wakings				
Longest stretch				
Best night				

What's working best for MY baby:

Adjustment I'll make next week:

[< Previous](#)[Home](#)[Next >](#)

SLEEP PERSONALITY PLAN

■ The Party Animal

Wakes 1–4 a.m. ready to party. Not crying — happy.

WHO THEY ARE

The Party Animal wakes somewhere between 1–4 a.m. ready to go. Not crying — happy. Chatting. Playing with their feet. They are, as far as they're concerned, having a great time. You are not having a great time. This waking is driven by circadian rhythm and sometimes an early bedtime creating early-morning waking.

CORE CHALLENGE: Making the 2 a.m. party so boring it stops being worth attending.

✓ WHAT WORKS

- Rule out an early bedtime causing the waking — try shifting bedtime 15–30 min later.
- Absolute darkness — any light at 2 a.m. acts as a circadian wake signal.
- Do NOT engage: no lights, no play, no stimulation, no eye contact, no fun.
- Minimal, boring response: check safety, pat once, leave — repeat as needed.
- Ensure the last feed of the evening is a full, satisfying feed.
- Check for underlying hunger — a small top-up at 10–11 p.m. can help.

✗ COMMON MISTAKES

- Playing with them during the waking — you've now confirmed this is party time.
- Turning on any light source — even briefly — during the wakeful period.
- Feeding to get them back to sleep — may reinforce the waking time.
- Bringing them into bed — makes the 2 a.m. very interesting indeed.

RECOMMENDED METHODS:

Graduated Extinction · Extinction (CIO) for the waking period

AVOID / USE WITH CAUTION:

Pick Up/Put Down (too stimulating for this type)

"The most boring 2 a.m. you can manage is your most powerful tool."

My notes:

[< Previous](#)

[Home](#)

[Next >](#)

■ The Party Animal — Week 1 Plan

Concrete targets for your first 7 nights.

YOUR WEEK 1 TARGETS — DO THESE FIRST

- ☐ **Target 1:** Cover every possible light source in the room — recheck at 2 a.m. specifically.
- ☐ **Target 2:** Write and agree the 'boring response script' with your partner before tonight.
- ☐ **Target 3:** Log exact waking time each night — look for the pattern after 3 days.

7-NIGHT LOG

Night	Bedtime	Settled?	Wakings	Settle time	Key observation
Night 1					
Night 2					
Night 3					
Night 4					
Night 5					
Night 6					
Night 7					

Pattern I noticed after 3 nights:

"The most boring 2 a.m. you can manage is your most powerful tool."

[< Previous](#)

[Home](#)

[Next >](#)

The Party Animal — Progress Tracker

Check milestones as they happen. These are YOUR markers for this personality type.

PERSONALITY-SPECIFIC MILESTONES

- | | |
|--|-------------------------------------|
| ☐ First 2 a.m. waking that resolved within 10 minutes | Date achieved: <input type="text"/> |
| ☐ First night where the waking period was under 20 minutes | Date achieved: <input type="text"/> |
| ☐ First night without any engagement during the waking | Date achieved: <input type="text"/> |
| ☐ Two consecutive nights with under 15-min wakeful period | Date achieved: <input type="text"/> |
| ☐ First full-night sleep (waking resolved without full arousal) | Date achieved: <input type="text"/> |

WEEKLY SNAPSHOT

	Week 1	Week 2	Week 3	Week 4
Avg settle time				
Night wakings				
Longest stretch				
Best night				

What's working best for MY baby:

Adjustment I'll make next week:

[< Previous](#)[Home](#)[Next >](#)

MASTER PLAN

My Baby's Master Sleep Plan

Pull everything together. This is your reference page.

MY BABY SUMMARY

Baby's name

Primary personality

Secondary personality

Chosen sleep method

Target bedtime

Current awake window

MY NON-NEGOTIABLES THIS WEEK

☐☐☐☐

WHAT'S WORKING

WHAT TO ADJUST

PARTNER / CO-PARENT ALIGNMENT NOTE

Write what you've agreed on so you're both reading from the same page at 2 a.m.:

I commit to this plan for at least 7 consistent nights. Date:

"Not every baby is the same. Now you know yours. Go use that."

[< Previous](#)

[Home](#)

[Next >](#)