

SIX & THRIVING

SLEEP, BABY. PLEASE.

Full System Planner

A complete interactive planning system based on the Six & Thriving sleep methodology

Baby profile · Sleep science · Cue tracker · Routine builder · Environment audit

Method planner · Night response · Personality finder · 7-night tracker · Toddler toolkit

01
Baby Profile

02
Sleep Science

03
Cue Tracker

04
Routine Builder

05
Environment

06
Method Planner

07
Night Response

08
Personality

09
Mistake Reset

10
7-Night Tracker

11
Toddler Toolkit

12
Dashboard

01 Baby Profile

02 Sleep Science

03 Cue Tracker

04 Routine Builder

05 Environment Audit

06 Method Planner

07 Night Response

08 Sleep Personality

09 Mistake Reset

10 7-Night Tracker

11 Toddler Toolkit

12 Progress & Notes

Sleep is coming. For both of you.

Baby Profile & Sleep Baseline

Everything in one place · Revisit as your baby grows

BABY DETAILS

Baby's Name:	Date of Birth:	Age (weeks/months):	Weight (kg/lbs):
Feeding type:	Gestational age at birth:	Any medical notes:	

CURRENT SLEEP SNAPSHOT

Typical bedtime:		Typical wake time:		# night wakings:	
Avg night sleep (hrs)		# naps/day:		Avg nap length:	
Current sleep association (what baby needs to fall asleep):					

MY SLEEP GOALS

-
-
-

TARGET DATE

When I want things to look different:

Reason / motivation:

AWAKE WINDOW REFERENCE TABLE

AGE	AWAKE WINDOW	MAX NAPS	BEDTIME TARGET
0-6 wks	45-60 min	4-5/day	Variable
6-12 wks	60-90 min	4/day	8-9 pm
3-4 mo	90 min	3-4/day	7:30-8:30 pm
4-6 mo	2 hrs	3/day	7-8 pm
6-8 mo	2.5 hrs	2-3/day	7-8 pm
8-12 mo	3-3.5 hrs	2/day	6:30-7:30 pm
12-18 mo	4-5 hrs	1-2/day	7-7:30 pm
18-24 mo	5-6 hrs	1/day	7-7:30 pm

CO-PARENT / PARTNER ALIGNMENT

Partner's name:		Our start date:		Agreed method:		Who handles nights?	
-----------------	----------------------	-----------------	----------------------	----------------	----------------------	---------------------	----------------------

Sleep Science Cheat Sheet

The science you need · Nothing you don't

SLEEP CYCLE STAGES

NREM 1–2 Light sleep	10–15 min
NREM 3 Deep sleep	15–20 min
REM Active/dream	10–15 min
Transition May fully wake	~45 min total
Baby cycles: ~45 min (adult: 90 min)	

CORTISOL vs MELATONIN

Melatonin	Released in darkness · says SLEEP
Cortisol	Released when overtired · says STAY AWAKE
Sweet spot	High sleep pressure, low cortisol = easy settling
Watch for	Cues 10–15 min before window ends

SLEEP PRESSURE

Adenosine builds up → sleep pressure rises

GREEN	Early cues · Start wind-down
YELLOW	Optimal cues · Get to crib
RED	Too late · Cortisol rising

WHAT 'SLEEPING THROUGH THE NIGHT' ACTUALLY MEANS

3 mo 5–6 hr stretch = 'through the night'	6 mo 8–10 hrs possible	9–12 mo 10–12 hrs the norm	It's a process Not a switch. Every longer stretch = win.
---	--	--	--

MY KEY TAKEAWAYS FROM THE SCIENCE

Write what clicked for you. These notes are for your eyes.

CIRCADIAN RHYTHM — DAILY LIGHT STRATEGY

Morning	Midday	Evening	Night
Bright natural light immediately on waking Sets the clock	Normal daylight Maintain regular nap windows	Dim lights 60 min before bed Melatonin begins	True darkness No screens Cover all LEDs

NIGHT FEEDING: NUTRITIONAL vs HABITUAL

AGE	TYPICAL FEEDS	WHEN TO CONSIDER REDUCING
0–3 mo	2–4/night	Not yet — nutritional
3–4 mo	1–3/night	Work on drowsy-but-awake first
4–6 mo	1–2/night	Gradual reduction if weight OK
6–9 mo	0–1/night	Most can manage 0 with paed OK
9+ mo	Check with your paediatrician before reducing feeds, especially under 6 months.	Waking likely habitual/comfort

Sleep Cue Tracker

Read the traffic light · Act before the red · Win the bedtime

■ GREEN — Early Cues

- Quieting down
- Less active
- Gaze drifting
- Less interested in play
- Slightly glassy eyes

→ Start wind-down NOW

THE SLEEP CUE TRAFFIC LIGHT

■ YELLOW — Optimal Cues

- Yawning (1–2 times)
- Eye rubbing
- Pulling at ears
- Fussiness starting
- Rooting (young babies)

→ Get to the crib

■ RED — Too Late

- Inconsolable crying
- Arching back
- Very red eyes
- Won't be put down
- Second wind energy

→ Extra patience needed · Cortisol is here

MY BABY'S SPECIFIC CUES

Every baby is different — document YOUR baby's personal cue sequence here:

My baby's GREEN cues:

My baby's YELLOW cues:

My baby's RED cues:

CUE OBSERVATION LOG — 5 DAYS

Track the cue you spotted, the time, and what you did. Patterns emerge within 3–4 days.

Day	Nap/Bed	Cue spotted (+ time)	Traffic light	Action taken	Result

3-DAY AWAKE WINDOW PRACTICE

Track how well you hit the sweet spot. Mark: ✓ nailed it · ~ close · X missed it

Wake	Window target	Nap 1 in	Window target	Nap 2 in	Window target	Bedtime in	Result
Day 1							
Day 2							
Day 3							

Notes from cue-watching this week:

Sleep, Baby, Please. · Six & Thriving · Sleep Cue Tracker

Bedtime Routine Builder

20–30 minutes · Same order every night · The order IS the signal

MY ROUTINE STEPS — TRACK EACH NIGHT

Fill in your TARGET TIME for each step. Check off nightly. Note anything to adjust.

Step	Description	Target time	M	T	W	T	F	S	S	Adjust?
1	Transition signal Lights dim · specific phrase · screens off		☐	☐	☐	☐	☐	☐	☐	
2	Bath / wipe-down Warm water · parasympathetic activation		☐	☐	☐	☐	☐	☐	☐	
3	Lotion massage Slow strokes · lavender optional		☐	☐	☐	☐	☐	☐	☐	
4	Pyjamas & sleep sack Check tog for room temp		☐	☐	☐	☐	☐	☐	☐	
5	Feed (not to sleep) Dim, quiet room · drowsy, not asleep		☐	☐	☐	☐	☐	☐	☐	
6	Books or songs 1–3 in glider/chair · soft, slow		☐	☐	☐	☐	☐	☐	☐	
7	Goodnight phrase Same words · every night		☐	☐	☐	☐	☐	☐	☐	
8	White noise on 60–65dB · few feet from crib		☐	☐	☐	☐	☐	☐	☐	
9	Room fully dark Blackout + cover LEDs		☐	☐	☐	☐	☐	☐	☐	
10	Crib: DROWSY but AWAKE The single most important skill		☐	☐	☐	☐	☐	☐	☐	
11	Calm, consistent exit Same every night		☐	☐	☐	☐	☐	☐	☐	
12	Wait 2–3 min before going back Cycling ≠ fully awake		☐	☐	☐	☐	☐	☐	☐	

SAMPLE ROUTINES BY AGE

0–3 months

1. Dim lights 30 min before
2. Sponge bath / wipe-down
3. Feed in quiet, dim room
4. Swaddle while calm + awake
5. Rock 2–3 min, shush
6. Crib drowsy but awake

3–6 months

1. Transition signal
2. Warm bath (5–10 min)
3. Lotion massage (5 min)
4. Pyjamas + sleep sack
5. Feed in dim room
6. Song → crib drowsy

6–18 months

1. Clean-up cue
2. Bath
3. Pyjamas + sleep sack
4. 2–3 books in glider
5. Milk / feed (not to sleep)
6. Goodnight phrase → crib

MY CUSTOM ROUTINE — FINAL ORDER (stick this on the nursery door)

1

2

3

4

5

6

7

8

9

10

Total routine time (aim 20–30 min):

Bedtime target:

01

Baby Profile

02

Sleep Science

03

Cue Tracker

04

Routine Builder

05

Environment Audit

06

Method Planner

07

Night Response

08

Sleep Personality

09

Mistake Reset

10

7-Night Tracker

11

Toddler Toolkit

12

Progress & Notes

Sleep Environment Audit

The room is doing work 24 hrs a day · Make sure it's working FOR you

DARKNESS

Non-negotiable. True blackout = melatonin stays high.

- ☐ Blackout curtains (not just 'room darkening')
- ☐ All LED indicators covered with electrical tape
- ☐ Monitor screen dimmed / covered
- ☐ No light under the door
- ☐ Nightlight: none, or red-spectrum only
- ☐ Hand test passed: can't see hand in front of face

Current darkness rating:

WHITE NOISE

Womb = 80–85 dB. Silence is not natural for newborns.

- ☐ Dedicated white noise machine (not phone)
- ☐ Positioned a few feet from crib, not inside
- ☐ Volume: ~60–65 dB (shower noise level)
- ☐ Runs all night (not on timer)
- ☐ Type tested: fan / static / rain / brown noise
- ☐ Same sound every sleep — no switching

Sound type we use:

TEMPERATURE

Target: 68–72°F / 20–22°C

- ☐ Thermometer in baby's room
- ☐ Temperature confirmed in range
- ☐ Sleep sack tog rating matches room temp
- ☐ Baby dressed: 1 more layer than comfortable for you

CRIB SETUP (AAP)

- ☐ Firm, flat mattress — no wedge or incline
- ☐ Fitted sheet only — nothing else
- ☐ No stuffed animals, bumpers, or positioners
- ☐ Sleep sack used (appropriate tog)
- ☐ Baby on back — every sleep — no exceptions
- ☐ Sleep surface: crib / bassinet only

MY ROOM ENVIRONMENT NOTES & CHANGES TO MAKE


What's working well:

What needs to change:

What I'll do this week:

Equipment I need to buy:

TOG RATING QUICK GUIDE



01

Baby Profile

02

Sleep Science

03

Cue Tracker

04

Routine Builder

05

Environment Audit

06

Method Planner

07

Night Response

08

Sleep Personality

09

Mistake Reset

10

7-Night Tracker

11

Toddler Toolkit

12

Progress & Notes

Sleep Training Method Planner

Pick a method · Pick a start date · Commit. Consistency is everything.

METHOD COMPARISON

The best method is the one you can commit to consistently.

Method	Cry Level	Speed	Best For	What works	Honest truth
☐ Extinction (CIO)	High	Fast / 3–5 days	Severe sleep deprivation · Persistent babies · Both partners committed	Publicly awake, no return until morning (not even feed time).	Hard to hear crying. Must have 100% partner alignment before starting.
☐ Ferber (Graduated)	Moderate	Medium / 5–7 days	Parents who need to DO something · Most temperaments	Consistent increasing intervals (3→5→10→15 min). Verbal comfort only.	Can escalate some babies. Know yours. If visits worsen it, stop visiting.
☐ Chair Method	Low–Mod	Slower / 2–3 weeks	Sensitive babies · Parents not ready to step back	Sit on edge of crib until asleep; move chair further every few nights.	You're present but not responding as baby wants. Its own kind of hard.
☐ Fading	Low	Slowest / 3–4+ weeks	Gentle approach preferred · Adaptable	Gradually reduce involvement each night (less rocking, less nursing).	Requires patience. Easy to accidentally stall. Be honest about progress.
☐ Pick Up/Put Down	Low	Variable	Young babies 3–5 months · High sensitivity	Respond to baby cries → pick up to calm → put down. Repeat.	Can take very long per night with older babies. Repetitive distress for some.

MY CHOSEN METHOD & COMMITMENT

My chosen method:

Start date:

Baby's age:

Partner aligned?

My 'why' (what does sleep success look like for our family?):

DO NOT START DURING:

- ☐ Illness / fever
- ☐ Teething peak
- ☐ House move / major change
- ☐ Travel (or travel within 2 weeks)
- ☐ Developmental leap
- ☐ Any major family disruption

START WHEN:

- ☐ Baby is 4–6+ months
- ☐ No illness in past week
- ☐ No travel for 2+ weeks
- ☐ Relatively stable period
- ☐ Both caregivers committed
- ☐ Sleep environment is optimised

PRE-WEEK SETUP CHECKLIST (do this the day before you start)

- ☐ Room set up: blackout + white noise + temp
- ☐ Routine written out in order and visible
- ☐ Target bedtime decided
- ☐ Sleep log prepared (use the 7-Night Tracker)
- ☐ Partner briefed: method, roles, 'if I want to break' plan
- ☐ Done a 'nap day' — observed baby's natural awake rhythm

01

Baby Profile

02

Sleep Science

03

Cue Tracker

04

Routine Builder

05

Environment Audit

06

Method Planner

07

Night Response

08

Sleep Personality

09

Mistake Reset

10

7-Night Tracker

11

Toddler Toolkit

12

Progress & Notes

Sleep is coming. For both of you.

Night Waking Response Plan

Decide before the night falls · 2pm brain > 2am brain

MY NIGHT WAKING RESPONSE PLAN — WRITE THIS BEFORE BEDTIME

How I will respond when baby wakes:

Wait time before going in:

min

What my partner does:

If I feel like breaking the plan:

NIGHT WAKING LOG — 7 NIGHTS

Track every waking · spot patterns · celebrate every improvement

Night	Asleep at	Wake 1	Resolved by	Wake 2	Resolved by	Wake 3+	Morning	Total (hrs)	Notes
Night 1 Foundation									
Night 2 Signal									
Night 3 Turning Pt									
Night 4 Possible Dip									
Night 5 Breakthrough									
Night 6 Reinforce									
Night 7 Evaluate									

■ SLEEP DEBT TRAPS — HABITS TO AVOID

- Feeding to sleep after 4 months
- Rocking fully to sleep (any age)
- Bringing to bed as night rescue
- Motion sleep for all naps
- Inconsistent response night-to-night
- Responding before baby fully wakes

✓ THE WAIT-BEFORE-YOU-GO PRINCIPLE

- Pause 2–3 min before entering
- Listen: escalating or quieting?
- Cycling sounds ≠ fully awake
- You learn the difference in days
- Rushing in fully wakes baby
- Most babies can surprise you

NIGHT FEED REDUCTION PLAN

Bottle: reduce by 1oz every 2–3 nights. Breast: reduce by 1 min every 2–3 nights.

Feed I want to eliminate:

Current duration/amount:

Target in 2 weeks:

Paed approved?

- 01 Baby Profile
- 02 Sleep Science
- 03 Cue Tracker
- 04 Routine Builder
- 05 Environment Audit
- 06 Method Planner
- 07 Night Response
- 08 Sleep Personality
- 09 Mistake Reset
- 10 7-Night Tracker
- 11 Toddler Toolkit
- 12 Progress & Notes

Sleep is coming. For both of you.

Sleep Personality Finder

Six babies · Six personalities · What works for yours?

MY BABY'S PERSONALITY PROFILE

My baby is most like:

Blend of:

My tailored approach:

Seems like you offered, wakes frequently — not from hunger, but because breast/bottle IS the sleep cue.

Awake, wide-eyed and fully alert, no miss anything. Fights sleep even when exhausted.

Fast sleeper. Responding to tone changes, new smells, household stress. Frequently wakes in change.

01

Baby Profile

02

Sleep Science

03

Cue Tracker

04

Routine Builder

05

Environment Audit

06

Method Planner

07

Night Response

08

Sleep Personality

09

Mistake Reset

10

7-Night Tracker

11

Toddler Toolkit

12

Progress & Notes

Sleep is coming. For both of you.

Common Mistakes & The Reset Plan

Forewarned is forearmed · Every parent makes these · Now you won't

THE 7 COMMON MISTAKES — CHECK THE ONES YOU'RE MAKING

No shame. They come from love and desperation. Knowing them is enough to avoid them.

1	☐	The Moving Goalpost Starting a method then switching it on night 2 or 3 because it's hard.	FIX: Pick a method. Commit for 5–7 consecutive nights. Inconsistency is harder on baby than firmness.
2	☐	Skipping the Wake Window Putting baby down at first yawn before enough sleep pressure has built	FIX: Trust the awake window table. A baby not tired enough will not settle — no matter what.
3	☐	The Nap Trap Allowing too-long afternoon naps that steal from night sleep.	FIX: Cap last nap: end 2+ hrs before bedtime. It shouldn't be the longest nap of the day.
4	☐	Rescuing Too Fast Going in within 30 seconds of a stir, interrupting a resettling that w	FIX: Wait 2–5 minutes for non-crying wakings. Listen: escalating or quieting? Give them a chance.
5	☐	Weekend Schedule Drift Letting bedtime slide 60–90 minutes on Saturday. Undoes 5 days of prog	FIX: Hold the schedule 7 days/week during active sleep training. Flexibility comes after 2–3 consistent weeks.
6	☐	Waiting for Perfect Conditions "We'll start after the trip / the holiday / the tooth comes through..."	FIX: Pick a 2-week window with no major events and start. Done > theoretically perfect.
7	☐	Giving Up at the Extinction Burst Night 4–5 suddenly gets harder and you stop, right before the breakthrough	FIX: The extinction burst is a sign change is happening. Prepare for it. Write yourself a note. Don't quit.

THE 5-STEP SLEEP RESET — USE WHEN THINGS SLIDE

Sleep progress is not a straight line. Habits creep back. Use this to reverse the slide.



7 WARNING SIGNS OF A SLIDE

- ☐ Bedtime taking noticeably longer
- ☐ Night wakings increased in number/length
- ☐ New unintended habit started (rocking, bedsharing)
- ☐ Toddler bedtime crept 30+ min past target
- ☐ Routine expanding with new steps/requests
- ☐ Night waking response changes every night
- ☐ You're dreading bedtime before it begins

MY RESET LOG

Reset triaaged on night:

Warning signs I noticed:

Step I started with:

Back on track by night:

01

Baby Profile

02

Sleep Science

03

Cue Tracker

04

Routine Builder

05

Environment Audit

06

Method Planner

07

Night Response

08

Sleep Personality

09

Mistake Reset

10

7-Night Tracker

11

Toddler Toolkit

12

Progress & Notes

Sleep is coming. For both of you.

7-Night Game Plan & Consistency Tracker

One week from tonight things will look different · Trust the process

NIGHT-BY-NIGHT TRACKER

Fill in Before the night → track during → reflect after

Night	Asleep	Woke at	How resolved	Settle (min)	Total hrs	Method held?	Reflection / what I noticed
Night 1 Foundation Night							
Night 2 Signal Night							
Night 3 Turning Point							
Night 4 Possible Dip							
Night 5 Breakthrough							
Night 6 Reinforcement							
Night 7 Evaluation							

NIGHT-BY-NIGHT GUIDANCE NOTES

Foundation Night	Signal Night	Turning Point	Possible Dip	Breakthrough	Reinforcement	Evaluation
Hardest night. Baby doesn't know yet. Plant the seed. Expect it to take longer.	Pattern beginning. May still be hard. Don't evaluate yet. Same routine, same order.	Many families see a shift. If not yet — trust. Sensitive souls take longer.	Extinction burst may appear. Read your pre-written note. DO NOT change methods.	Many babies: first full stretch. Write it down. Celebrate quietly. Keep going.	Whatever gains you have — protect them with exact same consistency tonight.	Compare log to night 1. Progress will be there. Decide: continue or adjust week 2.

SURVIVAL KIT — PRACTICAL TIPS

- Ear protection for the non-responding parent
- Write-it-down rule: time + escalating or quieting?
- Go-outside rule: 60 sec fresh air resets your brain
- Track each night. Seeing 47→22→8 min is powerful.
- Take turns being the strong one with partner
- Sleep when baby sleeps — still true now

WEEK ONE SUMMARY

Settle time Night 1:	
Settle time Night 7:	
Wake count Night 1:	
Wake count Night 7:	
Week 2 plan:	

Toddler Sleep Toolkit

18 months–3 years · Tiny negotiators · Warm limits · Consistent exits

COMMON TODDLER SLEEP CHALLENGES & SOLUTIONS

Curtain Calls

'One more water / hug / question about dinosaurs'

- One Pass Rule: 1 get-out-of-bed free per night
- Visual pass (card on door for under-3s)

Bedtime Battles

Asserting autonomy — beautiful development, difficult bedtime

- Predictable limits create safety & reduce anxiety
- Consistent goodbye ritual: special handshake / song

Night Terrors vs Nightmares

Knowing the difference changes everything

- TERROR: 1st third of night · deep NREM · not awake
- Do NOT wake during terror · ensure physical safety

Sam Early Waking

The OK-to-wake clock. Full darkness. Later bedtime test.

- OK-to-wake clock glows green = allowed to get up
- Test later bedtime (15 min) — may solve it

Nap Transition

2 naps → 1 nap, typically 14–18 months

- Signs ready: fighting nap 1 / long time to settle
- Move nap 1 later by 15–30 min every few days

Scheduled Waking (Night Terrors)

Consistently timed terrors? Preempt them.

- Note time terror usually occurs
- Gently rouse child 20–30 min before that time

MY TODDLER'S BEDTIME ROUTINE

1

2

3

4

5

6

7

8

TODDLER DETAILS

Age:

Nap schedule:

Bedtime target:

Current challenge:

What's working:

RULES WITH WARMTH — THE TODDLER BEDTIME RULE BOOK

One Pass Rule

Consistent Response

Goodbye Ritual

OK-to-Wake Clock

After bedtime: 1 get-out-of-bed for ANY reason. After used: 'Sleep time. Back to bed.'

Every call-out after the pass: same warm, firm, boring response. Every. Time.

Something countable. Special handshake / song / 3 kisses. Signals: actual end.

Glows green = may get up. Game-changing for early risers. Invest in one.

MY TODDLER NOTES

What's working / what I tried / what I'll do differently:

01

Baby Profile

02

Sleep Science

03

Cue Tracker

04

Routine Builder

05

Environment Audit

06

Method Planner

07

Night Response

08

Sleep Personality

09

Mistake Reset

10

7-Night Tracker

11

Toddler Toolkit

12

Progress & Notes

Sleep is coming. For both of you.

Progress Dashboard & Notes

Sleep is coming. For both of you. — Six & Thriving

SLEEP PROGRESS AT A GLANCE

Night 1 settle (min)

Latest settle (min)

Night 1 wakings

Latest wakings

Night 1 total sleep

Latest total sleep

Days since we started

Method used

14-DAY SLEEP LOG — BUILD YOUR TREND

Fill in each day · Circle best nights · Watch the pattern emerge by day 3–4

Day	Date	Bedtime	Wake 1	Wake 2	Wake 3	Morning	Total hrs	Nap 1	Nap 2	Rating	Notes
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											
13											
14											

WIN LOG — EVERY WIN COUNTS

Big or small. Write them all.

1

2

3

4

5

NOTES & BRAIN DUMP

Get it out of your head:

MY SLEEP PROMISE

- I will keep bedtime simple and in the same order every night.
- I will watch awake windows and act on them — before overtiredness sets in.
- I will decide my night waking response before the night begins.

Sleep is coming. For both of you. — Six & Thriving

FREE NOTES