

FROM CHAPTER 7 OF SLEEP, BABY. PLEASE.

FREE

RESET

The Reset

Protocol

For the mom who tried before
and watched it fall apart by Night 4.

- ♦ The 5 most common reasons sleep training fails
- ♦ The diagnostic that tells you which one it was
- ♦ The 5-step reset + 5-night tracker (printable)

SIX & THRIVING

Mother of Six — I've Restarted Twice Myself

BEFORE WE FIX IT — A FEW WORDS

You're not starting from zero.

If you're reading this, you've tried sleep training before. You read a book. You started a method. You held the line for 2 nights, maybe 3. Then something happened — and the wheels came off.

Here's what I want you to know first:

You did not fail. The plan failed YOU. There's a difference.

"You are not starting from zero.

You are starting from experience.

You know what didn't work. That is data. That is power."

I've watched hundreds of moms restart sleep training. The ones who succeed do ONE thing differently:

They DIAGNOSE before they fix. They figure out which of the 5 things actually broke last time — and they target THAT one.

That's what this worksheet is. The diagnostic, then the fix. Use it tonight.

With love and solidarity,

— **Six & Thriving**

STEP 1 OF THE PROTOCOL

What Actually Broke?

Tick the **ONE** that sounds most like your last attempt.

01

Sleep Association

Baby was still falling asleep nursing, rocking, or with a bottle.

If you didn't move feed-to-sleep BEFORE training, this was your culprit.

☐**02**

Wrong Timing

Awake windows were too short or too long. Bedtime was off.

Symptom: settling took >30 min. Or 'won't go down at 7pm.'

☐**03**

Environment

Room not dark enough. Too warm/cold. Sound machine too quiet/loud.

Symptom: short naps. Wakes between cycles. The 5am party.

☐**04**

Inconsistency

You responded one way Monday, another way Wednesday.

The #1 reason sleep training fails. Even gentle methods need 100% consistency.

☐**05**

Partner Misalignment

One of you held the line. The other caved at 2am.

Baby learns: if I escalate, the other parent comes in. Crying gets WORSE.

☐**ONLY ONE.**

If you tick more than one — that's normal. But focus on the **BIGGEST** one. Fix that, and the others often resolve.

THE FULL PROTOCOL

Now Fix It — In 5 Nights

Five steps. Five nights. Targeted at YOUR culprit from page 3.

2

FIX THE ENVIRONMENT FIRST

Free, fast, no behavior change. Blackout curtains. White noise on. Room at 68–72°F. Do this **BEFORE** bedtime.

3

RESET THE ROUTINE

Same order. Every night. Bath → lotion → pyjamas → feed → song → crib **AWAKE**. Strip out the 'extras' that crept in last time.

4

COMMIT TO 5 NIGHTS

Five consecutive nights. Same response every time. Write your wait time and your script **BEFORE** the night starts. No deviations.

5

TRACK & COMPARE

Note total settle time + number of wakes each morning. By Night 4 you'll see the trend. By Night 5 you'll see the win.

Your 5-Night Reset Tracker

Print this. Fill it in each morning. Keep it on the fridge.

Night	Date	Time to Settle	Number of Wakes	Notes
Night 1				
Night 2				
Night 3				
Night 4				
Night 5				

ONE LAST THING — IF YOU WANT THE FULL PROTOCOL

This time?

Make it stick.

The full book has the entire troubleshooting chapter — including how to handle illness, regressions, daycare disruption, sleep regressions at 4/8/12/18 months, and the night-by-night roadmap for what to expect during your reset.

Plus the Six Sleep Personalities chapter, so you can match the method to YOUR baby — not the one in someone else's book.

This time, you have the full picture.

Want the full plan?

Sleep, Baby. Please. — All 15 chapters. 59 pages. \$19.

GET THE BOOK → \$19

www.sixandthriving.com

Sleep is coming. For both of you.

— Six & Thriving