

Core Navigation & Buffer Management

Core Navigation & Buffer Management

<leader>w: Save file
<leader>q: Quit window
<leader>s: Quick save
<Tab>: Next buffer
<S-Tab>: Previous buffer
<leader>n: Next buffer
<leader>p: Previous buffer
<leader>x: Close buffer
<leader>bd: Delete current buffer
<leader>ba: Close all buffers except current
<leader>h/j/k/l: Move between splits
<leader>wn: Next split
<leader>wp: Previous split
<leader>ws: Horizontal split
<leader>wv: Vertical split
<C-Up/Down/Left/Right>: Resize window
<leader>e: Toggle NvimTree or focus editor
<leader>nf: Create new file from NvimTree

Search, Editing, and Clipboard

Search, Editing, and Clipboard

<leader>ps: Grep string (Telescope)
<leader>?: Search Leader Keymaps (Telescope)
gnn: Start Tree-sitter selection
grc: Scope incremental
grm: Node decremental
J: Smarter join lines
<C-d>: Scroll down and center
<C-u>: Scroll up and center
Visual J/K: Move selected lines
<leader>y: Yank entire buffer to clipboard
<leader>sp: Toggle spell check
<leader>nh: Clear search highlights
<leader>sc: Toggle search case sensitivity

Git, Diagnostics, and Testing

Git, Diagnostics, and Testing

<leader>gg: Open Neogit
<leader>gc: Commit changes (Neogit)
<leader>gp: Push changes (Neogit)
<leader>gl: Pull changes (Neogit)
<leader>gn: Create and checkout new git branch
<leader>gb: Git branches (Telescope)
<leader>xx: Toggle Trouble
<leader>xw: Workspace diagnostics
<leader>xd: Document diagnostics
<leader>xr: LSP references
<leader>xl: Location list
<leader>xq: Quickfix list
<leader>tf: Run Plenary tests
<leader>tt: Run nearest test (Neotest)
<leader>tT: Run all tests in file (Neotest)
<leader>ts: Toggle test summary (Neotest)
<leader>to: Show test output (Neotest)
<leader>tw: Toggle test watch (Neotest)
<leader>cn: Next quickfix item
<leader>cp: Previous quickfix item

Advanced Tools (Debugging, Harpoon, Codesnap, Obsidian, Pomodoro, Copilot)

Advanced Tools (Debugging, Harpoon, Codesnap, Obsidian, Pomodoro, Copilot)

<F5>: Start/Continue Debugging (DAP)
<F10>: Step Over (DAP)
<F11>: Step Into (DAP)
<F12>: Step Out (DAP)
<leader>db: Toggle Breakpoint
<leader>dr: Open REPL
<leader>ha: Add file to Harpoon
<leader>h1-h4: Navigate to Harpoon files 1-4
Visual <leader>cs: Take CodeSnap screenshot
<leader>oo: Open Obsidian note
<leader>ot: Open today's Obsidian note
<leader>on: Create a new Obsidian note
<leader>os: Search Obsidian notes
<leader>ob: Show backlinks
<leader>ol: Create link to another note
<leader>of: Follow Obsidian link
<leader>zz: Toggle Zen Mode
<leader>zq: Toggle Zen Mode and quit
<leader>ps: Start Pomodoro 25m Work timer
<leader>pb: Start Pomodoro 5m Break timer
<leader>pl: Start Pomodoro 15m Long Break timer
<leader>pr: Repeat last Pomodoro timer
<leader>pe: Stop Pomodoro timer
<leader>pp: Start Pomodoro session
<leader>cp: Toggle Copilot
<C-J> (Insert): Accept Copilot suggestion
<C-K> (Insert): Dismiss Copilot suggestion
<C-Space> (Insert): Trigger Copilot completion
<leader>ss: Save session
<leader>sl: Load session