



CORE-11
FILE 1.0 · VPS 1.0.0 / AUG 2026

PREMIUM ARCHVIZ DOCUMENTATION

CORE PROMPT LIBRARY · 11

BIBLIOTECA ESENCIAL DE PROMPTS · 11 / BIBLIOTECA ESENCIAL DE PROMPTS · 11



CONTROL THE PROJECT. TRANSFORM THE IMAGE.

Professional documentation system for controlled AI-assisted architectural visualization.

EN
MASTER · COPY / PASTE

ES
TRADUCCIÓN DE REFERENCIA

PT
TRADUÇÃO DE REFERÊNCIA

MAXIMUM PRESERVATION COMPATIBLE WITH MODEL + INPUT

Language & operating policy / Política lingüística y operativa / Política linguística e operacional

EN MASTER The English prompt is the operational version intended for copy and paste. Copy only the prompt body, without labels or reference translations.

ES · REFERENCIA La versión española explica, enseña y permite revisar el contenido. No se presenta como la versión preferente de ejecución.

PT · REFERÊNCIA A versão em português explica, ensina e permite revisar o conteúdo. Não é apresentada como a versão preferencial de execução.

Technical scope / Alcance técnico / Escopo técnico

Prompts express a control objective, not a guarantee. Always verify geometry, camera, materials, light, scale, context and artifacts before delivery.

Los prompts expresan un objetivo de control, no una garantía. Verificá geometría, cámara, materiales, luz, escala, contexto y artefactos antes de entregar.

Os prompts expressam um objetivo de controle, não uma garantia. Verifique geometria, câmera, materiais, luz, escala, contexto e artefatos antes da entrega.

QUICK NAVIGATION

PROFESSIONAL INDEX

11 master prompts organized by architectural scenario, atmosphere and representation type.

A UNIVERSAL

UNIVERSAL / UNIVERSAL

01 Universal Architectural Render

B FACADES & EXTERIORS

FACHADAS Y EXTERIORES / FACHADAS E EXTERIORES

02 Daytime Exterior Facade

03 Overcast Exterior Facade

04 Rainy Exterior Facade

05 Golden-Hour Exterior Facade

06 Blue-Hour Exterior Facade

07 Nighttime Exterior Facade

C ARCHITECTURAL REPRESENTATION

REPRESENTACIÓN ARQUITECTÓNICA / REPRESENTAÇÃO ARQUITETÔNICA

08 Humanized Architectural Floor Plan

D INTERIORS

INTERIORES / INTERIORES

09 Daytime Interior

10 Golden-Hour Interior

11 Nighttime Interior

PROJECT LOCK

Geometry + camera

PBR REALISM

Material response

LIGHT SYSTEM

Day + weather

COPY-PASTE

Editable master text

A
SECTION
1 PROMPT

CORE SYSTEM

UNIVERSAL

UNIVERSAL

UNIVERSAL

A universal high-fidelity prompt for converting architectural 3D views into controlled photographic outputs.

01 Universal Architectural Render

VISUAL PROMPT STUDIO · CONTROLLED ARCHITECTURAL TRANSFORMATION

01

Universal Architectural Render

01 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Universal Architectural Render

ES Render arquitectónico universal

PT Renderização arquitetônica universal

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-01

Universal Architectural Render

01 / 11

SECTION

A · UNIVERSAL

TRILINGUAL REFERENCE

EN Universal Architectural Render

ES Render arquitectónico universal

PT Renderização arquitetônica universal

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp screenshot or 3D architectural viewport into an ultra-photorealistic, high-end architectural photograph.

Strictly preserve 100% of the original design, including geometry, massing, proportions, dimensions, rooflines, facade composition, openings, doors, windows, structural elements, landscaping, terrain, camera position, perspective, framing, and overall composition.

Do not redesign, deform, relocate, resize, remove, or add any architectural element.

The final image must remain completely faithful to the original SketchUp model and its architectural style.

Maintain all original materials, finishes, colors, textures, and their exact locations. Improve only their realism using physically accurate PBR materials, correct real-world texture scale, natural roughness, realistic reflections, subtle imperfections, detailed joints, believable depth, and accurate interaction with light.

Create a subtle and coherent real-world environment with realistic pavement, natural vegetation, surrounding terrain, a consistent horizon, and discreet background architecture. Environmental elements must remain secondary and must not obstruct or compete with the main building.

Use physically accurate natural lighting with realistic sunlight direction, global illumination, soft indirect light, balanced exposure, natural shadows, ambient occlusion, accurate reflections, and subtle atmospheric depth.

Add warm interior lighting and proportionally accurate furniture only where interior spaces are visible, without modifying the original architecture.

Use a professional full-frame architectural camera with a realistic 24-35 mm lens, corrected vertical lines, controlled perspective, natural depth of field, and sharp architectural details.

Preserve the original camera angle, viewpoint, framing, and crop.

Produce a true photographic appearance with natural color grading, realistic white balance, balanced dynamic range, detailed highlights and shadows, high-resolution textures, ray-traced reflections, realistic vegetation, and refined post-production.

The final result must look like a real professional architectural photograph, not a CGI render, illustration, digital painting, or videogame environment.

Ultra-photorealistic architectural visualization, physically based rendering, ray-traced global illumination, premium archviz quality, extremely high detail, sharp focus, realistic material response, natural atmosphere, and 8K resolution.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, geometry, proportions, openings, rooflines, materials, landscaping layout, camera angle, or perspective. Avoid distorted lines, excessive vegetation, oversaturated colors, unrealistic HDR, artificial shadows, excessive bloom, plastic materials, repetitive textures, floating objects, warped elements, low-resolution details, fantasy scenery, cartoon effects, painterly appearance, or visible CGI aesthetics.

B

SECTION 6 PROMPTS

LIGHT + ATMOSPHERE

FACADES & EXTERIORS

FACHADAS Y EXTERIORES

FACHADAS E EXTERIORES

Six exterior scenarios organized by daylight, weather and time-of-day conditions.

02	Daytime Exterior Facade
03	Overcast Exterior Facade
04	Rainy Exterior Facade
05	Golden-Hour Exterior Facade
06	Blue-Hour Exterior Facade
07	Nighttime Exterior Facade

VISUAL PROMPT STUDIO · CONTROLLED ARCHITECTURAL TRANSFORMATION

B / FACADES & EXTERIORS

02

Daytime Exterior Facade

02 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Daytime Exterior Facade

ES Fachada exterior diurna

PT Fachada externa diurna

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-02

Daytime Exterior Facade

02 / 11

SECTION

B · FACADES & EXTERIORS

TRILINGUAL REFERENCE

EN Daytime Exterior Facade

ES Fachada exterior diurna

PT Fachada externa diurna

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp facade screenshot or 3D exterior viewport into an ultra-photorealistic daytime architectural photograph.

Strictly preserve 100% of the original architecture, including geometry, proportions, massing, facade composition, rooflines, openings, doors, windows, structural elements, landscaping layout, terrain, camera angle, perspective, framing, and overall composition. Do not add, remove, redesign, relocate, or resize any architectural element.

Maintain the original architectural style, materials, finishes, colors, and textures exactly as shown, improving only their realism through physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable depth.

Create a subtle and coherent real-world context with realistic pavement, soft surrounding vegetation, discreet background elements, and a balanced environment that does not compete with the main facade.

Use realistic daytime lighting with a clear natural sky, accurate sunlight direction, balanced global illumination, soft shadows, ambient occlusion, realistic reflections, and subtle atmospheric depth. Avoid overexposure, excessive contrast, or artificial HDR effects.

Where visible, add elegant interior furnishing and subtle warm interior lighting without modifying the original design.

Use a professional architectural photography style with a full-frame camera, a realistic 24-35 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint and composition.

The final image must look like a real high-end architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic architectural visualization, premium archviz quality, extremely high detail, sharp focus, realistic materials, natural vegetation, refined lighting, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, proportions, materials layout, or camera position; do not obstruct the facade; avoid exaggerated vegetation, distorted lines, oversaturated colors, fake reflections, plastic materials, low-detail textures, cartoon effects, painterly style, or visible CGI appearance.

B / FACADES & EXTERIORS

03

Overcast Exterior Facade

03 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Overcast Exterior Facade

ES Fachada exterior nublada

PT Fachada externa em dia nublado

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-03

Overcast Exterior Facade

03 / 11

SECTION

B · FACADES & EXTERIORS

TRILINGUAL REFERENCE

EN Overcast Exterior Facade

ES Fachada exterior nublada

PT Fachada externa em dia nublado

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp facade screenshot or 3D exterior viewport into an ultra-photorealistic architectural photograph captured on a cloudy day.

Strictly preserve 100% of the original architecture, including geometry, proportions, massing, facade composition, rooflines, openings, doors, windows, structural elements, landscaping layout, terrain, camera angle, perspective, framing, and overall composition. Do not add, remove, resize, relocate, or redesign any architectural element.

Maintain the original architectural style, materials, finishes, colors, and textures in their exact locations. Improve only their realism using physically accurate PBR materials, correct real-world texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable material depth.

Create a subtle and coherent real-world context with realistic pavement, natural vegetation, discreet neighboring elements, and a consistent horizon. The environment must remain secondary and must not obstruct the main facade.

Use a realistic overcast sky with soft diffuse daylight, balanced exposure, gentle contact shadows, subtle ambient occlusion, natural reflections, and minimal contrast. Avoid direct sunlight, hard shadows, blue-sky conditions, excessive HDR, or dramatic lighting.

Where visible, add proportionally accurate interior furniture and subtle warm interior lighting without modifying the original design.

Use a professional architectural photography style with a full-frame camera, realistic 24-35 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint, framing, and composition.

The final image must look like a real high-end architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic architectural visualization, premium archviz quality, realistic materials, soft cloudy atmosphere, ray-traced global illumination, high detail, sharp focus, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, proportions, materials, landscaping layout, or camera position; avoid direct sun, dramatic shadows, oversaturated colors, distorted lines, excessive vegetation, plastic-looking materials, repetitive textures, low-detail surfaces, cartoon effects, painterly style, or visible CGI appearance.

B / FACADES & EXTERIORS

04

Rainy Exterior Facade

04 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Rainy Exterior Facade

ES Fachada exterior lluviosa

PT Fachada externa em dia chuvoso

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-04

Rainy Exterior Facade

04 / 11

SECTION

B · FACADES & EXTERIORS

TRILINGUAL REFERENCE

EN Rainy Exterior Facade

ES Fachada exterior lluviosa

PT Fachada externa em dia chuvoso

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp facade screenshot or 3D exterior viewport into an ultra-photorealistic rainy-day architectural photograph.

Strictly preserve 100% of the original architecture, including geometry, proportions, massing, facade composition, rooflines, openings, doors, windows, structural elements, landscaping layout, terrain, camera angle, perspective, framing, and overall composition. Do not add, remove, redesign, relocate, or resize any architectural element.

Maintain the original architectural style, materials, finishes, colors, and textures exactly as shown, improving only their realism through physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable depth.

Create a subtle and coherent real-world context with realistic pavement, soft vegetation, discreet background elements, wet surfaces, slight puddles, and rain-darkened materials, without competing with the main facade.

Use a realistic rainy atmosphere with an overcast sky, soft diffuse daylight, balanced exposure, minimal harsh shadows, subtle ambient occlusion, accurate wet reflections, and natural atmospheric depth. Include light rain or a recent-rain effect only if it enhances realism without obscuring the architecture.

Where visible, add elegant interior furnishing and subtle warm interior lighting to create a refined contrast with the cool rainy exterior, without modifying the original design.

Use a professional architectural photography style with a full-frame camera, a realistic 24-35 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint and composition.

The final image must look like a real high-end architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic architectural visualization, premium archviz quality, extremely high detail, sharp focus, realistic wet materials, refined lighting, natural rainy atmosphere, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, proportions, materials layout, landscaping, or camera position; do not obstruct the facade; avoid exaggerated rain, storm effects, heavy fog, distorted lines, oversaturated colors, fake reflections, plastic materials, low-detail textures, cartoon effects, painterly style, or visible CGI appearance.

B / FACADES & EXTERIORS

05

Golden-Hour Exterior Facade

05 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Golden-Hour Exterior Facade

ES Fachada exterior en hora dorada

PT Fachada Externa na Hora Dourada

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-05

Golden-Hour Exterior Facade

05 / 11

SECTION

B · FACADES & EXTERIORS

TRILINGUAL REFERENCE

EN Golden-Hour Exterior Facade

ES Fachada exterior en hora dorada

PT Fachada Externa na Hora Dourada

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp facade screenshot or 3D exterior viewport into an ultra-photorealistic golden-hour architectural photograph.

Strictly preserve 100% of the original architecture, including geometry, proportions, massing, facade composition, rooflines, openings, doors, windows, structural elements, landscaping layout, terrain, camera angle, perspective, framing, and overall composition. Do not add, remove, redesign, relocate, or resize any architectural element.

Maintain the original architectural style, materials, finishes, colors, and textures exactly as shown, improving only their realism through physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable depth.

Create a subtle and coherent real-world context with realistic pavement, natural vegetation, discreet background elements, and a balanced environment that does not compete with the main facade.

Use a realistic golden-hour atmosphere with warm low-angle sunlight, soft long shadows, balanced exposure, gentle contrast, realistic reflections, and subtle atmospheric depth. Emphasize the warm glow on the facade while preserving natural light balance and material clarity. Avoid harsh sunlight, excessive orange tones, or artificial HDR effects.

Where visible, add elegant interior furnishing and subtle warm interior lighting without modifying the original design.

Use a professional architectural photography style with a full-frame camera, realistic 24-35 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint and composition.

The final image must look like a real high-end architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic architectural visualization, premium archviz quality, extremely high detail, sharp focus, realistic materials, refined lighting, warm golden-hour atmosphere, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, proportions, materials layout, landscaping, or camera position; do not obstruct the facade; avoid excessive orange saturation, blown highlights, distorted lines, fake reflections, plastic materials, low-detail textures, cartoon effects, painterly style, or visible CGI appearance.

B / FACADES & EXTERIORS

06

Blue-Hour Exterior Facade

06 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Blue-Hour Exterior Facade

ES Fachada exterior en hora azul

PT Fachada externa na hora azul

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-06

Blue-Hour Exterior Facade

06 / 11

SECTION

B · FACADES & EXTERIORS

TRILINGUAL REFERENCE

EN Blue-Hour Exterior Facade

ES Fachada exterior en hora azul

PT Fachada externa na hora azul

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp facade screenshot or 3D exterior viewport into an ultra-photorealistic blue-hour architectural photograph.

Strictly preserve 100% of the original architecture, including geometry, proportions, massing, facade composition, rooflines, openings, doors, windows, structural elements, landscaping, terrain, camera angle, perspective, framing, and overall composition. Do not add, remove, relocate, resize, or redesign any architectural element.

Maintain the original architectural style, materials, finishes, colors, and textures in their exact locations. Improve only their realism using physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, detailed joints, realistic reflections, and believable material depth.

Create a subtle and coherent real-world context with realistic pavement, natural vegetation, discreet background elements, and a consistent horizon. The environment must remain secondary and must not obstruct the main facade.

Use a realistic blue-hour atmosphere just after sunset, with a deep blue twilight sky, soft cool ambient light, balanced exposure, gentle shadows, realistic reflections, and subtle atmospheric depth.

Create a refined contrast between the cool exterior light and warm interior illumination. Where appropriate, include subtle architectural and landscape lighting only in existing fixtures or logical locations, without altering the original design. Avoid excessive brightness, neon tones, or theatrical lighting.

Where visible, add proportionally accurate interior furniture and a soft warm glow without modifying the architecture.

Use a professional architectural photography style with a full-frame camera, realistic 24-35 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint, framing, and composition.

The final image must look like a real high-end architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic architectural visualization, premium archviz quality, realistic materials, ray-traced global illumination, refined twilight lighting, high detail, sharp focus, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, proportions, materials, landscaping, or camera position; avoid exaggerated artificial lighting, overexposure, crushed shadows, neon colors, heavy fog, distorted lines, plastic-looking materials, fake reflections, low-detail textures, cartoon effects, painterly style, or visible CGI appearance.

B / FACADES & EXTERIORS

07

Nighttime Exterior Facade

07 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Nighttime Exterior Facade

ES Fachada exterior nocturna

PT Fachada Externa Noturna

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-07

Nighttime Exterior Facade

07 / 11

SECTION

B · FACADES & EXTERIORS

TRILINGUAL REFERENCE

EN Nighttime Exterior Facade

ES Fachada exterior nocturna

PT Fachada Externa Noturna

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp facade screenshot or 3D exterior viewport into an ultra-photorealistic nighttime architectural photograph.

Strictly preserve 100% of the original architecture, including geometry, proportions, massing, facade composition, rooflines, openings, doors, windows, structural elements, landscaping layout, terrain, camera angle, perspective, framing, and overall composition. Do not add, remove, redesign, relocate, resize, or reinterpret any architectural element.

Maintain the original architectural style, materials, finishes, colors, and textures exactly as shown, improving only their realism through physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable material depth.

Create a subtle and coherent real-world context with realistic pavement, natural vegetation, discreet background elements, and a balanced environment that does not compete with the main facade.

Use a realistic nighttime atmosphere with a dark natural sky, balanced exposure, subtle ambient darkness, controlled contrast, realistic reflections, and soft atmospheric depth. Keep the architecture clearly visible while preserving the authentic mood of a professional night photograph.

Use refined warm interior lighting and subtle exterior architectural lighting in logical locations only, such as soffits, pathways, or facade accents. Ensure realistic light falloff, soft shadow transitions, and a premium, elegant night ambiance. Avoid excessive brightness, blown highlights, neon effects, or theatrical lighting.

Where visible, add elegant interior furnishing and warm interior glow without modifying the original design.

Use a professional architectural photography style with a full-frame camera, realistic 24-35 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint and composition.

The final image must look like a real high-end architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic architectural visualization, premium archviz quality, extremely high detail, sharp focus, realistic artificial lighting, refined materiality, natural night atmosphere, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, proportions, materials layout, landscaping, or camera position; do not obstruct the facade; avoid exaggerated lighting, neon colors, fake reflections, distorted lines, plastic materials, low-detail textures, cartoon effects, painterly style, or visible CGI appearance.

C

SECTION
1 PROMPT

GRAPHIC REPRESENTATION

ARCHITECTURAL REPRESENTATION

REPRESENTACIÓN ARQUITECTÓNICA

REPRESENTAÇÃO ARQUITETÔNICA

Controlled transformation of architectural drawings while preserving layout, hierarchy and project information.

08 Humanized Architectural Floor Plan

VISUAL PROMPT STUDIO · CONTROLLED ARCHITECTURAL TRANSFORMATION

C / ARCHITECTURAL REPRESENTATION

08

Humanized Architectural Floor Plan

08 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL


EN Humanized Architectural Floor Plan

ES Planta arquitectónica humanizada

PT Planta baixa arquitetônica humanizada

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED



MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-08

Humanized Architectural Floor Plan

08 / 11

SECTION

C · ARCHITECTURAL REPRESENTATION

TRILINGUAL REFERENCE

EN Humanized Architectural Floor Plan

ES Planta arquitectónica humanizada

PT Planta baixa arquitetônica humanizada

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided architectural floor plan into a high-end, ultra-realistic humanized architectural plan presentation.

Strictly preserve 100% of the original architectural project, including the exact layout, geometry, proportions, dimensions, volumetry logic, setbacks, wall thicknesses, openings, doors, windows, circulation, spatial organization, and material indications exactly as shown in the source file.

Do not redesign, reinterpret, simplify, relocate, resize, remove, or add any architectural element.

Do not modify the project in any way.

The final result must remain completely faithful to the original drawing.

Maintain all original colors, forms, materials, and architectural information exactly as provided. Improve only the visual presentation and realism through refined humanized rendering, preserving the project identity with total accuracy.

Apply realistic material textures with correct scale and clean architectural representation, including flooring, wall finishes, hardscape, planted areas, and all surfaces exactly where indicated in the original file.

Use subtle depth, realistic texture definition, and professional graphic clarity without altering the design.

Add humanized vegetation only where landscaping already exists in the project, using realistic top-view or plan-view vegetation elements proportional to the scale of the drawing. Keep all vegetation elegant, clean, and consistent with a premium architectural presentation. Do not invent new landscape areas.

Use soft natural shadows, balanced illumination, and subtle depth to enhance legibility, realism, and spatial clarity. The lighting must be clean, even, and professional, avoiding dramatic effects, harsh contrast, or excessive stylization.

Use a clean, refined, professional architectural rendering style, with a polished and realistic appearance suitable for a high-end architectural presentation board.

The final image must look like a premium humanized plan, elegant, realistic, and visually clear.

Preserve the original drawing structure and hierarchy. Emphasize clarity, realism, material reading, and presentation quality without changing the architectural content. Do not create new elements. Do not add furniture, décor, people, or objects unless they already exist in the original plan. Do not alter colors, shapes, materials, layout, or composition.

High-end humanized floor plan render, ultra-realistic architectural presentation, clean layout, realistic textures, proportional vegetation, natural shadows, balanced lighting, premium visualization quality, sharp detail, elegant composition, and professional presentation finish.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the project, do not reinterpret the design, do not change geometry, proportions, layout, setbacks, openings, materials, colors, or forms; do not add new rooms, walls, furniture, decorative objects, or landscape elements not present in the original file; avoid cartoon style, painterly effects, excessive saturation, distorted geometry, fake textures, cluttered composition, or stylized CGI appearance.

D

SECTION 3 PROMPTS

INTERIOR PHOTOGRAPHY

INTERIORS

INTERIORES

INTERIORES

Three interior scenarios calibrated for daylight, golden hour and nighttime illumination.

09	Daytime Interior
10	Golden-Hour Interior
11	Nighttime Interior

VISUAL PROMPT STUDIO · CONTROLLED ARCHITECTURAL TRANSFORMATION

09

Daytime Interior

09 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Daytime Interior

ES Interior diurno

PT Interior diurno

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-09

Daytime Interior

09 / 11

SECTION

D · INTERIORS

TRILINGUAL REFERENCE

EN Daytime Interior

ES Interior diurno

PT Interior diurno

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp interior screenshot or 3D interior viewport into an ultra-photorealistic daytime interior architectural photograph.

Strictly preserve 100% of the original architecture and interior design, including geometry, proportions, openings, structural elements, furniture layout, materials, camera angle, perspective, framing, and overall composition. Do not add, remove, redesign, relocate, or resize any element.

Maintain the original materials, finishes, colors, and textures exactly as shown, improving only their realism through physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable depth.

Use realistic natural daylight entering through the existing openings, with balanced global illumination, soft indirect light, accurate contact shadows, subtle ambient occlusion, and natural reflections.

Create a bright, calm, and refined daytime atmosphere without overexposure or artificial HDR effects.

Preserve and refine the visible furniture and décor exactly as shown, improving only realism and material quality without changing the design.

If exterior areas are visible through windows, doors, or glazed openings, render them with the same level of realism and visual coherence as the interior, using believable architecture, vegetation, sky, lighting, depth, reflections, and atmospheric perspective. The exterior view must look natural, proportionally correct, and fully integrated with the interior scene, without appearing artificial, flat, overexposed, blurred without reason, or visually disconnected.

Use a professional interior architectural photography style with a full-frame camera, realistic 20-28 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint and composition.

The final image must look like a real high-end interior architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic interior visualization, premium archviz quality, realistic daylight, refined materiality, high detail, sharp focus, elegant atmosphere, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, layout, furniture placement, materials, or camera position; avoid excessive decoration, oversaturated colors, distorted lines, blown highlights, fake reflections, plastic materials, low-detail textures, cartoon effects, painterly style, visible CGI appearance, or unrealistic exterior views through openings.

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Golden-Hour Interior

ES Interior en hora dorada

PT Interior na hora dourada

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-10

Golden-Hour Interior

10 / 11

SECTION

D · INTERIORS

TRILINGUAL REFERENCE

EN Golden-Hour Interior

ES Interior en hora dorada

PT Interior na hora dourada

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp interior screenshot or 3D interior viewport into an ultra-photorealistic golden-hour interior architectural photograph.

Strictly preserve 100% of the original architecture and interior design, including geometry, proportions, openings, structural elements, furniture layout, materials, camera angle, perspective, framing, and overall composition. Do not add, remove, redesign, relocate, or resize any element.

Maintain the original materials, finishes, colors, and textures exactly as shown, improving only their realism through physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable depth.

Use realistic golden-hour sunlight entering through the existing openings, with warm low- angle light, soft elongated shadows, balanced global illumination, gentle indirect light, accurate contact shadows, subtle ambient occlusion, and natural reflections.

Create a warm, elegant, and refined atmosphere without overexposure, excessive orange saturation, or artificial HDR effects.

Preserve and refine the visible furniture and décor exactly as shown, improving only realism and material quality without changing the design.

If exterior areas are visible through windows, doors, or glazed openings, render them with the same level of realism and visual coherence as the interior, using believable architecture, vegetation, sky, golden-hour lighting depth, reflections, and atmospheric perspective. The exterior view must look natural, proportionally correct, and fully integrated with the interior scene.

Use a professional interior architectural photography style with a full-frame camera, realistic 20-28 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint and composition.

The final image must look like a real high-end interior architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic interior visualization, premium archviz quality, realistic golden-hour lighting, refined materiality, high detail, sharp focus, elegant atmosphere, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, layout, furniture placement, materials, or camera position; avoid excessive decoration, oversaturated colors, distorted lines, blown highlights, fake reflections, plastic materials, low-detail textures, cartoon effects, painterly style, visible CGI appearance, or unrealistic exterior views through openings.

11

Nighttime Interior

11 / 11

VISUAL REFERENCE · REFERENCIA VISUAL · REFERÊNCIA VISUAL

EN Nighttime Interior

ES Interior nocturno

PT Interior noturno

01 · SOURCE / MODELO ORIGINAL

02 · TARGET / RESULTADO DE REFERENCIA



GEOMETRY LOCKED

CAMERA LOCKED

MATERIALS REFINED

OUTPUT PHOTOREAL

CORE-11

Nighttime Interior

11 / 11

SECTION

D · INTERIORS

TRILINGUAL REFERENCE

EN Nighttime Interior

ES Interior nocturno

PT Interior noturno

OPERATING PROFILE

• 100% PRESERVATION

Geometry, openings and composition.

• PBR REALISM

Materials, roughness and reflection.

• CAMERA LOCK

Viewpoint, lens and framing.

• EDITABLE MASTER

Copy-paste English prompt.

VISUAL PROMPT STUDIO

MASTER PROMPT · ENGLISH · COPY-PASTE READY

Transform the provided SketchUp interior screenshot or 3D interior viewport into an ultra-photorealistic nighttime interior architectural photograph.

Strictly preserve 100% of the original architecture and interior design, including geometry, proportions, openings, structural elements, furniture layout, materials, camera angle, perspective, framing, and overall composition. Do not add, remove, redesign, relocate, or resize any element.

Maintain the original materials, finishes, colors, and textures exactly as shown, improving only their realism through physically accurate PBR materials, correct texture scale, natural roughness, subtle imperfections, realistic reflections, detailed joints, and believable depth.

Use realistic nighttime interior lighting as the main light source, with warm artificial illumination, soft shadow transitions, accurate light falloff, subtle ambient darkness, realistic reflections, and balanced contrast.

Create an elegant, calm, and believable nocturnal atmosphere without overexposure, harsh hotspots, excessive contrast, or artificial HDR effects.

Preserve and refine the visible furniture and décor exactly as shown, improving only realism and material quality without changing the design.

If exterior areas are visible through windows, doors, or glazed openings, render them with the same level of realism and visual coherence as the interior, using believable nighttime sky, exterior lighting, reflections, surrounding architecture, vegetation, depth, and atmospheric perspective. The exterior view must look natural, proportionally correct, and fully integrated with the interior scene.

Use a professional interior architectural photography style with a full-frame camera, realistic 20-28 mm lens, corrected vertical lines, controlled perspective, sharp details, and natural color grading.

Preserve the original viewpoint and composition.

The final image must look like a real high-end interior architectural photograph, not a CGI render, illustration, or digital painting.

Ultra-photorealistic interior visualization, premium archviz quality, realistic artificial lighting, refined materiality, high detail, sharp focus, elegant night atmosphere, and 8K quality.

NEGATIVE INSTRUCTIONS / RESTRICTIONS

do not alter the architecture, layout, furniture placement, materials, or camera position; avoid excessive decoration, oversaturated colors, distorted lines, blown highlights, fake reflections, plastic materials, low-detail textures, cartoon effects, painterly style, visible CGI appearance, or unrealistic exterior views through openings.

CORE vs PRO · OPERATING DIFFERENCE

Diferencia operativa / Diferença operacional

GATE	CORE	PRO
Purpose	Fast first result	Production control and repeatability
Structure	One compact EN MASTER block	Stable PRO code + deep controls + compatible MOD
Setup	Low; one objective and few variables	Matrix record, project identity, settings and QA
Best fit	Single image or rapid validation	Series, client work and controlled iteration
Use rule	Start here when the task is simple	Move here when complexity or proof requirements increase
SELECTION CORE and PRO may address a similar visual topic, but they are not duplicate products: CORE prioritizes speed; PRO prioritizes control depth, stable IDs, modules and documented QA.		