


Figure Compilation — Runaround Smooth

Auto-generated from figure_registry_concise.txt

April 11, 2026


List of Figures

- | | | |
|---|---|---|
| 1 | Observed vs predicted r_e for six composite-roughness expressions, coloured by sigma. Lotter tracks the 1:1 line best ($R^2=0.98$); Pavlovskii is weakest ($R^2=0.85$). | 2 |
| 2 | Predicted vs observed n_e/n_l for four CF methods, coloured by sigma. Felkel performs best ($R^2=0.68$); 2nd-order T_0 (CF) is weakest ($R^2=0.15$). | 3 |
| 3 | CF diagnostic coloured by tr: relative U and h errors vs CF values, plus h/U identity comparison. | 3 |




../figures/runaround_smooth/fig4_obs_vs_pred_re_6panel.png

Figure 1: Observed vs predicted r_e for six composite-roughness expressions, coloured by σ . Lotter tracks the 1:1 line best ($R^2=0.98$); Pavlovskii is weakest ($R^2=0.85$).



../figures/runaround_smooth/fig5_pred_vs_obs_CF.png

Figure 2: Predicted vs observed n_e/n_i for four CF methods, coloured by sigma. Felkel performs best ($R^2=0.68$); 2nd-order T_0 (CF) is weakest ($R^2=0.15$).



`../figures/runaround_smooth/SI1_CF_errors_3panel.png`

Figure 3: CF diagnostic coloured by tr: relative U and h errors vs CF values, plus h/U identity comparison.