

Calculus

Contents

1. Limits	3
1.1. Indeterminate forms	3
1.2. Evaluating limits	3
2. Differentiation	4
2.1. First Principle	4
2.2. Common Properties	4
2.3. Product and Quotient Rule	4
2.4. Chain Rule	4
2.5. Power Rule	5
2.6. Common Derivatives	5
2.7. Derivatives of trig functions	5
2.8. Derivatives of inverse trig functions	6
2.9. Derivatives of hyperbolic functions	6
2.10. Derivatives of inverse hyperbolic functions ..	7
3. Integration	7
3.1. Common Properties	7
3.2. Power Rule	8
3.3. Common Integrals	8
3.4. Integrals of trig functions	8
3.5. Integrals of inverse trig functions	9
3.6. Integrals of hyperbolic functions	9
3.7. Integrals of inverse hyperbolic functions ...	10
3.8. Advanced Integrals	10
3.9. Definite Integrals	11
4. Solving Integrals	12
4.1. Integration by Parts	12
4.2. Shortcuts	12
5. Series	12
5.1. Taylor Series	12

5.2.	Maclaurin Series	12
5.3.	Common Series	13

1. Limits

1.1. Indeterminate forms

- $\frac{0}{0}, \frac{\infty}{\infty}, 0 \times \infty, \infty^0, \infty - \infty, 1^\infty, 0^0$

1.2. Evaluating limits

- $\lim_{x \rightarrow a} \frac{x^m - a^m}{x^n - a^n} = \left(\frac{m}{n}\right) \cdot a^{m-n}$
- $\lim_{x \rightarrow a} \frac{x^n - a^n}{x - a} = na^{n-1}$
- $\lim_{x \rightarrow 0} \frac{\sin x}{x} = 1$
- $\lim_{x \rightarrow 0} \frac{\tan x}{x} = 1$
- $\lim_{x \rightarrow 0} \frac{e^x - 1}{x} = 1$
- $\lim_{x \rightarrow 0} \frac{\ln(1+x)}{x} = 1$
- $\lim_{x \rightarrow 0} (1+x)^{\frac{1}{x}} = e$
- $\lim_{x \rightarrow \infty} \left(1 + \frac{1}{x}\right)^x = e$
- L'Hôpital's Rule: If the limit is in $\frac{0}{0}$ or $\frac{\infty}{\infty}$ indeterminate form,

$$\lim_{x \rightarrow a} \frac{f(x)}{g(x)} = \lim_{x \rightarrow a} \frac{f'(x)}{g'(x)}$$

2. Differentiation

2.1. First Principle

- $\frac{d}{dx}(f(x)) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$

2.2. Common Properties

- $\frac{d}{dx}(c) = 0$
- $\frac{d}{dx}(c \cdot f(x)) = c \cdot f'(x)$
- $\frac{d}{dx}(f(x) \pm g(x)) = f'(x) \pm g'(x)$

2.3. Product and Quotient Rule

If $u = f(x)$ and $v = g(x)$,

- $\frac{d}{dx}(u \cdot v) = u \cdot \frac{d}{dx}(v) + v \cdot \frac{d}{dx}(u)$
- $\frac{d}{dx}\left(\frac{u}{v}\right) = \frac{\left[v \cdot \frac{d}{dx}(u)\right] - \left[u \cdot \frac{d}{dx}(v)\right]}{v^2}$

2.4. Chain Rule

- $\frac{d}{dx}[f(g(x))] = f'(g(x)) \cdot g'(x)$

2.5. Power Rule

- $\frac{d}{dx}(x^n) = nx^{n-1}$

2.6. Common Derivatives

1. $\frac{d}{dx}(x) = 1$

2. $\frac{d}{dx}\left(\frac{1}{x}\right) = -\frac{1}{x^2}$

3. $\frac{d}{dx}(\sqrt{x}) = \frac{1}{2\sqrt{x}}$

4. $\frac{d}{dx}(a^x) = a^x \ln a$

5. $\frac{d}{dx}(e^x) = e^x$

6. $\frac{d}{dx}(e^{mx}) = me^{mx}$

7. $\frac{d}{dx}(\ln|x|) = \frac{1}{x}$

8. $\frac{d}{dx}(\log_a x) = \frac{1}{x \ln a}$

2.7. Derivatives of trig functions

1. $\frac{d}{dx}(\sin x) = \cos x$

2. $\frac{d}{dx}(\cos x) = -\sin x$

3. $\frac{d}{dx}(\tan x) = \sec^2 x$

4. $\frac{d}{dx}(\cot x) = -\csc^2 x$

$$5. \frac{d}{dx}(\sec x) = \sec x \tan x$$

$$6. \frac{d}{dx}(\csc x) = -\csc x \cot x$$

2.8. Derivatives of inverse trig functions

$$1. \frac{d}{dx}(\sin^{-1} x) = \frac{1}{\sqrt{1-x^2}}$$

$$2. \frac{d}{dx}(\cos^{-1} x) = \frac{-1}{\sqrt{1-x^2}}$$

$$3. \frac{d}{dx}(\tan^{-1} x) = \frac{1}{1+x^2}$$

$$4. \frac{d}{dx}(\cot^{-1} x) = \frac{-1}{1+x^2}$$

$$5. \frac{d}{dx}(\sec^{-1} x) = \frac{1}{|x|\sqrt{x^2-1}}$$

$$6. \frac{d}{dx}(\csc^{-1} x) = \frac{-1}{|x|\sqrt{x^2-1}}$$

2.9. Derivatives of hyperbolic functions

$$1. \frac{d}{dx}(\sinh x) = \cosh x$$

$$2. \frac{d}{dx}(\cosh x) = \sinh x$$

$$3. \frac{d}{dx}(\tanh x) = \operatorname{sech}^2 x$$

$$4. \frac{d}{dx}(\coth x) = -\operatorname{csch}^2 x$$

$$5. \frac{d}{dx}(\operatorname{sech} x) = -\operatorname{sech} x \tanh x$$

$$6. \frac{d}{dx}(\operatorname{csch} x) = -\operatorname{csch} x \coth x$$

2.10. Derivatives of inverse hyperbolic functions

$$1. \frac{d}{dx}(\sinh^{-1} x) = \frac{1}{\sqrt{x^2 + 1}}$$

$$2. \frac{d}{dx}(\cosh^{-1} x) = \frac{1}{\sqrt{x^2 - 1}}$$

$$3. \frac{d}{dx}(\tanh^{-1} x) = \frac{1}{1 - x^2}$$

$$4. \frac{d}{dx}(\coth^{-1} x) = \frac{1}{1 - x^2}$$

$$5. \frac{d}{dx}(\operatorname{sech}^{-1} x) = \frac{-1}{x\sqrt{1 - x^2}}$$

$$6. \frac{d}{dx}(\operatorname{csch}^{-1} x) = \frac{-1}{|x|\sqrt{1 + x^2}}$$

3. Integration

3.1. Common Properties

- $\int c dx = cx + C$
- $\int c \cdot f(x) dx = c \int f(x) dx$
- $\int (f(x) \pm g(x)) dx = \int f(x) dx \pm \int g(x) dx$

3.2. Power Rule

$$\bullet \int x^n dx = \frac{x^{n+1}}{n+1} + C$$

3.3. Common Integrals

$$1. \int \frac{1}{x} dx = \ln|x| + C$$

$$2. \int \frac{1}{\sqrt{x}} dx = 2\sqrt{x} + C$$

$$3. \int e^x dx = e^x + C$$

$$4. \int e^{mx} dx = \frac{1}{m} e^{mx} + C$$

$$5. \int a^x dx = \frac{a^x}{\ln a} + C$$

$$6. \int \ln x dx = x \ln x - x + C$$

3.4. Integrals of trig functions

$$1. \int \sin x dx = -\cos x + C$$

$$2. \int \cos x dx = \sin x + C$$

$$3. \int \tan x dx = \ln|\sec x| + C$$

$$4. \int \cot x dx = \ln|\sin x| + C$$

$$5. \int \sec x dx = \ln|\sec x + \tan x| + C$$

6. $\int \csc x dx = \ln|\csc x - \cot x| + C = \ln\left|\tan \frac{x}{2}\right| + C$
7. $\int \sec^2 x dx = \tan x + C$
8. $\int \csc^2 x dx = -\cot x + C$
9. $\int \sec x \tan x dx = \sec x + C$
10. $\int \csc x \cot x dx = -\csc x + C$

3.5. Integrals of inverse trig functions

1. $\int \sin^{-1} x dx = x \sin^{-1} x + \sqrt{1 - x^2} + C$
2. $\int \cos^{-1} x dx = x \cos^{-1} x - \sqrt{1 - x^2} + C$
3. $\int \tan^{-1} x dx = x \tan^{-1} x - \frac{1}{2} \ln|1 + x^2| + C$
4. $\int \cot^{-1} x dx = x \cot^{-1} x + \frac{1}{2} \ln|1 + x^2| + C$
5. $\int \sec^{-1} x dx = x \sec^{-1} x - \ln|x + \sqrt{x^2 - 1}| + C$
6. $\int \csc^{-1} x dx = x \csc^{-1} x + \ln|x + \sqrt{x^2 - 1}| + C$

3.6. Integrals of hyperbolic functions

1. $\int \sinh x dx = \cosh x + C$
2. $\int \cosh x dx = \sinh x + C$
3. $\int \tanh x dx = \ln|\cosh x| + C$

$$4. \int \coth x dx = \ln|\sinh x| + C$$

$$5. \int \operatorname{sech} x dx = \tan^{-1}(\sinh x) + C$$

$$6. \int \operatorname{csch} x dx = \ln\left|\tanh \frac{x}{2}\right| + C$$

3.7. Integrals of inverse hyperbolic functions

$$1. \int \sinh^{-1} x dx = x \sinh^{-1} x - \sqrt{x^2 + 1} + C$$

$$2. \int \cosh^{-1} x dx = x \cosh^{-1} x - \sqrt{x^2 - 1} + C$$

$$3. \int \tanh^{-1} x dx = x \tanh^{-1} x + \frac{1}{2} \ln|1 - x^2| + C$$

$$4. \int \coth^{-1} x dx = x \coth^{-1} x + \frac{1}{2} \ln|x^2 - 1| + C$$

$$5. \int \operatorname{sech}^{-1} x dx = x \operatorname{sech}^{-1} x + 2 \tan^{-1} \sqrt{\frac{1-x}{1+x}} + C$$

$$6. \int \operatorname{csch}^{-1} x dx = x \operatorname{csch}^{-1} x + \sinh^{-1}|x| + C$$

3.8. Advanced Integrals

$$1. \int \frac{1}{a^2 + x^2} dx = \frac{1}{a} \tan^{-1} \frac{x}{a} + C$$

$$2. \int \frac{1}{a^2 - x^2} dx = \frac{1}{2a} \ln\left|\frac{a+x}{a-x}\right| + C$$

$$3. \int \frac{1}{x^2 - a^2} dx = \frac{1}{2a} \ln\left|\frac{x-a}{x+a}\right| + C$$

$$4. \int \frac{1}{\sqrt{x^2 + a^2}} dx = \ln\left|x + \sqrt{x^2 + a^2}\right| + C = \sinh^{-1} \frac{x}{a} + C$$

$$5. \int \frac{1}{\sqrt{x^2 - a^2}} dx = \ln \left| x + \sqrt{x^2 - a^2} \right| + C = \cosh^{-1} \frac{x}{a} + C, (x > a)$$

$$6. \int \frac{1}{\sqrt{a^2 - x^2}} dx = \sin^{-1} \frac{x}{a} + C$$

$$\begin{aligned} 7. \int \sqrt{x^2 + a^2} dx &= \frac{x\sqrt{x^2 + a^2}}{2} + \frac{a^2}{2} \ln \left| x + \sqrt{x^2 + a^2} \right| + C \\ &= \frac{x\sqrt{x^2 + a^2}}{2} + \frac{a^2}{2} \sinh^{-1} \frac{x}{a} + C \end{aligned}$$

$$\begin{aligned} 8. \int \sqrt{x^2 - a^2} dx &= \frac{x\sqrt{x^2 - a^2}}{2} + \frac{a^2}{2} \ln \left| x + \sqrt{x^2 - a^2} \right| + C \\ &= \frac{x\sqrt{x^2 - a^2}}{2} - \frac{a^2}{2} \cosh^{-1} \frac{x}{a} + C \end{aligned}$$

$$9. \int \sqrt{a^2 - x^2} dx = \frac{x\sqrt{a^2 - x^2}}{2} + \frac{a^2}{2} \sin^{-1} \frac{x}{a} + C$$

3.9. Definite Integrals

$$\bullet \int_a^b f(x) dx = [F(x)]_a^b = F(b) - F(a)$$

$$\bullet \int_a^b f(x) dx = - \int_b^a f(x) dx$$

$$\bullet \int_a^b f(x) dx = \int_a^b f(z) dz$$

$$\bullet \int_a^b f(x) dx = \int_a^b f(a + b - x) dx$$

$$\bullet \int_a^b f(x) dx = \int_{a-c}^{b-c} f(x + c) dx$$

$$\bullet \int_a^b f(x) dx = \int_{a+c}^{b+c} f(x - c) dx$$

$$\bullet \int_a^\infty f(x) dx = \lim_{b \rightarrow \infty} \int_a^b f(x) dx$$

4. Solving Integrals

4.1. Integration by Parts

- $\int u dv = uv - \int v du$
- $\int u \cdot v dx = u \int v dx - \int \left[\frac{d}{dx}(u) \int v dx \right] dx$

4.2. Shortcuts

- $\int \frac{f'(x)}{f(x)} dx = \ln|f(x)| + C$
- $\int \frac{f'(x)}{\sqrt{f(x)}} dx = 2\sqrt{f(x)} + C$
- $\int e^{mx}[mf(x) + f'(x)]dx = e^{mx}f(x) + C$

5. Series

5.1. Taylor Series

- $f(x) = \sum_{n=0}^{\infty} \frac{f^{(n)}(a)}{n!} (x-a)^n$

5.2. Maclaurin Series

- $f(x) = \sum_{n=0}^{\infty} \frac{f^{(n)}(0)}{n!} x^n$

5.3. Common Series

$$1. e^x = 1 + \frac{x}{1!} + \frac{x^2}{2!} + \frac{x^3}{3!} + \dots$$

$$2. e^{-x} = 1 - \frac{x}{1!} + \frac{x^2}{2!} - \frac{x^3}{3!} + \dots$$

$$3. a^x = 1 + \frac{x \ln a}{1!} + \frac{(x \ln a)^2}{2!} + \frac{(x \ln a)^3}{3!} + \dots$$

$$4. \ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4} + \dots, (-1 < x \leq 1)$$

$$5. \ln(1-x) = -x - \frac{x^2}{2} - \frac{x^3}{3} - \frac{x^4}{4} + \dots, (-1 \leq x < 1)$$

$$6. \sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \dots$$

$$7. \cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \dots$$