Accounting UATs

Add Banks under settings

Base: `/api/cashbook/banks`
Auth: `Authorization: Bearer <token>`

Action	Method	Path	Notes
List	GET	`/api/cashbook/banks`	Query: `includeInactive=true` to include soft-deleted
Create	POST	`/api/cashbook/banks`	Body below
Read	GET	`/api/cashbook/banks/:id`	
Update	PUT	`/api/cashbook/banks/:id`	Body: any subset of create fields
Delete (soft)	DELETE	`/api/cashbook/banks/:id`	Sets `isActive=false`, clears `glAccountId`
GL dropdown	GET	`/api/cashbook/gl-accounts?availableForBank=true`	Asset GLs not linked to a bank yet

Create body

```
{
  "name": "CBZ",
  "accountNumber": "1234530",
  "currencyId": "<Currency.id>",
  "glAccountId": "<ChartOfAccounts.id>"
}
```

Optional: `bankCode`, `branchCode`, `isActive` (default `true`).

Update body (example)

```
{
  "name": "CBZ Updated",
  "isActive": true
}
```

Rules (short)
`glAccountId`: `Current Asset` or `Fixed Asset`; one bank per GL; `accountNumber` unique.

List after delete
`GET /api/cashbook/banks?includeInactive=true`

remove exchange rate field when creating invoice

on uat 7, added search queries: `GET /api/cashbook/entries?startDate=2026-03-23&endDate=2026-03-29¤cyId=cmmmy2lqx0004kti3i5ebitt5&minAmount=100&maxAmount=500&search=Monthly+municipal+TAX&page=1&limit=50`

on uat 13 use `GET /api/cashbook/reconciliation/display?bankId=cmn6hgk5b0001unp8p9kik9xq&periodEndDate=2026-03-25`

on uat 25 use `GET /api/accounting/purchase-invoices/creditors-age-analysis` **(optional query:** `asOfDate=YYYY-MM-DD` **)**

on uat 28 use `GET /api/cashbook/export-audit?year=2026&month=3&bankId=cmn6hgk5b0001unp8p9kik9xq`

on uat 33, show field for equivalent amount, i added data in the resposne like this

```
            "equivalentAtCreation": {
                "amount": "45800",
                "currency": {
                    "id": "cmh3byol60001una4029pus8w",
                    "code": "ZWL",
                    "name": "Zimbabwean Dollar",
                    "symbol": "Z$"
                }
            }
```

on uat 36, show response for the data for the currency converted

on uat 50 use `GET /api/vat/report/output-tax-audit?startDate=2026-03-01&endDate=2026-03-31¤cyId=cmh3bymy70000una4yk8leusu`

on uat 54 use `POST /api/accounting/balance-sheet/generate?hideZeroBalances=true` **— body must include** `asOfDate` **(and optional** `currencyId` **), e.g.** `{ "asOfDate": "2026-03-31" }`

on uat 56 use `GET /api/accounting/assets/register`

on uat 63 use `GET /api/system-audit-log/last-24-hours?scope=all`

on uat 75 use `POST /api/cashbook/entries/:id/receipt-attachment` **—** `multipart/form-data` **, field** `file`

on uat 77 use `POST /api/accounting/chart-of-accounts/bulk-import/validate` **—** `multipart/form-data` **, field** `file`

on uat 79, personalized reporting — saved filter favourites (per user). Base: `/api/users/me/saved-filter-favorites` **—** `Authorization: Bearer <token>`

Action	Method	Path
List	GET	`/api/users/me/saved-filter-favorites` — optional query `routeKey` (e.g. screen/module key)
Create preset	POST	`/api/users/me/saved-filter-favorites`
Get one	GET	`/api/users/me/saved-filter-favorites/:presetId`
Update	PATCH	`/api/users/me/saved-filter-favorites/:presetId`
Delete	DELETE	`/api/users/me/saved-filter-favorites/:presetId`

POST body (create)

```
{
  "name": "Western Region Sales",
  "routeKey": "sales-invoices",
  "filters": {
    "startDate": "2026-03-23",
    "endDate": "2026-03-29",
    "currencyId": "cmmmy2lqx0004kti3i5ebitt5",
    "minAmount": 100,
    "maxAmount": 500,
    "search": "Monthly municipal TAX",
    "page": 1,
    "limit": 50
  },
```

```
  "sortOrder": 0
}
```

`filters` is arbitrary JSON the UI replays as query/body when opening the favourite.

on uat 95 use `POST /api/accounting/purchase-invoices/batch-pay`

```
{
  "invoiceIds": [
    "cmn9y6irl0031unowai3s2khx",
    "cmn9y691l002punowrii1hwwj",
    "cmn9y5z5s002dunow9h68234z",
    "cmn9y5oji0021unowxk5wjv8e",
    "cmn9y5epa001punowpcp4rgo5",
    "cmn9y54nq001dunowolyoiznu",
    "cmn9y4v0o0011unow1cc83fe8",
    "cmn9y4l5v000punowgljpu0e9",
    "cmn9y4b8s000dunowkkmeld6v",
    "cmn9y3xfc0001unowndlx1vut"
  ],
  "paymentMethod": "BANK",
  "bankId": "cmn6hgk5b0001unp8p9kik9xq",
  "paymentDate": "2026-03-28T06:41:48.230Z",
  "paymentReference": "BATCH-POSTMAN-1774680108232",
  "notes": "IDs from print-batch-pay-postman-body.ts"
}
```

Unrealized gains (FX report)

GET `/api/accounting/multi-currency/reports/unrealized-fx`
Auth: `Authorization: Bearer <token>`

Query (optional): `asOfDate=YYYY-MM-DD` (defaults to now if omitted)

Example: `GET /api/accounting/multi-currency/reports/unrealized-fx?asOfDate=2026-03-31`

Bank reconciliation (sessions — new)

All routes are under `/api/cashbook/reconciliation`.
Auth: `Authorization: Bearer <token>`

Path parameters: replace `BANK_ID` with your bank (example below uses `cmn6hgk5b0001unp8p9kik9xq`), replace `SESSION_ID` with a session id from the create/list response (example session id in URLs below: `clrexample001unp8p9kik9xq`).

Success responses use:

```
{
  "success": true,
  "message": "Cashbook reconciliation candidates retrieved",
  "data": {},
  "timestamp": "2026-03-28T12:00:00.000Z"
}
```

Errors: `success: false`, `message` (and sometimes `error`), `timestamp`.

Suggested order: list entries → list/create sessions → get/patch draft → finish (or discard).

Step	Method	URL
Candidate lines	GET	`/api/cashbook/reconciliation/banks/BANK_ID/entries?asOf=YYYY-MM-DD` — add `&includeReconciled=true` if needed
List sessions	GET	`/api/cashbook/reconciliation/banks/BANK_ID/sessions`
Create draft	POST	`/api/cashbook/reconciliation/banks/BANK_ID/sessions`
Get session	GET	`/api/cashbook/reconciliation/sessions/SESSION_ID`
Update draft	PATCH	`/api/cashbook/reconciliation/sessions/SESSION_ID`
Finish	POST	`/api/cashbook/reconciliation/sessions/SESSION_ID/finish`
Discard	POST	`/api/cashbook/reconciliation/sessions/SESSION_ID/discard`

on uat 13 (example URLs for bank reconciliation sessions, same bank as display UAT above):
`GET /api/cashbook/reconciliation/banks/cmn6hgk5b0001unp8p9kik9xq/entries?asOf=2026-03-25`
`GET /api/cashbook/reconciliation/banks/cmn6hgk5b0001unp8p9kik9xq/sessions`
`POST /api/cashbook/reconciliation/banks/cmn6hgk5b0001unp8p9kik9xq/sessions`
`GET /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq`
`PATCH /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq`
`POST /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq/finish`
`POST /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq/discard`

---

1) GET `/api/cashbook/reconciliation/banks/BANK_ID/entries`

Request: none. **Query:** `asOf` required (`YYYY-MM-DD` or ISO).

Example: `GET /api/cashbook/reconciliation/banks/cmn6hgk5b0001unp8p9kik9xq/entries?asOf=2026-03-25`

Response `data` **:** array of cashbook rows (candidates).


```
[
  {
    "id": "cl_entry_1",
    "transactionDate": "2026-03-20T00:00:00.000Z",
    "type": "RECEIPT",
    "description": "Customer receipt",
    "reference": "REF-1",
    "amount": 100,
    "received": 100,
    "paid": 0,
    "signedAmount": 100,
    "status": "POSTED",
    "isReconciled": false,
    "counterpartyType": "CUSTOMER",
    "counterparty": "Acme Ltd",
    "cashbookReconciliationSessionId": null
  }
]
```


---

2) GET `/api/cashbook/reconciliation/banks/BANK_ID/sessions`

Request: none.

Example: `GET /api/cashbook/reconciliation/banks/cmn6hgk5b0001unp8p9kik9xq/sessions`

Response `data` : array of session objects (same shape as get-by-id; `CANCELLED` sessions omitted).

---

3) POST `/api/cashbook/reconciliation/banks/BANK_ID/sessions`

Request body

```
{
  "statementDate": "2026-03-27T17:01:50.663Z",
  "statementEndBalance": 60,
  "reference": "July 2024 bank recon",
  "openingBalance": 0,
  "selectedEntryIds": ["CASHBOOK_ENTRY_ID_1", "CASHBOOK_ENTRY_ID_2"]
}
```

`statementDate` and `statementEndBalance` required. `openingBalance` / `selectedEntryIds` / `reference` optional.

Example: `POST /api/cashbook/reconciliation/banks/cmn6hgk5b0001unp8p9kik9xq/sessions`

Response `data` : one session (see below). HTTP **201**.

---

4) GET `/api/cashbook/reconciliation/sessions/SESSION_ID`

Request: none.

Example: `GET /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq` (replace with `data.id` from create or list)

Response `data` : session with `lines` , `totals` (when lines exist), `openingBalance` , `priorClosingBalanceFromLastFinalized` .

```
{
  "id": "cl_session_1",
  "bankId": "BANK_ID",
  "status": "DRAFT",
  "statementDate": "2026-03-27T17:01:50.663Z",
  "statementEndBalance": 60,
  "reference": "July 2024 bank recon",
  "openingBalance": 0,
  "closingBalance": 60,
  "priorClosingBalanceFromLastFinalized": 0,
  "createdById": "user-id",
  "finishedById": null,
  "finishedAt": null,
  "createdAt": "2026-03-27T12:00:00.000Z",
  "updatedAt": "2026-03-27T12:00:00.000Z",
  "totals": {
    "openingBalance": 0,
    "totalSelectedReceived": 100,
    "totalSelectedPaid": 40,
    "reconciledBalance": 60,
    "statementEndBalance": 60,
    "difference": 0
  },
  "lines": [
    {
      "id": "cl_line_1",
      "cashbookEntryId": "CASHBOOK_ENTRY_ID_1",
```

```
      "selected": true,
      "entry": {
        "id": "CASHBOOK_ENTRY_ID_1",
        "transactionDate": "2026-03-20T00:00:00.000Z",
        "type": "RECEIPT",
        "description": "Customer receipt",
        "reference": "REF-1",
        "amount": 100,
        "received": 100,
        "paid": 0,
        "signedAmount": 100,
        "status": "POSTED",
        "isReconciled": false,
        "counterpartyType": "CUSTOMER",
        "counterparty": "Acme Ltd",
        "cashbookReconciliationSessionId": null,
        "stats": {
          "selectedForSession": true,
          "posted": true,
          "reconciledOnBooks": false,
          "clearedByThisSession": false,
          "reconciliationSessionId": null
        }
      }
    }
  ]
}
```


For **FINALIZED** sessions: `status` is `FINALIZED`, `finishedById` / `finishedAt` set, `closingBalance` persisted; selected entries show `isReconciled: true` and `stats.clearedByThisSession` / `reconciliationSessionId` as applicable.

---

5) PATCH `/api/cashbook/reconciliation/sessions/SESSION_ID`

Draft only. Omit `lines` to change header fields only.

Request body (example)


```
{
  "statementDate": "2026-03-27T12:00:00.000Z",
  "statementEndBalance": 60,
  "reference": "Updated label",
  "openingBalance": 0,
  "lines": [
    { "cashbookEntryId": "CASHBOOK_ENTRY_ID_1", "selected": true },
    { "cashbookEntryId": "CASHBOOK_ENTRY_ID_2", "selected": false }
  ]
}
```


Example: `PATCH /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq`

Response `data` **:** same session shape as GET (4).

---

6) POST `/api/cashbook/reconciliation/sessions/SESSION_ID/finish`

Request: none.

Example: `POST /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq/finish`

Response `data` **:** finalized session (same shape as (4); `status` : `FINALIZED`). Fails **400** if draft balance does not match `statementEndBalance` (±0.01) or no line selected.

---

7) POST `/api/cashbook/reconciliation/sessions/SESSION_ID/discard`

Request: none. **Draft only.**

Example: `POST /api/cashbook/reconciliation/sessions/clrexample001unp8p9kik9xq/discard`

Response `data`


```
{
  "id": "cl_session_1",
  "status": "CANCELLED"
}
```
