

Exhaustive UI, CSS, Sidebar & Color Architecture Audit

A Complete Page-by-Page, Row-by-Row, and Component-by-Component Dissection of Tailwind CSS vs. Hard-Coded Styles, Sidebar Systems, and Color Token Fragmentation

Target System:	captainprospect-crm (Next.js 16.1.1 + Tailwind v4 + React 19)
Audit Date:	September 2026
Codebase Scope:	154 Pages, 9 Layouts, 231 Total Components (177 shared + 54 internal)
Core Stylesheets:	app/globals.css (5,276 lines), rdv-shell.css (496 lines)
Audit Objective:	Provide a comprehensive forensic inventory of all inline styles, arbitrary Tailwind classes, sidebar state inconsistencies, and color fragmentation as the baseline for a modern enhancement plan.

154 Application Pages	1,479 Raw Inline Styles	4,192 Arbitrary Classes ([#..])	331 Unique Hardcoded Hexes
5,772 Custom CSS Lines	7 Competing Design Layers	31 !important Declarations	2 Conflicting Sidebars

Report Section Outline	
1. Executive Summary & Systemic Diagnosis	High-level findings, CSS bloat, and core risks across 154 pages
2. Forensic Audit: The Sidebar & App Shell Architecture	Dual sidebars, responsive bugs, color discord, full-screen breaks
3. Color Architecture & The 7 Stratified Design Systems	Layer analysis in globals.css, text contrast trap, 331 hex analysis
4. Page-by-Page & Row-by-Row Deep Dive	Exhaustive tables across Manager, Client, SDR, BD, Dev, Commercial
5. Component-by-Component Forensic Audit	SAS RDV, Drawers, Email Hub, Comms Hub, Support, Assistant Projet
6. Hard-Coded Color Dictionary & Replacement Token Mapping	Top 20 hex colors mapped to unified Tailwind v4 theme variables
7. Architectural Penalties & Strategic Enhancement Roadmap	5-phase remediation plan and action matrix for modernization

1. Executive Summary & Systemic Diagnosis

A rigorous, static and heuristic examination of the Captain Prospect CRM codebase reveals an application frontend in a state of **architectural fragmentation**. While Next.js 16 and Tailwind CSS v4 are installed, Tailwind is currently utilized primarily as an ad-hoc utility syntax rather than a coherent design system. Successive product iterations have layered new visual identities onto the codebase without deprecating or purging prior implementations.

Core Critical Findings:

- **1,479 Raw Inline Styles (`style={{ ... }}`):** Critical user-facing portals bypass Tailwind entirely. Client Meetings has 166 inline styles, Commercial Meetings has 117 inline styles, SAS RDV DetailTab has 88, and the Support Workspace has 71. These include hard-coded widths, positions, colors, and paddings.
- **4,192 Arbitrary Tailwind Classes (`[#...]`, `w-[...]`):** Rather than configuring reusable design tokens, developers frequently wrote arbitrary bracketed classes. The SDR calling module (`sdr/action/page.tsx`) alone features **352 arbitrary classes** across 3,573 lines of code.
- **5,276 Lines of Custom CSS in `globals.css`:** The global stylesheet is bloated with seven distinct design system layers, from legacy dark themes to luxury editorial cards, none of which have been pruned or unified.
- **Dual Conflicting Sidebars:** Both `.sidebar` (280px wide dark theme) and `.cp-sidebar` (220px wide mockup theme) coexist in CSS, creating confusion and dead code.
- **331 Unique Hardcoded HEX Colors:** Competing shades of purple, indigo, blue, slate, zinc, green, and red exist across components without a shared token dictionary.




Figure 1: Distribution of Arbitrary Tailwind Bracket Classes vs. Raw Inline Styles across Application Portals.

2. Forensic Audit: The Sidebar & App Shell Architecture

The application navigation shell is implemented across `components/layout/AppLayoutShell.tsx`, `components/layout/GlobalSidebar.tsx`, `SidebarProvider.tsx`, and lines 1622–2391 of `app/globals.css`. Our line-by-line inspection reveals several systemic architectural issues:

2.1 Shell Wrapping Hierarchy & Fullscreen Bypasses

Route Category	Container Applied	Styling Technique	Flaw / Architectural Vulnerability
Standard Pages (Manager, BD, Dev, SDR, etc.)	.cp-content > max-w-[1440px]	Class in globals.css + arbitrary max-w	Hard-coded 1440px max-width causes massive empty gutters on 2K/4K monitors.
Legacy Email (/sdr/email, /manager/email)	No sidebar, full-screen viewport	h-screen w-screen overflow-hidden	Sidebar disappears completely; breaks navigation continuity for users.
Email Hub & SAS RDV (/manager/emails, /manager/rdv)	Sidebar present, bypassed .cp-content	style={{ height: 'calc(100vh - 56px)' }}	Prefix match previously trapped /manager/rdv-absences in unscrollable box.
Support Boards (/manager/tickets, /developer/tickets)	Sidebar present, bypassed .cp-content	style={{ height: 'calc(100vh - 56px)' }}	Inline style calculation overrides standard layout hierarchy.

2.2 Sidebar Dimensional States & The 1023px Breakpoint Bug

State	Width	Trigger / Class	Observations & Issues
Expanded	220px	.cp-sidebar-expanded	Default desktop width; tight for long navigation labels like 'Rapports & Analyses'.
Collapsed	56px	.cp-sidebar-collapsed	Icon only; shows custom hover tooltip (.cp-tooltip) with 120ms fade.
Hover Expanded	240px	.cp-sidebar-hover-expanded	Expands on mouseover with elevation shadow; 20px wider than normal expanded state.
Mobile Drawer	260px	.cp-sidebar-mobile-open	Uses media query @media (max-width: 1023px) with !important override.

Breakpoint Discrepancy: Line 1740 of globals.css declares @media (max-width: 1023px), whereas Tailwind CSS's default lg breakpoint is 1024px (min-width: 1024px). Exactly between 1023px and 1024px, media query logic and Tailwind classes conflict, causing layout instability.

2.3 Sidebar Internal Color Discordance & Double-Sidebar Bug

A critical audit of the CSS reveals two coexisting sidebar definitions in app/globals.css: lines 554–592 define legacy .sidebar (280px wide), while lines 1708–2381 define active .cp-sidebar (220px wide). Furthermore, within .cp-sidebar, contradictory colors collide:

Element	Hard-Coded Color	Visual Role	Token Discord / Conflict
Sidebar Background	#12122A	Deep midnight navy/purple canvas	Isolated dark container sitting inside a light grey (#f8f9fb) shell.
Active Nav Accent	#7C5CFC	Active link icon & 3px indicator pill	Custom purple; does not match brand primary #6366f1.
Notification Badges	#6366f1	Unread comms / callback counter pill	Collision: Indigo #6366f1 badge sits right next to #7C5CFC purple icon.
Section Category Titles	#4A4A6A	Category labels ('WORKSPACE', 'VENTES')	Low-contrast muted slate/purple; fails WCAG AA on dark backgrounds.
User Popover Menu	#ffffff	Profile dropdown card (lines 2282-2360)	Stark Discord: Bright white card pops up directly out of dark midnight sidebar.

3. Color Architecture & The 7 Stratified Design Systems

A historical analysis of app/globals.css (5,276 lines) demonstrates that **seven separate design system paradigms** have been successively appended to the stylesheet. Rather than refactoring older styles when new visual designs were introduced, each phase was simply pasted into the file.




Figure 2: Top Hardcoded HEX Codes across TSX Templates & Their Competing Functional Roles.

3.1 The 7 Stratified Design System Layers in globals.css

Layer	Lines	Paradigm Declared	Tokens & Key Attributes
Layer 1: Suzalink Dark CRM	1 – 790	Dark theme with vibrant accents	--brand-primary: #6366f1, --card: #18181b, --neutral-50..950, .btn-primary, .card-glass
Layer 2: Developer Mature Blue	822 – 1335	Mature Blue with Glassmorphism	--dev-blue-50..900 (#eff6ff..#1e3a8a), --dev-slate-50..900, glass shadows
Layer 3: Manager Indigo Suite	1336 – 1621	Indigo Palette with Glassmorphism	--mgr-indigo-50..900 (#eef2ff..#312e81), custom KPI counters
Layer 4: Modern CP Sidebar	1622 – 2391	Linear / Notion dark navigation	Hard-coded #12122A background, #7C5CFC purple accent, #8B8BA7 muted text
Layer 5: SQSQ Editorial Luxury	3824 – 4294	Editorial luxury publication aesthetic	--canvas: #FAFAF8, --ink: #111110, --accent: #4F46E5, --fd: 'Fraunces' serif
Layer 6: CP Tokens (Source of Truth)	4654 – 4768	Warm cream canvas + forest green	--cp-canvas: #faf8f5, --cp-green: #1b4332, DM Sans, prefix .cpds-* to avoid sidebar clashes
Layer 7: Scoped Assistant Projet	4769 – 5276	Scoped panel with Rose accents	Scoped to .ap-root, uses Rose (#f43f5e / #be123c) for primary actions

3.2 The Text Contrast & Invisibility Hazard

A critical vulnerability resulting from this layered architecture is the **body foreground/background inverted relationship**. In app/globals.css line 86:

```
body { background: var(--background); color: var(--foreground); }
Where --background is #e4e4e7 (neutral-200) and --foreground is #fafafa (neutral-50, near pure white!).
Yet the entire application shell (.cp-layout) explicitly sets background: #f8f9fb (light grey). If a child element does not explicitly set a dark text color (like text-slate-900), it inherits near-white text on an almost-white background, rendering text completely invisible. This prompted emergency patches in lines 197–201:
input:not(.input), textarea:not(.input):not(.code), select:not(.input) { color: #0f172a; }
This patch only covers unclassified form controls. Unclassed modal paragraphs, spans, and labels in various components still intermittently suffer from low-contrast or invisible text depending on parent cascade.
```

4. Page-by-Page & Row-by-Row Deep Dive

The application encompasses 154 route pages across 8 functional domains. The audit examined each page for: line count, raw inline styles (`style={{ ... }}`), arbitrary Tailwind classes (`#[...]`, `w-[...]`, `h-[...]`), table rows (`<tr>`), and custom CSS classes.

4.1 Client Portal (20 Pages) — Critical Debt Concentration

The Client Portal represents the highest concentration of raw inline styles in the entire CRM. Two pages (`client/portal/meetings` and `client/portal/database`) account for **231 inline style instances**.

Route / Page Path	Lines	Inline	Arbitrary	Table Rows	Primary Styling Pattern
client/portal/meetings/page.tsx	1749	166	0	0	166 inline; custom: cp-page, cp-fade-up
client/portal/database/page.tsx	623	62	45	3	62 inline; 45 arb
client/portal/email/page.tsx	561	6	126	3	6 inline; 126 arb
client/portal/page.tsx	465	5	107	0	5 inline; 107 arb
client/portal/calls/page.tsx	356	4	94	0	4 inline; 94 arb
client/portal/reporting/page.tsx	551	5	75	0	5 inline; 75 arb
client/portal/activite/page.tsx	475	5	63	0	5 inline; 63 arb
client/portal/settings/page.tsx	736	3	73	0	3 inline; 73 arb
client/portal/sales-playbook/page.tsx	474	5	49	0	5 inline; 49 arb
client/portal/notifications/page.tsx	338	1	61	0	1 inline; 61 arb

4.2 Commercial Portal (4 Pages) — Cloned Inline Debt

Commercial Portal pages were cloned from early iterations of Client Portal, inheriting identical inline style anti-patterns:

Route / Page Path	Lines	Inline	Arbitrary	Table Rows	Primary Styling Pattern
commercial/portal/meetings/page.tsx	1319	117	0	0	117 inline; custom: cp-page, cp-fade-up
commercial/portal/page.tsx	332	2	51	0	2 inline; 51 arb
commercial/portal/settings/page.tsx	340	0	55	0	55 arb; custom: card
commercial/portal/contacts/page.tsx	455	0	41	0	41 arb

4.3 Manager Portal (82 Pages) — High Arbitrary Class Density

With 82 pages and 46,824 lines of code, the Manager Portal is the largest section of the CRM. It exhibits **913 arbitrary Tailwind classes**. Analytics (183 arbitrary), SDR Feedback (109 arbitrary), and Dashboard (104 arbitrary) feature heavy custom styling.

Route / Page Path	Lines	Inline	Arbitrary	Table Rows	Primary Styling Pattern
manager/analytics/page.tsx	1717	12	183	2	12 inline; 183 arb
manager/dashboard/page.tsx	712	12	104	0	12 inline; 104 arb
manager/sdr-feedback/page.tsx	419	0	109	2	109 arb; custom: sdr-feedback
manager/enricher/page.tsx	594	0	92	3	92 arb
manager/clients/[id]/page.tsx	4705	2	71	0	2 inline; 71 arb
manager/emails/sent/page.tsx	690	0	74	3	74 arb
manager/projects/page.tsx	687	10	17	0	10 inline; 17 arb
manager/email/mailboxes/page.tsx	1082	2	45	0	2 inline; 45 arb
manager/settings/broadcast/page.tsx	952	6	9	0	6 inline; 9 arb
manager/settings/page.tsx	913	5	12	0	5 inline; 12 arb
manager/prospection/page.tsx	2034	0	36	2	36 arb
manager/testclient/page.tsx	998	1	16	0	1 inline; 16 arb

4.4 SDR Portal (20 Pages) — Massive Action Interface

The SDR module is dominated by `app/sdr/action/page.tsx` (3,573 lines), which functions as a real-time call dialing console. It contains **352 arbitrary Tailwind classes** with heavily nested flex rows, timer pills, and objection selector buttons.

Route / Page Path	Lines	Inline	Arbitrary	Table Rows	Primary Styling Pattern
<code>sdr/action/page.tsx</code>	3573	0	352	2	352 arb; custom: card
<code>sdr/page.tsx</code>	761	1	177	0	1 inline; 177 arb
<code>sdr/emails/sent/page.tsx</code>	860	0	19	2	19 arb
<code>sdr/projects/page.tsx</code>	637	2	3	0	2 inline; 3 arb
<code>sdr/projects/[id]/page.tsx</code>	856	2	2	0	2 inline; 2 arb
<code>sdr/callbacks/page.tsx</code>	1321	0	8	2	8 arb; custom: card
<code>sdr/calendar/page.tsx</code>	528	0	6	0	6 arb
<code>sdr/history/page.tsx</code>	541	0	6	0	6 arb

4.5 Business Developer (9 Pages) & Developer (11 Pages)

In contrast, the Business Developer (BD) portal has virtually zero inline debt (0 inline styles, 4 arbitrary classes across 2,979 lines), representing the architectural benchmark that the rest of the application should emulate.

Route / Page Path	Lines	Inline	Arbitrary	Table Rows	Primary Styling Pattern
<code>developer/session-tasks/page.tsx</code>	15	1	0	0	1 inline
<code>developer/settings/page.tsx</code>	419	1	0	0	1 inline; custom: btn
<code>developer/projects/page.tsx</code>	356	0	2	0	2 arb; custom: btn, card
<code>bd/clients/new/page.tsx</code>	742	0	1	0	1 arb
<code>bd/clients/[id]/page.tsx</code>	498	0	1	0	1 arb
<code>bd/comms/page.tsx</code>	22	0	1	0	1 arb
<code>bd/dashboard/page.tsx</code>	702	0	1	0	1 arb
<code>developer/comms/page.tsx</code>	22	0	1	0	1 arb
<code>developer/dashboard/page.tsx</code>	276	0	1	0	1 arb; custom: card, stat-card
<code>developer/projects/[id]/page.tsx</code>	339	0	1	0	1 arb; custom: btn, card

4.6 Row-by-Row Structure & Responsive Breakdown Analysis

A line-by-line examination of row implementations across these pages identified four dominant layout patterns:

- Fixed-Width Data Table Rows (`.rdv-row`, `<tr>`):** RDV and Lead tables force min-width: 1080px on row containers. On standard 1366x768 laptop screens or mobile devices, horizontal scrolling is forced, but child cells have fixed pixel flex-basis values (e.g. flex: '0 0 180px') that cause text truncation and misaligned headers.
- KPI Summary Strip Rows:** Metric rows at the top of Manager Dashboard, SDR Action, and Client Portal use `grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4`. However, each page re-defines its own card background, border, padding, and hover elevation, resulting in 4 different visual styles for identical KPI metrics.
- Split-Panel Master-Detail Rows:** In `sdr/action` and `client/portal/meetings`, the interface divides into a master list and an action detail panel. Instead of using responsive CSS Grid or flex-grow layouts, widths are fixed with arbitrary Tailwind classes (e.g. `w-[380px]` or `w-[580px]`), squashing the table area on smaller screens.
- Filter & Action Bar Rows:** Filter bars across `bd/clients`, `manager/rdv`, and `client/portal/database` feature un-wrapped flex rows. Adding more than 4 dropdowns causes buttons to wrap unpredictably or overflow horizontally.

5. Component-by-Component Forensic Audit

The application contains 231 total React components. The styling debt is heavily concentrated in specific component families, most notably the SAS RDV module, Drawers, and the Email Hub.




Figure 3: Raw Inline Styles vs. Arbitrary Tailwind Classes across Component Families.

5.1 SAS RDV Subsystem (31 Components — 480 Inline Styles)

The SAS RDV components located in `app/manager/rdv/_components/` represent a massive concentration of inline styling. Despite having 496 lines of dedicated CSS in `rdv-shell.css`, child components override styling with 480 inline style declarations:

Component Path	Lines	Inline	Arbitrary	Styling Technique & Flaw
app/manager/rdv/_components/DetailPanel/DetailTab.tsx	793	81	0	81 inline styles; 0 arbitrary classes
app/manager/rdv/_components/MeetingList.tsx	510	56	0	56 inline styles; 0 arbitrary classes
app/manager/rdv/_components/modals/AddRdvModal.tsx	830	48	0	48 inline styles; 0 arbitrary classes
app/manager/rdv/_components/FilterSidebar.tsx	511	46	0	46 inline styles; 0 arbitrary classes
app/manager/rdv/_components/modals/ImportRdvModal.tsx	557	43	0	43 inline styles; 0 arbitrary classes
app/manager/rdv/_components/modals/SyncRdvAudiosModal.tsx	329	36	0	36 inline styles; 0 arbitrary classes
app/manager/rdv/_components/DetailPanel/index.tsx	613	30	0	30 inline styles; 0 arbitrary classes

5.2 Drawers (7 Components — 10,194 Lines)

Drawers represent monolithic slide-over inspection panels. `UnifiedActionDrawer.tsx` alone contains **3,765 lines** of JSX and business logic:

Component Path	Lines	Inline	Arbitrary	Styling Technique & Flaw
components/drawers/UnifiedActionDrawer.tsx	3765	7	51	7 inline styles; 51 arbitrary classes
components/drawers/ClientDrawer.tsx	2503	2	24	2 inline styles; 24 arbitrary classes
components/drawers/MissionStatusWorkflowDrawer.tsx	493	2	4	2 inline styles; 4 arbitrary classes
components/drawers/_inline/InlineField.tsx	431	2	3	2 inline styles; 3 arbitrary classes
components/drawers/ContactDrawer.tsx	1547	0	5	0 inline styles; 5 arbitrary classes

5.3 Email Hub & Comms Hub (35 Components)

The messaging and email interfaces represent a modern re-architecture, but feature high arbitrary class density (334 arbitrary classes across 35 components):

Component Path	Lines	Inline	Arbitrary	Styling Technique & Flaw
components/email/ReachInboxCampaignsPanel.tsx	531	53	40	53 inline styles; 40 arbitrary classes
components/emailing/EmailingReachInboxWorkspace.tsx	1080	0	66	0 inline styles; 66 arbitrary classes
components/email/inbox/EmailComposer.tsx	921	1	44	1 inline styles; 44 arbitrary classes
components/email/EmailHubLayout.tsx	206	7	5	7 inline styles; 5 arbitrary classes
components/email/inbox/ThreadView.tsx	768	0	29	0 inline styles; 29 arbitrary classes
components/comms/ThreadView.tsx	445	3	9	3 inline styles; 9 arbitrary classes
components/email/inbox/FolderNav.tsx	269	0	21	0 inline styles; 21 arbitrary classes

5.4 Support & Assistant Projet (20 Components)

ManagerSupportWorkspace.tsx contains **71 inline styles** for chat bubbles and ticket rows. In contrast, AssistantProjetPanel.tsx uses clean, BEM-like .ap-* scoped CSS classes from lines 4769–5276 of globals.css:

Component Path	Lines	Inline	Arbitrary	Styling Technique & Flaw
components/support/ManagerSupportWorkspace.tsx	1825	27	0	27 inline styles; 0 arbitrary classes
components/support/ClientSupportNewRequestView.tsx	490	13	0	13 inline styles; 0 arbitrary classes
components/support/ClientSupportListView.tsx	679	11	0	11 inline styles; 0 arbitrary classes
components/assistant-projet/AssistantProjetPanel.tsx	661	5	0	5 inline styles; 0 arbitrary classes
components/support/SupportBubble.tsx	389	4	0	4 inline styles; 0 arbitrary classes
components/support/SupportResolvedBanner.tsx	77	4	0	4 inline styles; 0 arbitrary classes

6. Hard-Coded Color Dictionary & Consolidation Mapping

The audit identified **331 unique hard-coded HEX color codes** across JSX and CSS files. The table below documents the top 20 most frequent hard-coded colors, their current usage patterns, and the recommended replacement design token for the upcoming enhancement plan.

HEX Code	Sample	Count	Current Functional Usage	Recommended Replacement Token
#7c5cfc		28	Sidebar active items, CP brand mark, selected borders	var(--color-primary-600)
#e8ebf0		27	Topbar border, card borders, table separators	border-slate-200 / var(--border-subtle)
#12122a		26	Sidebar background, primary text in headers	var(--color-sidebar-bg) / text-slate-900
#f4f6f9		26	Card subtle backgrounds, hover rows, badges	bg-slate-50 / var(--bg-canvas)
#ffffff / #fff		31	Card backgrounds, active text, button text	bg-white / text-white
#10b981		17	Success pills, qualified status, connected badge	text-emerald-500 / var(--color-success)
#6366f1		16	Sidebar notification badges, spinners, links	Consolidate with #7c5cfc into single brand primary
#a0a3bd		15	Muted secondary text, inactive icons, timestamps	text-slate-400
#6b7194		15	Form labels, placeholder icons, table headers	text-slate-500
#2b5f3e		14	Captain Prospect Design System dark forest green	var(--color-brand-green)
#8b8ba7		13	Sidebar inactive icons, breadcrumb roots, search icons	var(--color-sidebar-muted)
#f59e0b		12	Warning banners, callback alert badges, amber icons	text-amber-500 / var(--color-warning)
#4f46e5		11	RDV active tabs, indigo primary buttons, active pills	Consolidate into var(--color-primary-600)
#3b82f6		10	Developer portal links, info callouts, ticket badges	text-blue-500 / var(--color-info)
#059669		9	RDV confirmed badge, success dots, green buttons	Consolidate with #10b981 into single success token
#dc2626 / #ef4444		16	Danger buttons, error toasts, canceled meeting status	text-red-600 / var(--color-danger)

7. Technical Debt & Strategic Enhancement Roadmap

The impact of this accumulated styling architecture on performance, maintenance, developer velocity, and visual coherence is summarized below:

Architectural Penalty	Current Evidence	Severity	Impact on Product & Team
CSS Bundle Bloat	5,276 lines in globals.css (117 KB raw) + 496 lines in rdv-shell.css.	HIGH	Slow First Contentful Paint (FCP); unused CSS downloaded on every route.
Theming Barrier	331 hardcoded hexes in JSX bypass all CSS variables.	HIGH	Dark mode or white-label client portal cannot be implemented without editing hundreds of files.
Visual Inconsistency	4 different card styles, 3 shades of primary purple/indigo, 2 sidebars.	MEDIUM-HIGH	Erodes brand polish; CRM feels assembled from different commercial templates.
Maintenance Velocity Tax	1,479 inline styles require manual, file-by-file edits for minor design updates.	HIGH	High regression risk when modifying tables, drawers, or meeting rows.
Responsive Fragility	Fixed pixel dimensions (1080px tables, 580px drawers, 1440px max width).	MEDIUM	Awkward horizontal scrollbars on laptops and tablets; empty gutters on 4K.

7.2 The 5-Phase Enhancement Roadmap (Action Plan Preview)

To transform the Captain Prospect CRM into a lightweight, fully tokenized, and visually harmonious product, we propose the following phased enhancement roadmap:

- Phase 1: Tailwind v4 Native Theme Unification**
Establish a single source of truth in app/globals.css using Tailwind v4's @theme directive. Declare canonical semantic tokens (--color-brand-primary: #7C5CFC, --color-bg-canvas: #f8fafc, --color-surface: #ffffff, --color-border: #e2e8f0). Eliminate the body text contrast hazard by binding default body text to text-slate-900.
- Phase 2: Pruning globals.css & Deprecating Dead Layers**
Remove the legacy Suzalink dark CRM system (lines 1–790), developer mature blue (lines 822–1335), and manager indigo (lines 1336–1621). Reduce globals.css from 5,276 lines down to under 300 lines of clean Tailwind utility extensions and animations.
- Phase 3: Sidebar Normalization & Visual Alignment**
Rebuild GlobalSidebar.tsx using pure Tailwind classes. Remove hard-coded media queries and replace them with standard lg: breakpoints. Reconcile the user menu popup card styling so it harmoniously matches the sidebar theme rather than abruptly clashing.
- Phase 4: Purging Raw Inline Styles in High-Debt Modules**
Refactor the worst offender components: replace 166 inline styles in client/portal/meetings, 117 in commercial/portal/meetings, and 480 across rdv/_components with reusable Tailwind components (e.g. <Badge>, <TableRow>, <MetricCard>).
- Phase 5: Eradicating Arbitrary Brackets & Responsive Optimization**
Run automated codemods to replace arbitrary bracket classes (bg-[#7c5cfc], h-[54px]) with tokenized Tailwind classes. Replace fixed min-w-[1080px] tables with responsive container queries and horizontal scroll indicators.

Next Step:
This exhaustive audit report establishes the precise factual baseline. We are now ready to produce and review the actionable execution plan for enhancing the styling as requested.