CASE STUDY / PLANT AUTOMATION SERVER AMC

Reliable platforms. A lasting relationship.

SRF Limited | Dahej

Comprehensive maintenance for plant automation servers, engineering and operator stations.

RELATIONSHIP PERIOD

01 November 2023 - 31 October 2026

Micro-level diagnosis. Controlled restoration.
Customer-led validation and accountable support.



The relationship | Three annual service periods

SRF’s Dahej automation environment depends on stable server and station hardware for operator visibility and engineering access. D-TECH’s comprehensive AMC relationship is presented from 1 November 2023 to 31 October 2026, using the client-provided first-year dates and the two supplied renewal orders.

YEAR 01

01 NOV 2023 - 31 OCT 2024

RELATIONSHIP START

Period supplied by the client; first-year order was not attached.

YEAR 02

01 NOV 2024 - 31 OCT 2025

PO 202703

Order dated 17 October 2024; comprehensive annual maintenance.

YEAR 03

01 NOV 2025 - 31 OCT 2026

PO 218994

Order dated 31 October 2025; comprehensive annual maintenance.

Reading guide

03 Covered assets 04 Support architecture 05 Micro-level technical support
06 Complaint-to-closure flow 07 Preventive care, governance and customer support

Relationship dates do not imply a single three-year PO. Actual incidents, uptime results and service performance records have not been supplied.

02 / ASSET GROUPS LISTED IN BOTH SUPPLIED ORDERS

Covered environment | Automation servers and stations


Plant / station group	Make and model	Support focus
P1 PHARMA - OS1	Dell OptiPlex 3020	Station hardware health; display / peripheral and connectivity fault isolation.
P1 PHARMA - EOS / HS	Dell PowerEdge T630	Server component, storage and network-adapter diagnostics.
P1 PHARMA - BATCH SERVER	Dell Precision T5810	Workstation hardware availability for the listed batch-server role.
CMS - SERVER A / SERVER B	Dell PowerEdge T330	Treat each serialised asset independently; verify any A/B operational dependency before intervention.
CMS - EOWS1 / OWS1 / OWS2 / OWS3 / AMS	Dell OptiPlex XE2	Operator / engineering station fault isolation; authorised customer-led application validation.
P1 HOG - OS	HP Pro 3330 Micro Tower	Hardware diagnosis and eligible repair coordination for the listed station.
P1 HOG - ES / OS	HP Pro 3330 Micro Tower	Hardware health, boot-path and peripheral / NIC checks.

Coverage boundary

Both POs describe comprehensive AMC. Quantities are not populated: seven line groups are not seven confirmed physical devices. Verify the asset / serial register.

Parts eligibility, software services, visit frequency, exclusions and response / resolution commitments require the governing agreement and annexures.

Support architecture | Protect the automation service path



Hardware support surrounds an existing automation environment. PLC / DCS programming and live process changes are not assumed to be included.

A/B labels do not prove automatic redundancy. Network layout, application architecture and backup design require site verification.

Micro-level support | Diagnose the fault, control the change

Support domain	Detailed service actions	Required record / safeguard
POWER / BOOT	Check PSU / power LEDs, POST symptoms, cabling and available hardware event evidence; distinguish local electrical issues from component faults.	Asset ID, fault time, LED / POST observation; no unapproved shutdown or power-cycle.
CPU / MEMORY / THERMAL	Review processor / DIMM alerts, fan status, sensor readings and air-path condition; identify affected slot / component.	Health evidence and suspected component ID; safe isolation under site permit.
DISK / STORAGE	Review drive and controller health, volume availability and any RAID degradation / rebuild state where RAID exists.	Verify recoverability first. Never initialise an array or remove a drive solely by inference.
NIC / PHYSICAL PATH	Check adapter state, link status and patch lead; correlate station / server symptoms with the authorised network owner.	Port / adapter record; configuration or switch changes only with explicit approval.
STATION / PERIPHERALS	Isolate monitor, keyboard, mouse and approved interface faults; verify correct asset and role before substitution.	Record compatible replacement identity and customer-led application check.
PARTS / REPAIR	Confirm covered fault and compatible part; coordinate procurement / OEM where applicable; execute authorised replacement safely.	Old / new part IDs, repair actions and data-media custody; coverage per contract.
SERVICE VALIDATION	Check healthy boot and storage state; customer validates operator / engineering functions and representative automation data.	Acceptance evidence, unresolved risks and closure approval; no unsafe live command testing.

Device-specific service manuals and the plant’s change-control process govern intervention. Routine OS patching, software fixes and recovery are not presumed covered.

Service response | From complaint to approved closure

01 | REGISTER

Log asset / station, fault time, impact, contact and any hardware evidence.

02 | TRIAGE

Assess process impact and available redundancy; agree priority and safe diagnostic approach.

03 | AUTHORISE

Confirm site permit, access, recovery readiness, parts coverage and maintenance window.

04 | REPAIR / ESCALATE

Diagnose onsite if needed; coordinate eligible repair and specialist support; communicate blockers.

05 | VALIDATE

Check hardware health. Automation owner confirms displays, alarms, interfaces and affected role.

06 | CLOSE / REVIEW

Record actions, parts, timestamps, acceptance and follow-up prevention items.

Raise a service request | support.dtechindia.com | +91 99989 03042

Continuity | Preventive care and accountable ownership

Service control	Micro-level practice and evidence
ASSET & ENTITLEMENT REGISTER	Maintain model, serial, station role, location, contract dates and open-fault history. Reconcile the register at renewal and after replacements.
AGREED PREVENTIVE CHECKS	Review component alerts, visible condition, available storage capacity, thermal condition and recurring errors. Frequency and visit obligations must be agreed.
RECOVERY & DATA PROTECTION	Verify backup ownership and status; arrange authorised representative restore checks with the automation vendor. Agree failed-media handling and retention before removal.
CHANGE & COMMUNICATION	Use customer-approved windows, site permits and rollback / recovery decisions. Log incident, response, visit, parts and restoration timestamps; record delays and dependencies.
SERVICE REVIEW	Discuss repeat faults, ageing / unsupported components and unresolved risks. Report actual response and restoration data; do not equate acknowledgement with resolution.

CUSTOMER / SITE

SRF Limited | Dahej
Plot D-2/1, GIDC Phase II, PCPIR, Village Dahej,
Taluka Vagra, Bharuch, Gujarat 392130.

D-TECH | CUSTOMER CARE

support.dtechindia.com | Open support portal

+91 99989 03042

Sources: POs 202703 and 218994; client-provided first-year dates and photos. No numeric SLA, measured uptime, incident results or annexure-specific coverage is claimed.

Detailed technical tasks describe the service method; they are not evidence that every listed action was performed during the relationship period.