




INDUSTRIAL SURVEILLANCE | CASE STUDY

Smart Industrial CCTV & Resilient Network Infrastructure

Honda Motorcycle & Scooter India Pvt. Ltd.
Narsapura Industrial Area, Karnataka

DESIGN | SUPPLY | INSTALLATION | TESTING



ORDER-BACKED DELIVERY PROFILE

A multi-order CCTV and network programme integrating 5 MP video endpoints, enterprise recording, structured cabling, fibre connectivity and professional commissioning under one accountable delivery partner.

135

5 MP cameras

3

64-channel NVRs

3.04 km

Cat6 supplied

5

coordinated orders

D-TECH SOLUTION INTEGRATORS PVT. LTD.

Lead with Trust. Inspire with Vision.

THE ENGAGEMENT

A scalable security platform for an active manufacturing environment

Across five purchase orders issued from October 2025 to February 2026, D-TECH was selected to supply, expand and commission a CCTV and supporting network platform at Honda's Narsapura facility. The programme brings field surveillance, recording, access switching, fibre and structured cabling into one engineered delivery model.

135

camera endpoints

192

nominal NVR channels

57

channel capacity margin

5

coordinated orders

Business need and delivered response

WIDER VISIBILITY

Extend video coverage across industrial areas using fixed dome, bullet and long-range PTZ camera types.

CENTRAL RECORDING

Consolidate endpoint recording through three 64-channel Matrix SATATYA NVRs.

NETWORK READINESS

Connect surveillance traffic through Cisco PoE switching, optical interfaces and structured Cat6 pathways.

FIELD EXECUTION

Install, terminate, splice, configure and test the integrated environment at the Narsapura site.

CONSOLIDATED PROJECT VALUE


USD 0.06 million

Approximate value, rounded for international presentation.

INTEGRATED SOLUTION ARCHITECTURE

Every technology layer delivered as one connected system

The design links surveillance endpoints to local copper infrastructure, enterprise switching and optical uplinks before recording and operator presentation. D-TECH's scope spans both the technology stack and the physical pathways that make it serviceable.



Why this architecture adds value

COVERAGE FIT

Dome, bullet and PTZ camera types address different viewing and distance requirements.

CAPACITY HEADROOM

192 nominal recorder channels support 135 ordered endpoints, leaving 57 channels of theoretical margin.

SERVICEABILITY

Racks, LIU, outlets, patching and pathways create clear hand-off points for maintenance.

EXTENSION READY

Cisco switching and fibre work provide a structured base for phased surveillance expansion.

ORDER-CONSOLIDATED QUANTITIES

A complete surveillance and connectivity package

The following quantities are consolidated directly from the supplied Honda purchase orders. Service quantities are kept separate from material quantities to avoid double-counting.

VIDEO ENDPOINTS

61 x 5 MP IR dome | 72 x 5 MP IR bullet | 2 x 5 MP 38x PTZ

RECORDING

3 x Matrix SATATYA 64-channel NVR

ACTIVE NETWORK

1 x Cisco C9200L-24P-4G-E | 2 x gigabit SFP

OPERATOR LAYER

1 x Dell Precision workstation | 1 x 43-inch display | HDMI

COPPER PASSIVE

3,040 m Cat6 UTP | 47 information outlets | 49 patch cords

RACK & PATHWAY

9U wall rack | patch panel | cable manager | 70 m GI cable tray

NETWORK SERVICES

1,000 m Cat6A laying | 700 m fibre laying | 15 fibre splices

CCTV SERVICES

Installation, testing and configuration of CCTV cameras


DELIVERY POINT

Honda Narsapura plant, Malur Taluk, Kolar District, Karnataka

CONTROLLED EXECUTION MODEL

Engineering discipline from route readiness to handover

A dependable industrial CCTV deployment is built through sequencing, documentation and verification. The ordered service scope supports a structured delivery lifecycle covering network enhancement and camera commissioning.



QUALITY GATES

Route integrity | termination quality | fibre-splice verification | copper/fibre testing | device configuration | live-view confirmation
| safe site execution

OUTCOME FRAMEWORK

Operational value designed into the infrastructure

The supplied records do not include measured post-deployment KPIs. The benefits below therefore describe the capabilities enabled by the verified solution, without overstating quantified outcomes.

RECORDING CAPACITY VIEW

135 ordered endpoints

57-channel nominal margin

3 recorders x 64 channels = 192 nominal channels | Approx. 70% ordered channel utilization

29.7% nominal channel headroom for allocation flexibility or future extension

SECURITY VISIBILITY

135 ordered camera endpoints support broader observation across operational areas.

CENTRAL EVIDENCE

Network video recording and an operator workstation create a consolidated review point.

MAINTAINABLE NETWORK

Structured racks, patching, outlets and fibre hand-offs simplify fault isolation.

DELIVERY ACCOUNTABILITY

Materials and services are coordinated through one solution integrator and one technical architecture.

EXPANSION POTENTIAL

Recorder margin and standards-based connectivity support planned future additions, subject to design validation.

INDUSTRIAL READINESS

Cable tray, conduit, enclosures and protected routes adapt the system to plant conditions.

ORDER-BACKED PROGRAMME

One integrated project, five coordinated orders

The engagement expanded from the original material package into additional camera supply, network enhancement and commissioning services. The timeline below preserves traceability without reproducing confidential order pages.

DATE	ORDER	DELIVERY ROLE
01 Oct 2025	NSPR/1000019408	Core CCTV, NVR, switching and passive material
23 Dec 2025	NSPR/6000086468	Network stability enhancement services
15 Feb 2026	NSPR/1000020020	90 additional fixed 5 MP cameras
19 Feb 2026	NSPR/1000020050	Additional dome cameras, NVR and Cat6 material
19 Feb 2026	NSPR/6000087373	CCTV installation, testing and configuration

CONSOLIDATED COMMERCIAL ENGAGEMENT

Material + network services + CCTV commissioning

Five coordinated orders delivered through one integrated technology programme.

D-TECH delivery value

ONE ACCOUNTABLE PARTNER

Technology supply and field services aligned under a single integration approach.

INDUSTRIAL EXECUTION

Network, optical and surveillance disciplines combined for plant-site delivery.

VERIFIABLE SCOPE

Every headline quantity and commercial figure is traceable to the supplied orders.

Source note: Prepared from the five Honda purchase orders supplied by the client. No raw order copy is appended.

Capability statements are solution-based; measured post-deployment performance data was not included in the source set.