
DEEPAK FERTILISERS AND PETROCHEMICALS CORPORATION LIMITED



CASE STUDY / SERVER HARDWARE AMC

Server reliability. Support with precision.

Deepak Fertilisers and Petrochemicals Corporation Limited | Dahej plant

HPE DL380 Gen10 4114
Hardware fault diagnosis, repair coordination and customer-validated restoration.

24×7 remote response | NBD support reference

Historical PO: 1101003777 / 23 April 2022
D-TECH support model; delivery attribution requires confirmation.

DAHEJ / GUJARAT

The requirement | Hardware continuity at Dahej

The supplied order establishes a one-year, breakdown-call AMC for an HPE DL380 Gen10 4114 server at the Dahej plant. The requirement is to identify hardware failures quickly, coordinate eligible repair and verify that the repaired platform is ready for the customer's service owners.

Documented item	Contract reference	Practical interpretation
CLIENT & LOCATION	DFPCL Dahej plant; Plot D-II/7A, Dahej-II Industrial Estate, Taluka Vagra, Bharuch, Gujarat 392130.	Site access, safety PPE and customer coordination are required.
ASSET & TERM	HPE DL380 Gen10 4114 Server AMC; quantity 1 AU; one-year AMC for 2022-23.	AU is the service unit. Physical asset count, serial number and exact configuration require verification.
SERVICE BASIS	Breakdown calls only; hardware products only; 24×7 remote response and NBD support.	Scheduled preventive visits, monitoring, OS and application services are not established by this order.
SOURCE & ATTRIBUTION	Service PO 1101003777, 23 April 2022; supplier named Navigator Systems Pvt. Ltd.	This is a D-TECH-branded delivery model, not proof that D-TECH executed this PO.

Historical order only: current AMC entitlement, renewal, live inventory and actual service results have not been supplied.

Micro-level support | Component-by-component diagnosis

Fault domain	Detailed support checks	Evidence / controlled action
POWER & BOOT	Review power status, PSU LEDs, power path and POST symptom; correlate fault time with site electrical events.	Record PSU / bay identifier. No forced power-cycle without approval; electrical-damage exclusions apply.
CPU & MEMORY	Review hardware-health warnings, processor / DIMM event references and affected slot identifiers.	Preserve events; isolate the suspected component using supported procedures; do not assume all errors require replacement.
DISK & RAID	Check physical-drive states, controller alerts, logical-volume health, failed bay and rebuild progress.	Verify recoverability with customer owner first. Never initialise, delete or recreate an array as a diagnostic shortcut.
COOLING & CHASSIS	Inspect fan alerts, temperature readings, air-path obstructions and visible physical damage during authorised access.	Capture sensor / fan identifiers. Follow plant safety and shutdown controls before opening the chassis.
NIC & CONNECTIVITY	Check adapter hardware status, link LEDs and physical cabling to isolate server hardware from a LAN fault.	Record adapter / port. Network configuration remediation is a separate scope unless expressly agreed.
MANAGEMENT & LOGS	With authorised iLO access, capture health summary, Integrated Management Log and relevant Active Health System data.	Record time zone, incident time and serial number; securely share only required diagnostic material.
PARTS & REPAIR	Verify fault, compatible part identity, entitlement and replacement route with the contracted service provider.	Record old / new part IDs and approval. Validate restored health; preserve data-handling and return instructions.

These are proposed diagnostic tasks, not recorded interventions. HPE IML / AHS guidance informs log collection; applicable model procedures govern repair.

How support works | Separate hardware and service ownership

CUSTOMER IT OWNER

Reports impact; authorises access, downtime and data-handling decisions.

APPLICATION OWNER

Validates application / OS service after repair. Software troubleshooting is outside the reference AMC.

HPE DL380 GEN10

- CPU / DIMM / PSU / FANS
- DRIVES / RAID / NIC
- iLO / HARDWARE EVENT LOGS

REPAIR ACCEPTANCE

Hardware evidence plus customer-led service validation; no unapproved data recovery.

D-TECH SERVICE DESK

Proposed ticket coordination, initial hardware evidence review and customer updates.

CONTRACTED PROVIDER

Eligible hardware repair / parts dispatch under the actual AMC. Confirm D-TECH's back-to-back role before issue.

Solid arrows: fault coordination / repair. Dashed arrow: customer application validation. VLANs, IPs, RAID level and backup architecture are not supplied.

Complaint-to-closure | A traceable service response

01 | LOG THE INCIDENT

Register serial / asset ID, fault time, symptoms, business impact and site contact.

02 | PRIORITISE & RESPOND

Classify severity; acknowledge via the actual service channel and preserve callback timestamps.

03 | DIAGNOSE & AUTHORISE

Review hardware evidence; confirm entitlement, safe access and approved maintenance window.

04 | REPAIR / ESCALATE

Coordinate eligible parts and engineer visit; record constraints and update the customer.

05 | VERIFY RESTORATION

Check component / RAID health and boot state. Customer validates applications and representative data.

06 | CLOSE & REVIEW

Capture cause if known, parts, actions, downtime and customer approval; retain the service record.

D-TECH support portal | support.dtechindia.com | +91 99989 03042

Service commitments | Clear limits, measurable records

Contract statement	Interpretation and service record
24×7 REMOTE RESPONSE	Reference order includes 24 hours / day, 7 days / week, including HPE holidays. Confirm current entitlement and operating route before using these as live commitments.
CALLBACK TARGETS	Severity 1: 15-minute callback. Severity 2 and 3: 1-hour callback. Track incident receipt and callback time separately; callback is not a resolution deadline.
NBD / 97% UPTIME	PO states NBD support and 97% uptime / immediate response wording. Confirm NBD cut-offs, site access, parts logistics, uptime period and exclusions in writing; no measured achievement is claimed.
EXCLUDED SERVICES	OS, application, virus and software support; non-HP components; corrosion; broken / burnt parts; mishandling and adverse electrical damage. Hard-disk retention is not included.
DATA & CHANGE CONTROL	Customer owns backup readiness and application recovery. Agree failed-disk handling before removal; retention is not assumed. Record approved reboot / replacement and rollback or recovery dependencies.

HANDOVER PACK

Ticket timeline; hardware evidence; part / serial records; visit report; validation checklist; customer acceptance and unresolved risks.

D-TECH | CUSTOMER CARE

Open support portal | Raise a ticket

+91 99989 03042

Basis: supplied PO 1101003777 and client images. Proposed support method only; no completed-job, current coverage or performance claim.

Technical reference: HPE server management documentation | IML and AHS log services