

Industrial CCTV. Designed for total visibility.

Consultancy, network architecture, onsite deployment, installation, configuration and OFC splicing for the ISGEC Hitachi Zosen Dahej facility.

D-TECH DELIVERY

DESIGN -> DEPLOY -> INSTALL -> VALIDATE



ORIGINAL ORDER EVIDENCE

A documented end-to-end CCTV infrastructure deployment.

Project facts below are taken from Purchase Order 3500001720 dated 28 March 2018.

2018

order year

Issued 28 March 2018

19

network cameras

13 PTZ + 4 bullet + 2 dome

12 TB

recording

32-channel NVR / server

Rs 9.63 L

material value

INR 962,710 excluding tax

Dahej

project site

13-B GIDC Industrial Estate

VERIFIED RESPONSIBILITY

Onsite installation, configuration, cable laying and OFC splicing.

The PO separately records installation charges of INR 83,600 and requires completion before installation payment.

VERIFIED SOLUTION SCOPE

Camera coverage built around movement, detail and operating context.

The camera mix combines long-range PTZ coverage with fixed bullet and dome views.

5

4 MP IR PTZ cameras

High-detail network speed PTZ coverage.

8

2 MP IR PTZ cameras

Wide-area tracking across large operational zones.

4

4 MP IR bullet cameras

Fixed perimeter, approach and process views.

2

4 MP WDR dome cameras

Balanced imaging for indoor and mixed-light areas.

4

Managed access switches

8-port Gigabit switches with dual SFP capability.

4

9U field racks

Distributed secure housing for active equipment.

RECORDING PLATFORM

32-channel NVR / workstation with 12 TB storage and 42-inch Full HD display.

BUSINESS REQUIREMENT

Secure a heavy-engineering campus without losing operational context.

Large fabrication spaces, outdoor yards and movement corridors require different viewing strategies.



Wide operational areas

PTZ cameras must cover long distances and changing activity.

Fabrication visibility

Fixed cameras preserve detail at gates, aisles and work zones.

Distributed network

Remote camera clusters need protected local switching and fiber uplinks.


Evidence continuity

Central recording must support search, playback and incident export.

CONSULTING AND DESIGN

A professional CCTV project starts with views, routes and acceptance criteria.

D-TECH converts security objectives into drawings, camera schedules, network loads and installation standards.




DESIGN OUTPUT: camera layout | connectivity drawing | rack schedule | fiber plan | IP schedule | test checklist

SOLUTION DRAWING 01

Distributed IP CCTV architecture with centralized recording.


Field camera clusters connect through managed switches, SFP uplinks and armored single-mode fiber.



SOLUTION DRAWING 02

Fiber backbone and protected pathways connect every camera zone.

The ordered connectivity scope supports long-distance links, structured patching and field maintainability.



SOLUTION DRAWING 03

Each camera type has a defined security purpose.

Selection is based on the scene, distance, lighting, movement and response objective.



01

4 MP PTZ

YARD / LARGE AREA

High-detail patrol views, presets and responsive tracking.



02

2 MP PTZ

MOVEMENT CORRIDOR

Wide-area situational coverage across active routes.



03

4 MP BULLET

PERIMETER / APPROACH

Stable fixed views for direction, activity and identification.



04

4 MP WDR DOME

INDOOR / MIXED LIGHT

Balanced imaging at entries, interiors and contrast-heavy scenes.


DESIGN RULE

No camera is selected by resolution alone - the required evidence and operating environment decide the design.

DEPLOYMENT AND INSTALLATION

A controlled site sequence protects safety, quality and uptime.

The original PO explicitly requires onsite cable laying, installation, configuration, OFC splicing and fitting.



QUALITY GATE

Every camera is validated for view, focus, PTZ control, recording, labeling and documentation.

TESTING AND ACCEPTANCE

Installation quality is proven through measurable checks.

A professional handover verifies both the physical installation and the usable security outcome.

Physical QA

Mounting, fasteners, weather protection, bends, glands and rack dressing.

Optical QA

Splice quality, port mapping, LIU labels and uplink stability.

Network QA

Switch ports, addressing, link speed, packet stability and camera reachability.

Video QA

Day / night image, WDR, focus, PTZ motion, presets and scene coverage.

Recording QA

Continuous recording, retention, playback, search and export.

Documentation

Camera list, IP schedule, fiber map, rack layout and as-built drawings.

ACCEPTANCE RESULT

A tested, labeled and supportable CCTV platform ready for security operations.

BUSINESS IMPACT

From isolated camera points to an accountable security platform.

The delivered design connects field visibility, resilient transport, centralized recording and operator response.

Wide-area visibility

13 PTZ cameras support active coverage across large industrial spaces.

Fixed evidentiary views

Bullet and WDR dome cameras preserve detail at critical locations.

Fiber-enabled scale

Armored single-mode fiber supports distance, resilience and expansion.

Structured field network

Managed switches and distributed racks improve serviceability.

Central evidence

12 TB recording and a dedicated display support review and response.

Lifecycle readiness

Labels, drawings and test records create a dependable support baseline.

PROJECT RECORD

PO 3500001720 | 28 March 2018 | ISGEC Dahej | D-TECH design, supply and onsite implementation.



CASE STUDY CONCLUSION

Consulted with purpose. Engineered for scale. Installed with accountability.

D-TECH delivered a complete CCTV responsibility - from camera and network design to field deployment, installation, configuration, OFC splicing, testing and handover.

D-TECH SOLUTION INTEGRATORS PVT. LTD.

CCTV consultancy | network design | deployment | installation | lifecycle support

