CASE STUDY / MATRIX STAR PARTNER & SUPPLIER / D-TECH

Validated compute. Scalable video management.

R&D-led server selection for Matrix VMS solutions

Matrix: Security Solutions
VMS: Video Management Software

VMS brings camera viewing, recording and playback into a managed platform. D-TECH helps match the server to the validated workload.

25+ SERVERS

CUMULATIVE SUPPLY: D-TECH

8 R250 SERVERS

SAMPLE PO 8000003502



Partnership | D-TECH value beyond product supply

D-TECH describes its role as a Matrix Star Partner and supplier, working with Matrix R&D on server specification selection before supply clearance. The stated cumulative supply exceeds 25 servers for Matrix-partner VMS solutions. The supplied PO provides one documented procurement example within that wider relationship.

Responsibility	Partnership contribution	Supporting record
MATRIX / R&D	Define VMS software requirements, compatibility, test workload and technical acceptance criteria.	D-TECH’s account of the collaboration; obtain the approved specification and R&D test records for each build.
D-TECH ENGINEERING	Translate camera / recording workload into server capacity, compatibility and serviceability requirements; coordinate validation.	Selection checklist, candidate BOM and measured acceptance report.
D-TECH SUPPLY	Source the cleared server configuration; coordinate batch supply, serial records and entitlement handover.	PO 8000003502 dated 11 January 2023: 8 Dell PowerEdge R250 servers.
CUMULATIVE RELATIONSHIP	25+ servers supplied, as stated by D-TECH; Star Partner / supplier relationship as stated by D-TECH.	The sample PO records an 8-server order and does not independently substantiate the cumulative total or partner designation.

Contents: 03 Sizing criteria | 04 VMS architecture | 05 Validation and supply flow | 06 Customer and support

Selection criteria | Size the workload before the server

Sizing factor	What to establish	Validation gate
CAMERAS / STREAMS	Camera count, resolution, FPS, codec and normal / peak bitrate; recording and live-view patterns.	Use representative camera profiles and simultaneous load.
COMPUTE / MEMORY	VMS roles, management / recording split, client decoding and any licensed analytics workload.	Measure CPU / RAM headroom, service stability and response under the agreed test.
STORAGE	Retention, continuous / event recording, usable capacity, RAID policy, write throughput and reserve.	Prove sustained recording, playback and export; account for rebuild / degraded operation where applicable.
NETWORK	Total ingest, playback / export traffic, management paths and required interface capacity.	Validate throughput and packet loss across the approved network design.
COMPATIBILITY / SUPPORT	Exact Matrix version, OS / database dependencies, firmware, drivers, licences, hardware options and support cover.	Matrix R&D clears the actual BOM / software baseline; retain dated approval and test evidence.


CAPACITY PRINCIPLES

Raw video TB (decimal) ≈ camera count × average Mbps × retention days × 0.0108. Add storage overhead and reserve; RAID usable capacity is lower than raw capacity. Live decoding / analytics can change compute demand, so a model name alone does not establish supported camera capacity.

The sample PO does not itemise CPU, RAM, disks, RAID or VMS version. Dell’s R250 platform specifications are options, not the supplied batch configuration.

LOGICAL SKETCH / MATRIX SOFTWARE / AUTHORISED MONITORING

VMS architecture | How the validated server supports video



Matrix documentation supports single / distributed architectures and recording-server configuration. Actual roles, feature licences and topology require project approval.

STEP-BY-STEP COLLABORATION / BENCHMARKS / ACCEPTANCE / BATCH CONTROL

Delivery process | Requirements to cleared server supply

01 | REQUIREMENT

Matrix shares camera, retention, user and software workload requirements.

02 | SELECT

D-TECH maps CPU, RAM, storage, network and support options into a candidate BOM.

03 | VALIDATE

Run agreed recording / viewing / playback tests with Matrix R&D.

04 | CLEAR

Capture results, correct gaps and obtain clearance of the final hardware / software baseline.

05 | SUPPLY

Deliver the approved configuration with batch / serial traceability and warranty records.

06 | HANDOVER

Confirm build and acceptance records; coordinate post-supply technical support.

Acceptance evidence: workload definition, software / firmware versions, stable recording, playback / export checks, resource headroom and R&D sign-off.

No benchmark figures, outage improvements or R&D clearance documents were supplied; this flow explains D-TECH’s stated working method.

Partnership value | A dependable hardware delivery route

D-TECH’s contribution is the engineering and supply bridge between Matrix’s software workload and a repeatable server build. A cleared BOM, consistent batch configuration and traceable handover reduce uncertainty when partner VMS solutions move from validation into deployment.

MATRIX & SAMPLE PROCUREMENT

Matrix Comsec Pvt. Ltd.
Sample PO: 8000003502 | 11 January 2023
Ordered batch: 8 Dell PowerEdge R250 servers
Ship-to: 15 & 19, GIDC Waghodia,
Dist. Vadodara, Gujarat 391760.

D-TECH VALUE

R&D specification coordination
Server selection and capacity checks
Approved configuration supply
Serial / entitlement documentation
Partner deployment and support coordination

D-TECH | MATRIX STAR PARTNER & SUPPLIER

support.dtechindia.com | Raise ticket ↗

+91 99989 03042

Matrix VMS documentation

Dell PowerEdge R250 specifications

Basis: sample Matrix PO, supplied photographs / logos and D-TECH’s stated R&D collaboration, 25+ supply and partner designation.