CASE STUDY / MANAGED NETWORK / FACTORY & COLONY / WIRELESS LINKS

Connected locations. One support owner. A managed network.

MODIGUARD
Gujarat Guardian Ltd.

Network contract management and support

Factory-to-colony connectivity, a 17-location network estate, one FMS engineer and P2P wireless support involving two units.



SUPPLIED BUILDING PHOTO | SRG GLOBAL REFERENCE

17 LOCATIONS
NETWORK SUPPORT ESTATE

1 FMS ENGINEER
ONSITE FIRST-LINE SUPPORT

2 UNITS
P2P WIRELESS SCOPE

Engagement | A coordinated network contract


D-TECH’s stated contract scope brings factory, colony and distributed network support into one coordinated operating model. One FMS engineer handles routine checks and first-line issues, with D-TECH specialist escalation for network configuration and wireless-link faults.

Scope	Requirement / service approach	Acceptance evidence
17 NETWORK LOCATIONS	Manage connectivity, device health and faults across the customer-stated network estate.	Location / device register, port maps, approved addressing and ticket history.
FACTORY TO COLONY	Support the existing connectivity path and customer-approved access policy between the factory and colony.	Endpoint connectivity tests, link status and configuration records.
1 FMS ENGINEER	Onsite first-line diagnosis, routine checks, customer updates and specialist coordination.	Attendance / coverage roster, daily checklist, ticket and escalation records.
2 UNITS / P2P	Manage and support wireless links involving two units; confirm endpoint pairs, paths and installation records.	Radio inventory, signal / link baseline, configuration copies and site test records.

Contents: 03 Location-management design | 04 Wireless-link care | 05 Service response | 06 Maintenance and customer support

LOGICAL SKETCH / 17-LOCATION REGISTER / NO ASSUMED AS-BUILT TOPOLOGY

Network design | Location visibility and controlled access



The 17 locations are the stated total support scope. Factory / colony / unit membership and inter-site paths must be reconciled with the actual register.

P2P wireless | Link management for two units

UNIT ENDPOINT A

Radio, mount, power / injector, network port and protected cabling.

ILLUSTRATIVE P2P PAIR

UNIT ENDPOINT B

Peer radio, alignment, configuration and onward network access.

Control	Service work and recorded evidence
LINK BASELINE	Record peer endpoints, approved addressing, radio configuration, signal / noise indicators and normal latency / throughput using agreed tests.
FAULT DIAGNOSIS	Check power, Ethernet link, connectors, radio health, alignment / obstruction and channel conditions; distinguish radio failure from upstream network faults.
CONTROLLED CHANGE	Back up settings; obtain approval for radio / network changes; verify compatibility and access policy before restoring service.
PHYSICAL MAINTENANCE	Inspect mounting, weather protection, cable condition and site-approved grounding / surge arrangements; use authorised access for elevated work.

Radio make / model, frequencies, distances, link count, capacity and redundancy were not supplied. The drawing is a service concept, not a confirmed path map.

Service response | Complaint to verified restoration

01 | REGISTER

Record location, device, symptom, impact and contact details.

02 | TRIAGE

FMS engineer checks device / port health, power, connectivity and affected services.

03 | ESCALATE

Route radio, configuration or hardware issues to the D-TECH specialist / OEM.

04 | RESTORE

Apply approved repair / configuration with rollback protection; communicate progress.

05 | VERIFY

Test factory / colony access or the affected unit link; compare with the recorded baseline.

06 | CLOSE

Obtain customer confirmation, record actions and track recurring faults.

Raise a service request | support.dtechindia.com ↗ | +91 99989 03042

Maintenance & governance | Keep ownership visible

Operating control	Recommended service evidence
ROUTINE NETWORK CARE	Review device / link status, critical-location faults and repeat connectivity issues; keep the location and configuration registers current.
PREVENTIVE MAINTENANCE	Schedule approved switch / port, cable, rack, radio and configuration-backup checks. Record exceptions and corrective-action owners.
FMS CONTINUITY	Document the engineer’s coverage, duties and escalation route; agree leave relief and after-hours arrangements with the customer.
MANAGEMENT REVIEW	Review ageing tickets, recurring faults, completed maintenance, approved changes, radio-link trends and customer actions.

CUSTOMER & ENGAGEMENT

MODIGUARD | Gujarat Guardian Ltd.
Customer-stated scope: 17 network locations; factory-to-colony connectivity; 1 FMS engineer; wireless P2P support involving 2 units.

D-TECH | CUSTOMER SUPPORT

support.dtechindia.com | Raise ticket ↗

+91 99989 03042

Contract duration, site addresses, device quantities, parts cover, support hours and numeric response targets were not supplied; use the signed contract.

Basis: customer-stated scope and supplied MODIGUARD logo. This illustrates the service model; measured performance and completed support outcomes are not asserted.