

# SDDP.jl

Stochastic dual dynamic programming in Julia

Oscar Dowson

Department of Industrial Engineering and Management Sciences  
Northwestern

October 23, 2018

Some background

Risk

SDDP.jl tutorial

Some background

Risk

SDDP.jl tutorial


















In my opinion,  
all palm oil  
should be banned.



# SPI Drought Index for 9am 27/08/2017 to 9am 26/09/2017



# What went wrong?

- ▶ A high milk price was forecast.

# What went wrong?

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery

# What went wrong?

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price
  - ▶ We can *forecast* the end-of-season price during the year



- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price
  - ▶ We can *forecast* the end-of-season price during the year
  - ▶ But with high uncertainty

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price
  - ▶ We can *forecast* the end-of-season price during the year
  - ▶ But with high uncertainty
- ▶ So the farmer kept a high number of cows,

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price
  - ▶ We can *forecast* the end-of-season price during the year
  - ▶ But with high uncertainty
- ▶ So the farmer kept a high number of cows,
- ▶ and they had plenty of feed so they didn't buy more.

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price
  - ▶ We can *forecast* the end-of-season price during the year
  - ▶ But with high uncertainty
- ▶ So the farmer kept a high number of cows,
- ▶ and they had plenty of feed so they didn't buy more.
- ▶ But, a wet year had left paddocks damaged.

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price
  - ▶ We can *forecast* the end-of-season price during the year
  - ▶ But with high uncertainty
- ▶ So the farmer kept a high number of cows,
- ▶ and they had plenty of feed so they didn't buy more.
- ▶ But, a wet year had left paddocks damaged.
- ▶ 30 years of experience said: we can't have a bad Summer, Autumn, Winter, AND Spring

- ▶ A high milk price was forecast.
  - ▶ Farmers don't get paid for milk on delivery
  - ▶ After each year, they are back-paid an *end-of-season* milk price
  - ▶ We can *forecast* the end-of-season price during the year
  - ▶ But with high uncertainty
- ▶ So the farmer kept a high number of cows,
- ▶ and they had plenty of feed so they didn't buy more.
- ▶ But, a wet year had left paddocks damaged.
- ▶ 30 years of experience said: we can't have a bad Summer, Autumn, Winter, AND Spring **right?**

maximise: revenue from milk production less operating costs  
by deciding: the number of cows to farm  
the quantity of grass to feed  
the quantity of supplement to feed  
when to dry-off the herd  
subject to: obtaining a high Body Condition Score at the end  
of the season  
uncertainty in grass growth  
uncertainty in the milk price



To learn more about this, come to my talk

Wednesday, October 31, 2018 @ 2:00 p.m. Room 274 Animal  
Sciences Bldg.

Some background

Risk

SDDP.jl tutorial

## Why care about risk?

If the tail matters more than the average.

- ▶ For a farmer, bad years mean cows starve or you go bankrupt and lose your farm
- ▶ For electricity generators, bad years mean blackouts in cities
- ▶ In finance, bad years mean losing all your money

## Definition

A *risk measure*  $\mathbb{F}$  is a function that maps a random variable to a real number.

## Definition

A *risk measure*  $\mathbb{F}$  is a function that maps a random variable to a real number.

## Math

We restrict our attention to random variables with a finite sample space  $\Omega := \{z_1, z_2, \dots, z_K\}$  equipped with a sigma algebra of all subsets of  $\Omega$  and respective (strictly positive) probabilities  $\{p_1, p_2, \dots, p_K\}$ .

We denote the random variable with the uppercase  $Z$ .


## Definition

The *Average Value-at-Risk* at the  $\beta$  quantile ( $\text{AV@R}_{1-\beta}$ ) is:

$$\text{AV@R}_{1-\beta}[Z] = \inf_{\zeta} \left\{ \zeta + \frac{1}{\beta} \sum_{k=1}^K p_k (z_k - \zeta)_+ \right\},$$

where  $(x)_+ = \max\{0, x\}$ . (Rockafellar and Uryasev 2002)

Note that when  $\beta = 1$ ,  $\text{AV@R}_{1-\beta}[Z] = \mathbb{E}[Z]$ , and  $\lim_{\beta \rightarrow 0} \text{AV@R}_{1-\beta}[Z] = \max[Z]$ .





## Definition

A *coherent* risk measure is a risk measure  $\mathbb{F}$  that satisfies the axioms of Artzner et al. 1999. For two discrete random variables  $Z_1$  and  $Z_2$ , each with drawn from a sample space with  $K$  elements, the axioms are:

- ▶ **Monotonicity:** If  $Z_1 \leq Z_2$ , then  $\mathbb{F}[Z_1] \leq \mathbb{F}[Z_2]$ .
- ▶ **Sub-additivity:** For  $Z_1, Z_2$ , then  $\mathbb{F}[Z_1 + Z_2] \leq \mathbb{F}[Z_1] + \mathbb{F}[Z_2]$ .
- ▶ **Positive homogeneity:** If  $\lambda \geq 0$  then  $\mathbb{F}[\lambda Z] = \lambda \mathbb{F}[Z]$ .
- ▶ **Translation equivariance:** If  $a \in \mathbb{R}$  then  $\mathbb{F}[Z + a] = \mathbb{F}[Z] + a$ .

Positive homogeneity and sub-additivity give:

- ▶ **Convexity:** For  $\lambda \in [0, 1]$ ,  
$$\mathbb{F}[\lambda Z_1 + (1 - \lambda) Z_2] \leq \lambda \mathbb{F}[Z_1] + (1 - \lambda) \mathbb{F}[Z_2].$$


We can also define coherent risk measures in terms of *risk sets*. That is, a coherent risk measure  $\mathbb{F}$  has a dual representation that can be viewed as taking the expectation of the random variable with respect to the worst probability distribution within some set  $\mathfrak{A}$  of possible distributions:

$$\mathbb{F}[Z] = \sup_{\xi \in \mathfrak{A}} \mathbb{E}_{\xi}[Z] = \sup_{\xi \in \mathfrak{A}} \sum_{k=1}^K \xi_k z_k, \quad (1)$$


where  $\mathfrak{A}$  is a convex subset of:

$$\mathfrak{P} = \left\{ \xi \in \mathbb{R}^K : \sum_{k=1}^K \xi_k = 1, \xi \geq 0 \right\}.$$


If  $\mathcal{A}$  is a singleton, containing only the original probability distribution, then the risk measure  $\mathbb{F}$  is equivalent to the expectation operator.



If  $\mathfrak{A} = \left\{ \xi \in \mathfrak{P} \mid \xi_k \leq \frac{p_k}{\beta}, k = 1, 2, \dots, K \right\}$ , then the risk measure  $\mathbb{F}$  is equivalent to  $AV@R_{1-\beta}$ .



If  $\mathfrak{A} = \mathfrak{B}$ , then  $\mathbb{F}$  is the Worst-case risk measure.



From static to dynamic risk measures. There are three main views:

End-of-horizon: most natural

See, e.g., Pflug and Pichler 2016; Baucke, Downward, and Zakeri 2018

$$\mathbb{F}[Z_1, Z_2, Z_3] = \mathbb{F}_{\omega_1, \omega_2, \omega_3}[Z_1 + Z_2 + Z_3]$$

Nested: easiest to compute

See, e.g., Ruszczyński 2010; Philpott, de Matos, and Finardi 2013

$$\mathbb{F}[Z_1, Z_2, Z_3] = \mathbb{F}_{\omega_1}[Z_1 + \mathbb{F}_{\omega_2|\omega_1}[Z_2 + \mathbb{F}_{\omega_3|\omega_1, \omega_2}[Z_3]]]$$


Expected conditional: a compromise

See, e.g., Homem-de-Mello and Pagnoncelli 2016

$$\mathbb{F}[Z_1, Z_2, Z_3] = \mathbb{F}_{\omega_1}[Z_1] + \mathbb{E}_{\omega_1}[\mathbb{F}_{\omega_2|\omega_1}[Z_2] + \mathbb{E}_{\omega_2|\omega_1}[\mathbb{F}_{\omega_3|\omega_1, \omega_2}[Z_3]]]$$


## End-of-horizon risk measure

$$\mathbb{F}[Z_1, Z_2, Z_3] = \mathbb{F}_{\omega_1, \omega_2, \omega_3}[Z_1 + Z_2 + Z_3]$$



## Nested risk measure

$$\mathbb{F}[Z_1, Z_2, Z_3] = \mathbb{F}_{\omega_1}[Z_1 + \mathbb{F}_{\omega_2|\omega_1}[Z_2 + \mathbb{F}_{\omega_3|\omega_1, \omega_2}[Z_3]]]$$





Recall our favourite dynamic programming recursion:

$$\begin{aligned} V_t(x_t, \omega_t) = \min_{u_t} \quad & C_t(x_t, u_t, \omega_t) + \mathbb{E}_{\omega_{t+1} \in \Omega_{t+1}} [V_{t+1}(x_{t+1}, \omega_{t+1})] \\ \text{s.t.} \quad & x_{t+1} = T_t(x_t, u_t, \omega_t) \\ & u_t \in U_t(x_t, \omega_t), \end{aligned}$$

where the decision-rule  $\pi_t(x_t, \omega_t)$  takes the value of  $u_t$  in the optimal solution.

Recall our favourite dynamic programming recursion:

$$\begin{aligned} V_t(x_t, \omega_t) = \min_{u_t} \quad & C_t(x_t, u_t, \omega_t) + \mathbb{E}_{\omega_{t+1} \in \Omega_{t+1}} [V_{t+1}(x_{t+1}, \omega_{t+1})] \\ \text{s.t.} \quad & x_{t+1} = T_t(x_t, u_t, \omega_t) \\ & u_t \in U_t(x_t, \omega_t), \end{aligned}$$

where the decision-rule  $\pi_t(x_t, \omega_t)$  takes the value of  $u_t$  in the optimal solution.

## Recall

Given an original probability distribution  $\{p_1, p_2, \dots, p_K\}$  and a coherent risk measure  $\mathbb{F}$ , there exists a *changed* probability distribution  $\{\xi_1, \xi_2, \dots, \xi_K\}$  such that  $\mathbb{F}[Z] = \mathbb{E}_\xi[Z]$ .

The meat of the matter. Consider the following (re-stated) proposition from Philpott, de Matos, and Finardi 2013:

### Proposition

*Suppose for each  $\omega \in \Omega$ , that  $\lambda(\bar{x}, \omega)$  is a subgradient of  $V(x, \omega)$  at  $\bar{x}$ . Then, given  $\mathbb{F}[V(\bar{x}, \omega)] = \mathbb{E}_{\xi}[V(\bar{x}, \omega)]$ ,  $\mathbb{E}_{\xi}[\lambda(\bar{x}, \omega)]$  is a subgradient of  $\mathbb{F}[V(x, \omega)]$  at  $\bar{x}$ .*

The meat of the matter. Consider the following (re-stated) proposition from Philpott, de Matos, and Finardi 2013:

### Proposition

*Suppose for each  $\omega \in \Omega$ , that  $\lambda(\bar{x}, \omega)$  is a subgradient of  $V(x, \omega)$  at  $\bar{x}$ . Then, given  $\mathbb{F}[V(\bar{x}, \omega)] = \mathbb{E}_\xi[V(\bar{x}, \omega)]$ ,  $\mathbb{E}_\xi[\lambda(\bar{x}, \omega)]$  is a subgradient of  $\mathbb{F}[V(x, \omega)]$  at  $\bar{x}$ .*

The meat of the matter. Consider the following (re-stated) proposition from Philpott, de Matos, and Finardi 2013:

### Proposition

*Suppose for each  $\omega \in \Omega$ , that  $\lambda(\bar{x}, \omega)$  is a subgradient of  $V(x, \omega)$  at  $\bar{x}$ . Then, given  $\mathbb{F}[V(\bar{x}, \omega)] = \mathbb{E}_\xi[V(\bar{x}, \omega)]$ ,  $\mathbb{E}_\xi[\lambda(\bar{x}, \omega)]$  is a subgradient of  $\mathbb{F}[V(x, \omega)]$  at  $\bar{x}$ .*

The meat of the matter. Consider the following (re-stated) proposition from Philpott, de Matos, and Finardi 2013:

### Proposition

*Suppose for each  $\omega \in \Omega$ , that  $\lambda(\bar{x}, \omega)$  is a subgradient of  $V(x, \omega)$  at  $\bar{x}$ . Then, given  $\mathbb{F}[V(\bar{x}, \omega)] = \mathbb{E}_\xi[V(\bar{x}, \omega)]$ ,  $\mathbb{E}_\xi[\lambda(\bar{x}, \omega)]$  is a subgradient of  $\mathbb{F}[V(x, \omega)]$  at  $\bar{x}$ .*

## So what is this saying?

To obtain a cut for  $\mathbb{E}_{\omega_{t+1} \in \Omega_{t+1}} [V_{t+1}(x_{t+1}, \omega_{t+1})]$

- ▶ We can go and solve the  $t + 1$  stage problems to obtain an objective value  $\bar{\theta}_{\omega_{t+1}}$  and a dual vector  $\lambda_{\omega_{t+1}}$  for each realization of  $\omega_{t+1}$ .
- ▶ Normally, we take the expectation of these to get the cut

$$\theta_{t+1} \geq \mathbb{E}[\bar{\theta}_{\omega_{t+1}}] + \mathbb{E}[\lambda_{\omega_{t+1}}]^\top (x_{t+1} - \bar{x}_{t+1})$$

- ▶ Instead, we compute  $\xi$  according to  $\bar{\theta}_{\omega_{t+1}}$  and then take the risk-adjusted expectation to get the cut

$$\theta_{t+1} \geq \mathbb{E}_\xi[\bar{\theta}_{\omega_{t+1}}] + \mathbb{E}_\xi[\lambda_{\omega_{t+1}}]^\top (x_{t+1} - \bar{x}_{t+1})$$









Some background

Risk

SDDP.jl tutorial







# POWDER

## Northwestern ENGINEERING



# POWDER

## Northwestern ENGINEERING



## Do these nested risk measures make sense?


Remember how the *end-of-horizon* risk measure made the most sense:

$$\mathbb{F}[X_1, X_2, X_3] = \mathbb{F}[X_1 + X_2 + X_3]$$

But we actually used the *nested* risk measure:

$$\mathbb{F}[X_1, X_2, X_3] = \mathbb{F}[X_1 + \mathbb{F}[X_2 + \mathbb{F}[X_3 \mid X_1, X_2] \mid X_1]]$$

What is the interpretation of a nested risk measure? This can lead to perverse, counter-intuitive results!





Philippe Artzner et al. “Coherent Measures of Risk”. In: *Mathematical Finance* 9.3 (1999), pp. 203–228.



Regan Baucke, Anthony Downward, and Golbon Zakeri. “A Deterministic Algorithm for Solving Multistage Stochastic Minimax Dynamic Programmes”. In: *Optimization Online* (2018). URL: [http://www.optimization-online.org/DB\\_FILE/2018/02/6449.pdf](http://www.optimization-online.org/DB_FILE/2018/02/6449.pdf).



Tito Homem-de-Mello and Bernardo K. Pagnoncelli. “Risk Aversion in Multistage Stochastic Programming: A Modeling and Algorithmic Perspective”. In: *European Journal of Operational Research* 249.1 (2016), pp. 188–199.



Georg Ch. Pflug and Alois Pichler. “Time-Inconsistent Multistage Stochastic Programs: Martingale Bounds”. In: *European Journal of Operational Research* 249.1 (2016), pp. 155–163.



Andy Philpott, Vitor de Matos, and Erlon Finardi. “On Solving Multistage Stochastic Programs with Coherent Risk Measures”. In: *Operations Research* 61.4 (2013), pp. 957–970.



Tyrrell R. Rockafellar and Stanislav P. Uryasev. “Conditional Value-at-Risk for General Loss Distributions”. In: *Journal of Banking and Finance* 26 (2002), pp. 1443–1471.



Andrzej Ruszczyński. “Risk-Averse Dynamic Programming for Markov Decision Processes”. In: *Mathematical Programming* 125.2 (2010), pp. 235–261.