


Oscar Pereira

# Despliegue de Aplicaciones – DAW 7K


## Redireccionamientos en Apache

Creamos unos documentos en home/daw/notas los cuales servirán contenido.



```
ubuntu@ip-172-31-25-149: /etc/ X ubuntu@ip-172-31-25-149: /home/daw/notas X + v
ubuntu@ip-172-31-25-149:/home/daw/notas$ sudo nano notes1.html
ubuntu@ip-172-31-25-149:/home/daw/notas$ ls
notes1.html
ubuntu@ip-172-31-25-149:/home/daw/notas$ |
```

Estos los configuramos en nuestra página con un alias y le damos permisos para que se pueda acceder al contenido.



```
GNU nano 7.2 000-default.conf
# VirtualHost *:80
# The ServerName directive sets the request scheme, hostname and port that
# the server uses to identify itself. This is used when creating
# redirection URLs. In the context of virtual hosts, the ServerName
# specifies what hostname must appear in the request's Host: header to
# match this virtual host. For the default virtual host (this file) this
# value is not decisive as it is used as a last resort host regardless.
# However, you must set it for any further virtual host explicitly.
#ServerName www.example.com

ServerAdmin webmaster@localhost
DocumentRoot /var/www/default
ErrorDocument 404 /404.html
# Available loglevels: trace8, ..., trace1, debug, info, notice, warn,
# error, crit, alert, emerg.
# It is also possible to configure the loglevel for particular
# modules, e.g.
#LogLevel info ssl:warn

ErrorLog ${APACHE_LOG_DIR}/error.log
CustomLog ${APACHE_LOG_DIR}/access.log combined
DirectoryIndex index.html notes1.html
Alias /notes /home/daw/notas
<Directory /home/daw/notes>
    Require all granted
</Directory>
# For most configuration files from conf-available/, which are
# enabled or disabled at a global level, it is possible to
# include a line for only one particular virtual host. For example the
# following line enables the CGI configuration for this host only
# after it has been globally disabled with "a2disconf".
#Include conf-available/serve-cgi-bin.conf
</VirtualHost>
```

Podemos también indicar un redirect desde /moodle hasta la página de aulas usando Redirect.

