

# SUCCESSFULLY TREATED CASES

# SEVERE CROWDING CORRECTION WITH ALL 4'S EXTRACTION



PRE -TREATMENT

POST -TREATMENT

# OPEN-BITE CORRECTION



PRE -TREATMENT

POST -TREATMENT



# CANINE CROSSBITE CORRECTION



PRE -TREATMENT

POST -TREATMENT

# INCREASED OVERJET CORRECTION



PRE -TREATMENT

POST -TREATMENT



# BIMAXILLARY CORRECTION WITH ALL 4 EXTRACTION



PRE -TREATMENT



POST -TREATMENT

# SPACE CLOSURE WITH MESIALIZATION



PRE -TREATMENT

POST -TREATMENT

# INTRUSION OF ANTERIOR TEETH TO CORRECT DEEP BITE



PRE -TREATMENT



POST -TREATMENT



# PROCLINATION & SPACE CLOSURE OF ANTERIOR TEETH



PRE -TREATMENT



POST -TREATMENT

# CORRECTION OF CROWDING AND EDGE TO EDGE BITE



PRE -TREATMENT




POST -TREATMENT

# CASE OF MANDIBULAR ANTERIOR CROWDING TREATED NON EXTRACTION WITH K ALIGNERS



PRE -TREATMENT



POST -TREATMENT



# CANINE DE ROTATION CORRECTED BY K CLEAR ALIGNERS



PRE -TREATMENT



POST -TREATMENT

# CORRECTION OF ANTERIOR CROSS BITE & SPACING



PRE -TREATMENT



POST -TREATMENT

# EXPANSION & ALIGNMENT OF UPPER ANTERIOR TEETH



PRE -TREATMENT



POST -TREATMENT



# DISTALIZATION



PRE -TREATMENT



POST -TREATMENT

# CORRECTION OF CANT




PRE -TREATMENT



CURRENT STATUS

After 5 months



PREDICTED RESULTS

Post 12 - 14 months

The treatment is under process, correction post phase 1

**“THE  
MORE  
YOU LEARN,  
THE  
MORE  
YOU EARN”**