

# Flood Risk Assessment

Tomplan Planning Service Architectural Drawing Service Submitted to Council to accompany an application. <redacted\_date> www.tomplan.co.uk Flood Risk Assessment Site Address: 17 Foundry Court, Doncaster, ZZ25 1WD Prepared by: <redacted\_name> Date: <redacted\_date>

1. Introduction This Flood Risk Assessment, a tool for development considerations, was prepared using the Environment Agency's standing advice and the National Planning Policy Framework (NPPF). It identifies flood risks for the above site based on publicly available datasets, guidance, and appropriate mitigation measures.

2. Summary of Flood Risk

- Surface Water (Pluvial) Flooding: Medium risk (current and projected for <redacted\_date>–<redacted\_date>).
- Fluvial (Rivers and Sea): Very low risk (current and projected for <redacted\_date>–<redacted\_date>).
- Groundwater: Unlikely.
- Reservoirs: Unlikely.

Tomplan Planning Service Architectural Drawing Service Submitted to Council to accompany an application. <redacted\_date> www.tomplan.co.uk

3. Site Characteristics The site is situated within Doncaster town centre, comprising 17 Foundry Court, Doncaster, ZZ25 1WD, and forms part of the urban streetscape with predominantly hard surfaces and minimal green space. The location's risk of surface water flooding is moderate due to the impervious nature of the area and potential limitations in the local drainage infrastructure. No watercourses are immediately adjacent to the site.

4. Flood Risk Analysis

4.1 Surface Water Flooding • Classified as medium risk, indicating a 1%–3.3% annual chance of flooding. • This is typically due to flash flooding caused by intense rainfall that overwhelms drainage systems. • The built-up nature of the site and surrounding hard surfaces contributes to surface runoff.

4.2 Fluvial Flooding • The site has a very low risk of river or sea flooding.

4.3 Groundwater and Reservoirs • Risk from both sources is considered unlikely for this location.

5. Flood Risk Mitigation Measures

- Use of flood-resistant materials and design for any redevelopment.
- Drainage strategy to accommodate flash flooding events—such as raised thresholds and sealed drainage.
- On-site water management, including attenuation measures or rainwater harvesting if feasible.

Tomplan Planning Service Architectural Drawing Service Submitted to Council to accompany an application. <redacted\_date> www.tomplan.co.uk

- Prepare an emergency flood response plan and sign up for Environment Agency alerts.

6. Conclusion Despite the medium risk of surface water flooding, the site's suitability for development is reaffirmed by the minimal risks from rivers, groundwater, and reservoirs. With the implementation of appropriate surface water mitigation measures, the site holds great potential for development, aligning with national and local planning policies.