

Consultation Reply Pollution Control

From: <redacted_name> <redacted_email> Sent: <redacted_date> 16:10:50 UTC+00:00 To: <redacted_name> <redacted_email> Subject: FW: Planning Consultation for application 91.48267.FUL Hi <redacted_name> Hope you're ok. My records indicate that a land contamination screening assessment was completed and submitted in support of previous planning application reference <redacted_reference> and indicated no issues with potential land contamination at the development. In addition, given that this current application is not for a sensitive end use and historic maps do not indicate any previous industrial landuse, I have no further comment to make in relation to contaminated land and the impact upon human health. Many thanks and best wishes <redacted_name> <redacted_name>, BSc (Hons), PGdip Senior <redacted_name> Officer Regulation & Enforcement Directorate of Place City of Doncaster Council Phone <redacted_phone> Address Floor 2, Civic Office, Waterdale, Doncaster DN1 3BU Email <redacted_email> Website www.doncaster.gov.uk Please note from <redacted_date> for approximately 4 weeks, we are undertaking a major upgrade of our database which may have an impact on our service delivery. Whilst all services will continue during this time period to the best of our ability, please be aware that you may experience delays in officers answering your queries and would ask for your patience at this time. -----Original Message----- From: <redacted_name> <redacted_email> Sent: <redacted_date> 09:24 To: <redacted_name> <redacted_email> Subject: FW: Planning Consultation for application 91.48267.FUL -----Original Message----- From: <redacted_name> <redacted_email> Sent: <redacted_date> 11:46 To: <redacted_name> <redacted_email> Subject: Planning Consultation for application 91.48267.FUL Please See Attached Letter Regarding Planning Application 91.48267.FUL