# AttributeError at /admin/core/implementationrelease/

'ImplementationRelease' object has no attribute 'textejecution set'

```
Request Method: GET
                         Request URL: http://127.0.0.1:8000/admin/core/implementationrelease/
                 Django Version: 4.2.2
               Exception Type: AttributeError
             Exception Value: 'ImplementationRelease' object has no attribute 'textejecution_set'
Exception Location: C:\Users\Monse\Desktop\TESIS 2023\QualityAssuranceCRM\core\models.py, line 254, in view_testexe_link
                      Raised during: diango.contrib.admin.options.changelist view
  Python Executable: C:\Users\Monse\AppData\Local\Microsoft\WindowsApps\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\python.exe
                 Python Version: 3.11.4
                              Python Path: ['C:\\Users\\Monse\\Desktop\\TESIS 2023\\QualityAssuranceCRM',
                                                                                                   C:\\Program
                                                                                                \label{lem:power_power} $$ Files \le \sum_{n=0}^{\infty} PythonSoftware Foundation.Python 3.11_3.11.1264.0_x64_qbz5n2kfra8p0 \le python311.zip', $$ PythonSoftware Foundation.Python 3.11_3.11.1264.0_x64_qbz5n2kfra8p0 \le pythonSoftware Foundation.Python Python Python
                                                                                                   C:\\Program
                                                                                                \verb|'Files\| Windows Apps \| Python Software Foundation. Python. 3.11\_3.11.1264.0\_x64\_qbz5n2kfra8p0 \\| DLLs', and the property of the property
                                                                                                'Files\\WindowsApps\\PythonSoftwareFoundation.Python.3.11_3.11.1264.0_x64__qbz5n2kfra8p0\\Lib',
                                                                                                'Files\\WindowsApps\PythonSoftwareFoundation.Python.3.11_3.11.1264.0_x64__qbz5n2kfra8p0',
'C:\\Users\\Monse\\AppData\\Local\\Packages\\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalCache\\local-packages\\Python311\\site-packages',
                                                                                                 'Files\\WindowsApps\\PythonSoftwareFoundation.Python.3.11_3.11.1264.0_x64__qbz5n2kfra8p0\\Lib\\site-packages']
                                 Server time: Wed, 02 Aug 2023 00:59:37 +0000
```

# Error during template rendering

 $In \ template \ C:\ Users\ Monse\ AppData\ Local\ Packages\ PythonSoftware Foundation. Python. 3.11\_qbz5n2kfra8p0\ Local\ Cache\ local-packages\ Python311\ site-packages\ django\ contrib\ admin\ templates\ admin\ change\_list.html,\ error\ at line\ 68$ 

### 'ImplementationRelease' object has no attribute 'textejecution\_set'

```
{% block search %}{% search_form cl %}{% endblock %}
58
 59
                                                                 % \ block date_hierarchy %{% if cl.date_hierarchy %}{% date_hierarchy cl %}{% endif %}{% endblock %}{% endif %}{% endblock %}{% endif %}{% endblock %}{% endif %}{% endblock %}{% endif %}{% endif %}{% endblock %}{% endblock %}{% endif %}{% endblock %}
 60
 61
                                                                  <form id="changelist-form" method="post"{% if cl.formset and cl.formset.is_multipart %} enctype="multipart/form-data"{% endif %} novalidate>{% csrf_token
 62
                                                                 {% if cl.formset %}
 63
                                                                            <div>{{ cl.formset.management_form }}</div>
 64
                                                                  {% endif %}
 65
 66
                                                                  {% block result_list %}
 67
                                                                           {\%} if action_form and actions_on_top and cl.show_admin_actions {\%}{\%} admin_actions {\%}{\%} endif {\%}{\%}
 68
 69
                                                                           \label{lem:condition} \begin{tabular}{ll} \{\% if action\_form and actions\_on\_bottom and cl.show\_admin\_actions \end{tabular} \} \begin{tabular}{ll} \% admin\_actions \end{tabular
 70
 71
                                                                 {% block pagination %}{% pagination cl %}{% endblock %}
 72
                                                                 </form>
 73
                                                       </div>
 74
                                                      {% block filters %}
 75
                                                                 {% if cl.has filters %}
 76
                                                                            <div id="changelist-filter">
 77
                                                                                      <h2>{% translate 'Filter' %}</h2>
 78
                                                                                        {% if cl.has_active_filters %}<h3 id="changelist-filter-clear">
```

## Traceback Switch to copy-and-paste view

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\db\models\options.py, line 681, in qet field

```
"so if this is an auto-created related field, it won't "
"be available yet." % (self.object_name, field_name)
675.
676.
677.
678.
679.
                    # Retrieve field instance by name from cached or just-computed
680.
                    # field map.
                    return self.fields_map[field_name]
682.
                except KeyError:
                    raise FieldDoesNotExist(
683.
684.
                          "%s has no field named '%s'" % (self.object_name, field_name)
685
686.
           def get_base_chain(self, model):
687.
▶ Local vars
```

#### During handling of the above exception ('view\_testexe\_link'), another exception occurred:

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\contrib\admin\utils.py, line 272, in lookup field

```
272. f = _get_non_gfk_field(opts, name)
```

Local vars

 $C: Users \ \ AppData \ CalPackages \ Python Software Foundation. Python. 3.11\_qbz 5n2k fra 8p0 \ Local Cache \ local-packages \ Python 311 \ site-packages \ django \ contrib \ admin \ utils.py, \ line 303, \ in \_get\_non\_gfk\_field$ 

303. field = opts.get\_field(name)

▶ Local vars

683. raise FieldDoesNotExist(

▶ Local vars

#### During handling of the above exception (ImplementationRelease has no field named 'view\_testexe\_link'), another exception occurred:

 $C: Users \ App Data \ Local \ Packages \ Python Software Foundation. Python. 3.11\_qbz 5n2k fra8p0 \ Local Cache \ local-packages \ Python 311 \ site-packages \ django \ core \ handlers \ exception. py, line 55, in inner \ local \ Packages \ Python 311 \ local \ Python 311 \ local \ Packages \ Python 311 \ local \ Py$ 

55. response = get\_response(request)

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\core\handlers\base.py, line 220, in \_get\_response

220. response = response.render()

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\response.py, line 114, in render

114. self.content = self.rendered\_content

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\response.py, line 92, in rendered content

92. return template.render(context, self.\_request)

► Local vars

61. return self.template.render(context)

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 175, in render

175. return self.\_render(context)

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 167, in \_render

167. return self.nodelist.render(context)

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in render

1005. return SafeString("".join([node.render\_annotated(context) for node in self]))

► Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in <\listcomp>

1005. return SafeString("".join([node.render\_annotated(context) for node in self]))

► Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 966, in render\_annotated

966. return self.render(context)

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\loader\_tags.py, line 157, in render

157. return compiled\_parent.\_render(context)

▶ Local vars

C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 167, in \_render

```
167.
                     return self.nodelist.render(context)
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in render
                      return SafeString("".join([node.render_annotated(context) for node in self]))
       1005.
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in
stcomp>
       1005.
                      return SafeString("".join([node.render annotated(context) for node in self]))
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 966, in
render_annotated
       966.
                          return self.render(context)
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\loader_tags.py, line 157, in
render
       157.
                          return compiled_parent._render(context)
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 167, in _render
                     return self.nodelist.render(context)
      ▶ Local vars
C:\Users\Monse\AnnData\local\Packages\PythonSoftwareFoundation.Python.3.11 ghz5n2kfra8p0\localCache\local-packages\Python311\site-packages\diango\template\hase.py. line 1005. in rendel
       1005.
                      return SafeString("".join([node.render_annotated(context) for node in self]))
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in
stcomp>
       1005.
                       return SafeString("".join([node.render_annotated(context) for node in self]))
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 966, in
render_annotated
       966.
                          return self.render(context)
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11 qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\diango\template\loader tags.py, line 63, in
       63.
                             result = block.nodelist.render(context)
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in render
       1005.
                      return SafeString("".join([node.render annotated(context) for node in self]))
      Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra&p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in
stcomp>
       1005.
                      return SafeString("".join([node.render_annotated(context) for node in self]))
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 966, in
render_annotated
                          return self.render(context)
      ▶ Local vars
C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11 qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\loader tags.py, line 63, in
render
       63.
                             result = block.nodelist.render(context)
      ▶ Local vars
```

C:\Users\Monse\AppData\Local\Packages\Python5oftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in render return SafeString("".join([node.render\_annotated(context) for node in self])) ▶ Local vars C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 1005, in stcomp> 1005. return SafeString("".join([node.render\_annotated(context) for node in self])) ▶ Local vars C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\base.py, line 966, in render annotated 966. return self.render(context) ▶ Local vars C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\contrib\admin\templatetags\base.py, line 45, in render return super().render(context) ▶ Local vars C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\template\library.py, line 258, in render \_dict = self.func(\*resolved\_args, \*\*resolved\_kwargs) Local vars C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11 gbz5n2kfra8p0\LocalCache\local-packages\Python311\sitepackages\django\contrib\admin\templatetags\admin\_list.py, line 336, in result\_list 336. "results": list(results(cl)), ▶ Local vars  $\verb|packages\django\contrib\admin\templatetags\admin\_list.py|, \ line\ 312, \ in\ results$ 312. yield ResultList(None, items\_for\_result(cl, res, None)) Local vars  $\verb|packages\django\contrib\admin\templatetags\admin\_list.py|, \ line \ 303, \ in \ \_\_init\_|$ super().\_\_init\_\_(\*items) ▶ Local vars f, attr, value = lookup\_field(field\_name, result, cl.model\_admin) ▶ Local vars C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11\_qbz5n2kfra8p0\LocalCache\local-packages\Python311\site-packages\django\contrib\admin\utils.py, |ine 281, in lookup\_field 281. value = attr(obj) ▶ Local vars C:\Users\Monse\Desktop\TESIS 2023\QualityAssuranceCRM\core\models.py, line 254, in view testexe link 254. count = obj.textejecution\_set.count() ▶ Local vars Request information **USER** admin

USER admin
GET No GET data
POST No POST data
FILES No FILES data

COOKIES

 Variable | Value | Value | Value | Value | Messages | '.eJxVjssKwjAQRX9lmJVCcGzAXe3erbhrShmT6Ys8pGkR\_16Rbro\_59xb19i2U06xDZIz94KqUPqi8DEIjOHlJUhceBlThFm8cBYwqz4XtmQYZumuBoldGCPZNAvtlc0gTXbg2 | AsZrG474r4103MSu8BBH0vi6r\_g4M0Z2DlxkFdrf\_-61fvPCRVi03wB3ZpA1w:1qR0DB:0jaF7EN4tefmA3cDwE5n5zy2tt8rltcmxj310YJnqIA'

# **META**

ALLUSERSPROFILE APPDATA	Value 'C:\\ProgramData' 'C:\\Users\\Monse\\AppData\\Roaming'
APPDATA	
SSITE_CKASHIFAD_FITE_NAME	'\\\.\pipe\\LOCAL\\crashpad_12404_GKXJDXNPRYEZSNJH'
COLORTERM	'truecolor'
	'C:\\Program Files\\Common Files' 'C:\\Program Files (x86)\\Common Files'
	'C:\\Program Files\\Common Files'
	'LAPTOP-MG'
	'C:\\WINDOWS\\system32\\cmd.exe'
	C. (Minuows)(Systems2)(Linu.exe
	'text/plain'
_	'6nMgVpz4kQoASIMoHosZ4rFT6ufRiuXR'
_	True
	'qa_crm.settings'
	'C:\\Windows\\System32\\DriverS\\DriverData'
	'1'
- · · ·	'Internet Explorer'
	'Default'
	'CGI/1.1'
_	\(\text{\cos}\)_1.1 \(\text{\cos}\)_1.2 \(\text{\cos}\)_1.2 \(\text{\cos}\)_1.3 \(\tex
	ter!
	'\Users\\Monse'
	'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/sig
	ned-exchange; v=b3; q=0.7'
	'gzip, deflate, br'
	'en-US,en;q=0.9,es-US;q=0.8,es;q=0.7'
	'max-age=0'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	'*************************************
HTTP_HOST	'127.0.0.1:8000'
HTTP_REFERER	'http://127.0.0.1:8000/admin/core/implementationrelease/add/'
HTTP_SEC_CH_UA	'"Not/A)Brand";v="99", "Google Chrome";v="115", "Chromium";v="115"'
HTTP_SEC_CH_UA_MOBILE	'?0'
HTTP_SEC_CH_UA_PLATFORM	'"Windows"'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'same-origin'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like '
	'Gecko) Chrome/115.0.0.0 Safari/537.36')
	'en_US.UTF-8'
	'C:\\Users\\Monse\\AppData\\Local'
	'\\\LAPTOP-MG'
	'8'
	'C:\\Users\\Monse\\OneDrive - IT ALIANZA S.A' 'C:\\Users\\Monse\\OneDrive - IT ALIANZA S.A'
	'Online Services'
	'undefined'
	'Windows_NT'  ('C\\\ProgramData\\Onacle\\]ava\\iavanath\C\\\WINDOWS\\cyctem2?\C\\\WINDOWS\\Syctem32\\When.C\\\WINDOWS\\Syctem32\\\When.C\\\Windows\\Syctem32\\\When.C\\\WindowS\\Syctem32\\\When.C\\\WindowS\\Syctem32\\\When.C\\\WindowS\\Syctem32\\\When.C\\\WindowS\\Syctem32\\\When.C\\\WindowS\\When.C\\\WindowS\\Syctem32\\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\When.C\\\WindowS\\WindowS\\When.C\\\WindowS\
	('C:\\ProgramData\\Oracle\\Java\\javapath;C:\\WINDOWS\\system32;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program '
	$\label{thm:likelike} $$ 'Files \Git\cmd; C:\Users\Monse\AppData\Local\Microsoft\WindowsApps; ; C:\Users\Monse\AppData\Local\Prog_{\Colored} $$$
	rams\\Microsoft ' 'VS Code\\bin')
PATHEXT	'.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL'
	'/admin/core/implementationrelease/'
_	'KV'
	'AMD64'
_	'Intel64 Family 6 Model 142 Stepping 10, GenuineIntel'
	'6'
_	'8e0a'
_	'C:\\ProgramData'
	'C:\\Program Files'
	'C:\\Program Files (x86)'
	'C:\\Program Files'
	('C:\\Users\\Monse\\Documents\\WindowsPowerShell\\Modules;C:\\Program '
	'Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules')
PUBLIC	'C:\\Users\\Public'
	$\verb 'C:\Users\Monse\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\LocalCache\localPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalCache\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalCache\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalCache\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.Python.3.11_qbz5n2kfra8p0\\LocalPackages\PythonSoftwareFoundation.PythonSoftwareFoundation.PythonSoftwareFoundation.PythonSoftwareFoundation.PythonSoftwareFoundation.PythonSoftware$
	1-packages'
GOEKI _ 21KING	
REGIONCODE	'NA'
_	'127.0.0.1'
KENOTE_NOST	
	'GET'
_	'true'
SCRIPT_NAME	••

```
Variable
                               Value
SERVER NAME
                               'LAPTOP-MG'
SERVER_PORT
                               '8000'
SERVER_PROTOCOL
                               'HTTP/1.1'
SERVER_SOFTWARE
                               'WSGIServer/0.2'
SESSIONNAME
                               'Console'
SYSTEMDRIVE
                               'C:'
SYSTEMROOT
                               'C:\\WINDOWS'
TFMP
                               'C:\\Users\\Monse\\AppData\\Local\\Temp'
TERM_PROGRAM
                               'vscode'
TERM_PROGRAM_VERSION
                               1.80.2
TMP
                               'C:\\Users\\Monse\\AppData\\Local\\Temp'
USERDOMAIN
                               'LAPTOP-MG'
USERDOMAIN_ROAMINGPROFILE
                               'LAPTOP-MG'
                               'Monse
USERPROFILE
                               'C:\\Users\\Monse'
VSCODE_GIT_ASKPASS_EXTRA_ARGS
                               '*************
                               VSCODE GIT ASKPASS MAIN
                               VSCODE_GIT_ASKPASS_NODE
VSCODE_GIT_IPC_HANDLE
                               '\\\.\\pipe\\vscode-git-328e3bdec4-sock'
VSCODE_INJECTION
                               '1'
VSCODE_NONCE
                               '3f885532-2ba8-4e45-81b4-c45884a3602f'
                               'C:\\WINDOWS'
WINDIR
wsgi.errors
                               <_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'>
wsgi.file_wrapper
                               <class 'wsgiref.util.FileWrapper'>
wsgi.input
                               <django.core.handlers.wsgi.LimitedStream object at 0x0000025A7F241CC0>
wsgi.multiprocess
wsgi.multithread
                               True
wsgi.run_once
                               False
wsgi.url_scheme
                               'http'
wsgi.version
                               (1, 0)
```

### Settings

#### Using settings module qa\_crm.settings

```
Setting
                                   Value
ABSOLUTE_URL_OVERRIDES
                                   {}
ADMINS
                                   []
ALLOWED_HOSTS
                                   ٢٦
APPEND_SLASH
                                   True
AUTHENTICATION_BACKENDS
                                   ['django.contrib.auth.backends.ModelBackend']
AUTH PASSWORD VALIDATORS
AUTH_USER_MODEL
                                    'auth.User'
                                   WindowsPath('C:/Users/Monse/Desktop/TESIS 2023/QualityAssuranceCRM')
BASE DIR
CACHES
                                    {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                    'default'
                                    '*************************'
CACHE MIDDLEWARE KEY PREFIX
CACHE_MIDDLEWARE_SECONDS
                                   600
CSRF_COOKIE_AGE
                                   31449600
CSRF_COOKIE_DOMAIN
                                   None
CSRF_COOKIE_HTTPONLY
                                   False
CSRF_COOKIE_MASKED
                                   False
CSRF_COOKIE_NAME
                                    'csrftoken'
                                    '/'
CSRF_COOKIE_PATH
CSRF_COOKIE_SAMESITE
                                    'Lax'
CSRF_COOKIE_SECURE
                                   False
CSRF_FAILURE_VIEW
                                    'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME
                                    'HTTP_X_CSRFTOKEN'
CSRF TRUSTED ORIGINS
                                   []
CSRF_USE_SESSIONS
                                   False
DATABASES
                                   {'default': {'ATOMIC_REQUESTS': False,
                                                  'AUTOCOMMIT': True,
                                                  'CONN_HEALTH_CHECKS': False, 'CONN_MAX_AGE': 0,
                                                  'ENGINE': 'django.db.backends.sqlite3',
                                                  'HOST': '',
'NAME': WindowsPath('C:/Users/Monse/Desktop/TESIS 2023/QualityAssuranceCRM/db.sqlite3'),
                                                  'TEST': {'CHARSET': None,
                                                            'COLLATION': None,
                                                           'MIGRATE': True,
                                                           'MIRROR': None,
'NAME': None},
                                                  'TIME_ZONE': None,
                                                 'USER': ''}}
DATABASE_ROUTERS
                                   []
DATA UPLOAD MAX MEMORY SIZE
                                   2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                   1000
DATA_UPLOAD_MAX_NUMBER_FILES
                                   100
DATETIME FORMAT
                                    'N j, Y, P'
                                    ['%Y-%m-%d %H:%M:%S'
DATETIME_INPUT_FORMATS
                                     '%Y-%m-%d %H:%M:%S.%f',
                                     '%Y-%m-%d %H:%M'
                                     '%m/%d/%Y %H:%M:%S'
                                     '%m/%d/%Y %H:%M:%S.%f',
'%m/%d/%Y %H:%M',
```

```
Setting
                                                Value
                                                  '%m/%d/%y %H:%M:%S'
                                                   '%m/%d/%y %H:%M:%S.%f',
                                                  '%m/%d/%y %H:%M']
DATE_FORMAT
                                                 'N j, Y'
                                                ['%Y-%m-%d'
DATE_INPUT_FORMATS
                                                   %m/%d/%Y
                                                  '%m/%d/%y'
                                                   '%b %d %Y
                                                   '%b %d, %Y',
                                                  '%d %b %Y'
                                                   '%d %b, %Y',
                                                  '%B %d, %Y',
                                                   '%d %B %Y'
                                                  '%d %B, %Y']
DEBUG
                                                True
DEBUG_PROPAGATE_EXCEPTIONS
                                                False
DECIMAL_SEPARATOR
DEFAULT_AUTO_FIELD
                                                 'django.db.models.BigAutoField'
DEFAULT_CHARSET
DEFAULT_EXCEPTION_REPORTER
                                                 'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE
                                                 'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                                 'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
                                                . .
DEFAULT TABLESPACE
DISALLOWED_USER_AGENTS
                                                []
EMAIL_BACKEND
                                                 'django.core.mail.backends.smtp.EmailBackend'
                                                 'localhost'
EMAIL HOST
EMAIL_HOST_PASSWORD
                                                '*************************'
                                                . .
EMAIL_HOST_USER
EMAIL_PORT
                                                25
EMAIL SSL CERTFILE
                                                None
                                                 ***********
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                                 '[Django] '
EMAIL_TIMEOUT
                                                None
EMAIL_USE_LOCALTIME
                                                False
EMAIL_USE_SSL
                                                False
EMAIL_USE_TLS
                                                False
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS
                                                ['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE
                                                2621440
FILE_UPLOAD_PERMISSIONS
FILE UPLOAD TEMP DIR
                                                None
FIRST_DAY_OF_WEEK
FIXTURE DIRS
                                                []
FORCE_SCRIPT_NAME
                                                None
FORMAT_MODULE_PATH
                                                None
FORM RENDERER
                                                 \verb|'django.forms.renderers.DjangoTemplates||\\
IGNORABLE_404_URLS
                                                []
INSTALLED_APPS
                                                ['django.contrib.admin',
                                                   'django.contrib.auth',
                                                  'django.contrib.contenttypes',
'django.contrib.sessions',
                                                   'django.contrib.messages
                                                  'django.contrib.staticfiles',
                                                  'core']
INTERNAL IPS
                                                [] [('af', 'Afrikaans'),
 ('ar', 'Arabic'),
 ('ar-dz', 'Algerian Arabic'),
 ('ast', 'Asturian'),
 ('az', 'Azerbaijani'),
 ('bg', 'Bulgarian'),
 ('bd', 'Bulgarian')
LANGUAGES
                                                            'Belarusian'),
                                                            'Bengali'),
'Breton'),
'Bosnian'),
                                                  ('bn',
('br',
                                                  ('ca', 'Catalan'),
('ckb', 'Central Kurdish (Sorani)'),
('cs', 'Czech'),
                                                  ('cy',
('da',
                                                            'Welsh')
                                                           'Danish'),
                                                  ('de', 'German'),
('dsb', 'Lower Sorbian'),
('el', 'Greek'),
                                                    'en', 'Englisĥ')
                                                   'en', 'English'),
'en-au', 'Australian English'),
'en-gb', 'British English'),
'eo', 'Esperanto'),
'es', 'Spanish'),
'es-ar', 'Argentinian Spanish'),
'es-co', 'Colombian Spanish'),
'es-mx', 'Mexican Spanish'),
'es-ni', 'Nicaraguan Spanish'),
'es-ve', 'Venezuelan Spanish'),
'et'. 'Estonian'),
                                                  ('es-ve', 'Venezuela'
('et', 'Estonian'),
('eu', 'Basque'),
('fa', 'Persian'),
('fi', 'Finnish'),
('fr', 'French'),
```

```
Setting
                                                  Value
                                                    ('fy'
                                                              'Frisian'),
                                                              'Irish'),
'Scottish Gaelic'),
'Galician'),
                                                    ('ga',
                                                    ('gd',
('gl',
                                                    ('he',
('hi',
('hr',
                                                              'Hindi'),
'Croatian'),
                                                     ('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
                                                    ('hy',
                                                              'Interlingua'),
                                                      'id',
                                                              'Indonesian'),
'Igbo'),
'Ido'),
                                                    ('ig',
                                                    ('io',
('is',
('it',
                                                              'Icelandic'),
'Italian'),
                                                     ('ja',
('ka',
                                                              'Japanese'),
                                                    ( ]a , Sapanese , , ('ka', 'Georgian'), ('kab', 'Kabyle'), ('kk', 'Kazakh'),
                                                     'km',
                                                              'Khmer'),
'Kannada'),
                                                      'ko',
                                                              'Korean'),
                                                              'Kyrgyz'),
'Luxembourgish'),
'Lithuanian'),
                                                    ('ky',
('lb',
                                                      'lt',
                                                    ('lv',
                                                              'Latvian'),
                                                              'Macedonian'),
                                                      'm1'
                                                              'Malayalam'),
                                                              'Mongolian'),
'Marathi'),
                                                    ('mn',
                                                      'ms'
                                                              'Malay'),
'Burmese'),
                                                    ('my',
                                                              'Norwegian Bokmål'),
                                                    ('ne'
                                                               'Nepali'),
                                                              'Dutch'),
                                                    ('nl',
                                                              'Norwegian Nynorsk'),
                                                              'Ossetic'),
'Punjabi'),
                                                    ('os'
                                                   ('pa', 'Punjabi ,,
('pl', 'Polish'),
('pt', 'Portuguese'),
                                                    ('pt-br', 'Brazilian Portuguese'),
('ro', 'Romanian'),
('ru', 'Russian'),
                                                    ('sk', 'Slovak'),
('sl', 'Slovenian'),
('sq', 'Albanian'),
('sr', 'Serbian'),
                                                    ('sr-ĺatn', 'Serbían Latin'),
('sv', 'Swedish'),
                                                             'Swahili'),
'Tamil'),
'Telugu'),
                                                    ('ta',
                                                    ('te'.
                                                    ('tg', 'Tajik'),
('th', 'Thai'),
('tk', 'Turkmen'
                                                    ('tr',
('tt',
                                                              'Turkish'),
'Tatar'),
                                                    ('tt', 'Tatar'),
('udm', 'Udmurt')
                                                   ('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
('uz', 'Uzbek'),
('vi', 'Vietnamese'),
('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                                  ['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE_CODE
                                                   'en-us'
LANGUAGE COOKIE AGE
                                                  None
LANGUAGE_COOKIE_DOMAIN
                                                  None
LANGUAGE_COOKIE_HTTPONLY
                                                  False
LANGUAGE COOKIE NAME
                                                  'django_language'
LANGUAGE_COOKIE_PATH
LANGUAGE_COOKIE_SAMESITE
                                                  None
LANGUAGE_COOKIE_SECURE
                                                  False
LOCALE_PATHS
                                                  []
LOGGING
                                                  {}
LOGGING_CONFIG
                                                  'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                                  '/accounts/profile/'
LOGIN_URL
                                                  '/accounts/login/'
LOGOUT_REDIRECT_URL
                                                  None
MANAGERS
                                                  []
MEDIA_ROOT
MEDIA URL
MESSAGE_STORAGE
                                                   \verb|'django.contrib.messages.storage.fallback.FallbackStorage||
                                                  ['django.middleware.security.SecurityMiddleware'
MIDDLEWARE
                                                     django.contrib.sessions.middleware.SessionMiddleware',
                                                    'django.middleware.common.CommonMiddleware',
'django.middleware.csrf.CsrfViewMiddleware',
                                                    'django.contrib.auth.middleware.AuthenticationMiddleware',
                                                    'django.contrib.messages.middleware.MessageMiddleware',
'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES
                                                  {}
MONTH_DAY_FORMAT
                                                  'F j'
NUMBER GROUPING
                                                  PASSWORD_HASHERS
PASSWORD_RESET_TIMEOUT
                                                  '*************
```

```
Setting
                                     Value
PREPEND WWW
                                     False
ROOT_URLCONF
                                     'qa_crm.urls'
SECRET KEY
                                     '************
SECRET_KEY_FALLBACKS
SECURE CONTENT TYPE NOSNIFF
                                    True
SECURE_CROSS_ORIGIN_OPENER_POLICY 'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS
                                    False
SECURE HSTS PRELOAD
                                     False
SECURE_HSTS_SECONDS
SECURE_PROXY_SSL_HEADER
                                     None
SECURE_REDIRECT_EXEMPT
                                     []
SECURE REFERRER POLICY
                                     'same-origin'
SECURE_SSL_HOST
                                     None
SECURE_SSL_REDIRECT
                                     False
SERVER EMAIL
                                     'root@localhost
SESSION_CACHE_ALIAS
                                     'default'
SESSION COOKIE AGE
                                     1209600
SESSION_COOKIE_DOMAIN
                                     None
SESSION_COOKIE_HTTPONLY
                                     True
SESSION_COOKIE_NAME
                                     'sessionid
SESSION_COOKIE_PATH
                                     '/'
SESSION COOKIE SAMESITE
                                     'Lax'
SESSION_COOKIE_SECURE
                                     False
SESSION_ENGINE
                                     'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE
                                    False
SESSION_FILE_PATH
SESSION_SAVE_EVERY_REQUEST
                                     False
SESSION SERIALIZER
                                     'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE
                                     'qa_crm.settings'
SHORT_DATETIME_FORMAT
                                     'm/d/Y P'
SHORT_DATE_FORMAT
                                     'm/d/Y'
SIGNING BACKEND
                                     'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS
                                     []
STATICFILES DIRS
                                     ٢٦
                                     ['django.contrib.staticfiles.finders.FileSystemFinder',
STATICFILES_FINDERS
                                      'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE
                                     'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT
                                     None
STATIC_URL
                                     '/static/'
                                     {'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'}, 'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}}
STORAGES
TEMPLATES
                                     [{'APP_DIRS': True,
                                        'BACKEND': 'django.template.backends.django.DjangoTemplates',
                                       'DIRS': [],
'OPTIONS': {'context_processors': ['django.template.context_processors.debug',
                                                                             'django.template.context_processors.request',
'django.contrib.auth.context_processors.auth',
                                                                             'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS
TEST_RUNNER
                                     'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR
                                     'P'
TIME FORMAT
TIME_INPUT_FORMATS
                                     ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
                                     'UTC'
TIME ZONE
USE_DEPRECATED_PYTZ
                                     False
USE_I18N
                                     True
USE_L10N
                                     True
USE_THOUSAND_SEPARATOR
                                     False
USE TZ
                                     True
USE_X_FORWARDED_HOST
                                     False
USE_X_FORWARDED_PORT
                                     False
WSGI_APPLICATION
                                     'qa_crm.wsgi.application'
X_FRAME_OPTIONS
                                     'DENY'
YEAR_MONTH_FORMAT
                                     'F Y
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.