Installing Quire

This page on the Getty's website for Quire will guide you through the installation process: https://quire.getty.edu/docs-v1/install-uninstall/. Please follow the instructions there to install Quire.

There is a tendency for the installation process to be easier for mac users. The problems that may be encountered by Windows users are more diverse and less predictable. If you are on Windows and you experience problems, first try your best to solve the problem by reading the errors you are getting in the console and following any instructions that are provided.

Do not worry if you are unable to install Quire. We will be offering to help anyone having installation issues before the second session. We also intend to put participants into groups for the exercise, ensuring that at least one member in each group has successfully installed Quire.

Adding the Linked Art in Quire extension

This document provides instructions for installing the Linked Art extension specifically for Windows users.

First, ensure you have downloaded the Quire Linked Art Extension by following the link provided in the 'Quire Linked Art Extension Installation' section at the top of this web page. Once you have the 'js-files.zip' file, extract the contents and follow these steps to add them to the installation:

1. Find the command line interface (CLI) of the Quire installation on your system. It is a folder called 'quire-cli'.

Locate the Quire Executable

- Open powershell
- Run the command 'where quire'
- This will output the path to the Quire executable. The output might look something like 'C:\Users\<YourUsername>\AppData\Roaming\npm\quire'

Find the Target of the Executable

- Typically, on Windows, npm globally installs CLI tools in a directory under node_modules
- Run the following command to locate the quire-cli installation folder: 'dir /aL "C:\Users\<YourUsername>\AppData\Roaming\npm\quire"'
- If this command shows that quire is a link, note the path it points to. It may look something like
 - $\label{lem:condition} $$ `C:\Users<\YourUsername>\AppData\Roaming\npm\\node_modules\\@thegetty\\quire-cli\bin\cli.js'$$

Navigate to the guire-cli Folder

- The quire-cli folder will be located in the node_modules directory of your global npm installation. If the previous command shows that quire points to a file like cli.js, you can determine the path to the quire-cli folder by truncating the path to end at quire-cli.

Open the guire-cli Folder in File Explorer

- To open the folder in File Explorer, you can directly navigate to it using the path from the previous step
- Alternatively, you can use powershell to open it by running explorer 'C:\Users\<YourUsername>\AppData\Roaming\npm\node_modules\@thegett y\quire-cli'
- 2. Find the 'commands' folder at the directory 'quire-cli/src/commands'
- 3. From the la_quire_extension folder, add the 'yog-linked-art 0.7.js' file to the commands folder
- 4. Replace the 'build.js' file in the commands folder with the 'build.js' file in the la quire extension folder
- 5. Replace the 'clean.js' file in the commands folder with the 'clean (commands).js' file in the la quire extension folder
- 6. Rename the 'clean (commands).is' file 'clean.js'
- 7. Find the 'helpers' folder at the directory 'quire-cli/src/helpers'
- 8. Replace the 'clean.js file' in the helpers folder with the 'clean (helpers).js' file in the la quire extension folder
- 9. Rename the 'clean (helpers).js' file 'clean.js'

After following these steps, you should be able to run Quire with all its original functionality as well as the new functionality provided by the extension. If you have trouble adding the extension, do not worry. As explained above, we will do our best to help during lunchtime on Wednesday, and for the exercise on Thursday, we will ensure that at least one member in each group has successfully installed Quire.