# Markdown Reference Guide

# 1. Headings

Use # to create headings. The more #, the smaller the heading.

# before your text creates a **big title**.

## before your text creates a medium title.

### before your text creates a **small title**.

Example 1: # Heading1

Result 1: Heading 1

Example 2: ### Heading 3

Result 2: Heading 3

### 2. Italicized Text

To make text italic, put it between asterisks \*.

Example: \*Italicized text\*

Result: Italicized text

# 3. Bold Text

To make text **bold**, use two asterisks \*\*.

Example: \*\*Bold text\*\*

Result: Bold text

## 4. Bold and Italicized Text

To make text italicized and bold, use three asterisks \*\*\*.

Example: \*\*\*Italicized and bold text\*\*\*

Result: Italicized and bold text

## 5. Underlined Text

Markdown does not have a built-in way to underline, but you can use the HTML tags <u> </u>>.

Example: <u>Underlined text</u>

Result: Underlined text

# **6. Monospace Text**

To create monospace (code) text, enclose your text within backticks `.

Example: `Monospace text`

Result: Monospace text

## For blocks of code or multi-line code, use triple backticks

## 7. Paragraphs

To create paragraphs, just leave a blank line between blocks of text.

#### Example:

This is the first paragraph.

This is the second paragraph.

#### Result:

This is the first paragraph.

This is the second paragraph.

#### 8. Nested Lists

## a. Bulleted Lists

To create a bulleted list, use -, +, or \*. For nested bullet points, indent with two spaces.

#### Example:

- Item 1
  - Subitem 1.1
- Subitem 1.2
- Item 2

#### Result:

- Item 1
  - Subitem 1.1
  - Subitem 1.2
- Item 2

## b. Bulleted Lists Within Numbered Lists

For numbered lists, use numbers followed by a period (1., 2., etc.). To create bulleted sub-lists, use -, +, or \* and indent with two spaces.

#### Example:

- 1. First item
- Subitem a
- Subitem b
- 2. Second item

# Result:

- 1. First item
  - a. Subitem a
  - b. Subitem b
- 2. Second item

# 9. External Links

To add an external link, use the format [Link Text](URL)

# Example:

[Rumble Museum](https://www.cheneyschool.org/181/rumble-museum)

# Result:

Rumble Museum

The result is a link embedded in the text 'Rumble Museum'