

**≥** oeyoews †

17 2022-08-14T18:00:59 <sup>‡</sup>

<sup>\*</sup>https://github.com/oeyoews/latex

 $<sup>^{\</sup>dagger}$ jyao<br/>4783@gmail.com  $^{\ddagger}$  Updated<br/>Time: Friday 26th August, 2022 at 16:24

## Contents

1	<b>▼</b> Abstract	3
2	→ Instroduce	4
3	♥ Href	5
4	🎉 Emoji	6
5	Thebibliography	7
6	<b>Table</b>	8
7	Section 1985 Formula	9
8	ĭ TODO	10
9	<b>⊘</b> hyperref	11
10	hyper compile	12
11	□Pargraph	13
<b>12</b>	© figtest-math01	14
13	Images	18

# 1 📽 Abstract

#### Abstract

 $\LaTeX$  documentation written as  $\LaTeX$  . How novel and totally not my idea!

# 2 \* Instroduce

Hello, Latex

## 3 🦞 Href

link test

## 3.1 Href Link

Click this link to test

fishforyou website  $^{\rm 1}$ 

<sup>&</sup>lt;sup>1</sup>book

# 4 🎉 Emoji

- lock 🔒
- file-folder
- pushpin 📌
- leaves 📽
- rose 🏺
- link 🔗
- monkey 🐒
- sparkles 🔆
- book 💷
- pencil  $^{\wedge}$
- pager 📟

$$\int_{\partial \mathbf{I}} \mathbf{e} = \int_{\mathbf{I}} \mathbf{d} \mathbf{e}$$

# 5 Thebibliography

### 5.1 Reference

### 5.2 oeyoews

bibfile or with next miss, because this number is same [1] this is a oeyoews reference

# 6 😻 Table

Table 1: Title of table

a11	a12
a21	a22

### 7 📀 Formula

$$\sqrt{x} + \sqrt{x^2} + \sqrt{y} = \sqrt[3]{k_i} - \frac{x}{m}$$

$$\lim_{x \to \infty} x_{22}^2 - \int_1^5 x dx + \sum_{n=1}^{20} n^2 = \prod_{j=1}^3 y_j + \lim_{x \to -2} \frac{x-2}{x}$$

#### 7.1 inline formula

 $f = m^2$ 

#### 7.2 display block formula

$$E = mc^2$$
.

#### 7.3 Equation

$$f = ma (1)$$

$$s = vt (2)$$

$$A_{m,n} = \begin{pmatrix} a_{1,1} & a_{1,2} & \cdots & a_{1,n} \\ a_{2,1} & a_{2,2} & \cdots & a_{2,n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{m,1} & a_{m,2} & \cdots & a_{m,n} \end{pmatrix}$$
(3)

#### 7.4 Matrix

$$\begin{bmatrix} 1 & 2 & \cdots \\ 67 & 95 & \cdots \\ \vdots & \vdots & \ddots \end{bmatrix}$$

### 7.5 math group

$$\begin{cases}
f = ma \\
s = vt
\end{cases}$$
(4)

### 8 X TODO

• learn cls sty file

#### 8.1 **V** DONE

- learn book to connect emoji
- this ref pag is not right
- this include only difference with include(linke cinclude and define? or input); use include only to compile specific file temporarily
- how use independ file, even have relative path, to compile
- how to set maintex's current to root path to replace slash /
- this showlabels have different view in local and remote(action), so put this package to last line
- img how to recursive search
- solve relative path, such bib img
- https://tex.stackexchange.com/questions/36988/regarding-the-book-report-and-article-document-classes-what-are-the-mai

# 9 Phyperref

this is a hyper link

## 9.1 hyper compile test

this 9 is a dmeo this 9.2 si sec

### 9.2 hyper test two

this second 11 demo

## 10 hyper compile

because the first time generate aux assist file, so this pdf will have question symbol, in xelatex only one times.

but if use latexmk directly, this question will solved, (for two comile only now), actually this command execute two time to generate pdf file, so it's normal. latexmk virtue

### 11 Pargraph

paratest

#### 11.1 section para

para 1 this is a dmeo Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

para 2 Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

subparagraph 1 Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

subparagraph 2 Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

# $12 \otimes \text{figtest-math}01$



Figure 1: figtest-math01



Figure 2: figtest-math02



Figure 3: test-visual



Figure 4: misc



Figure 5: newf



Figure 6: pure



# 13 📮 Images



Figure 7: island



Figure 8: misc

## References

[1] Rudolf Wille. Restructuring Lattice Theory: An Approach Based on Hierarchies of Concepts, pages 445–470. Springer Netherlands, Dordrecht, 1982.