

TEST REPORT

CERTIFICATE OF ANALYSIS (COA)

NEW LIFE LABS

E-mail: contact@newlifelabs.com

Web: newlifelabs.us

Task Number #2606

Testing ordered > 10 AUG '26

Sample received > 12 AUG '26

CLIENT	New Life Labs Global
SAMPLE PRODUCT	GLOW 70MG
DESCRIPTION	COPPER PEPTIDE COMPLEX
MANUFACTURER	New Life Labs Operations
BATCH / LOTE	NL - GLW - 2606 - 002
MOLECULAR FORMULA	GHK-CU 50MG / BPC-157 10MG / TB-500 10MG
MOLECULAR WEIGHT	N/A

TESTS REQUESTED >

Assessment of a peptide vial or vials. Quantitative assay and High-Performance Liquid Chromatography (HPLC) Purity analysis.

RESULTS >

GLOW Complex	70.20 mg
HPLC Purity Analysis	99.37%

COMMENTS >

Sample conforms to purity specifications for laboratory reference material. HPLC analysis confirms sequence integrity and absence of structural degradation.

Analysis conducted > Aug 12, 2026

Issued by > New Life Labs Quality Assurance Systems



VERIFY THIS TEST REPORT ONLINE AT NEWLIFELABS.US/LAUDO WITH VALIDATION KEY:

NL - GLW - 2606 - 002