

TEST REPORT

CERTIFICATE OF ANALYSIS (COA)

NEW LIFE LABS

E-mail: contact@newlifelabs.com
Web: newlifelabs.us

Task Number	#2706	Testing ordered	> 10 AUG '26	Sample received	> 12 AUG '26
CLIENT	New Life Labs Global				
SAMPLE PRODUCT	KLOW 80MG				
DESCRIPTION	COPPER PEPTIDE COMPLEX				
MANUFACTURER	New Life Labs Operations				
BATCH / LOTE	NL-KLW-2706-003				
MOLECULAR FORMULA	GHK-CU 50MG / BPC-157 10MG / TB-500 10MG / KPV 10MG				
MOLECULAR WEIGHT	N/A				

TESTS REQUESTED >

Assessment of a peptide vial or vials. Quantitative assay and High-Performance Liquid Chromatography (HPLC) Purity analysis.

RESULTS >

KLOW Complex	80.32 mg
HPLC Purity Analysis	99.70%

COMMENTS >

Sample conforms to purity specifications for laboratory reference material. HPLC analysis confirms sequence integrity and absence of structural degradation.

Analysis conducted > Aug 12, 2026
Issued by > New Life Labs Quality Assurance Systems



VERIFY THIS TEST REPORT ONLINE AT [NEWLIFELABS.US/LAUDO](http://newlifelabs.us/laudo) WITH VALIDATION KEY:

NL-KLW-2706-003