

TEST REPORT

CERTIFICATE OF ANALYSIS (COA)

NEW LIFE LABS

E-mail: contact@newlifelabs.com
Web: newlifelabs.us

Task Number #3006

Testing ordered > 10 AUG '26

Sample received > 12 AUG '26

CLIENT	New Life Labs Global
SAMPLE PRODUCT	TIRZEPATIDE 60MG
DESCRIPTION	DUAL RECEPTOR AGONIST
MANUFACTURER	New Life Labs Operations
BATCH / LOTE	NL - TIR - 3006 - 006
MOLECULAR FORMULA	C225H348N48O68
MOLECULAR WEIGHT	4813.45 g/mol

TESTS REQUESTED >

Assessment of a peptide vial or vials. Quantitative assay and High-Performance Liquid Chromatography (HPLC) Purity analysis.

RESULTS >

Tirzepatide	60.40 mg
HPLC Purity Analysis	99.90%

COMMENTS >

Sample conforms to purity specifications for laboratory reference material. HPLC analysis confirms sequence integrity and absence of structural degradation.

Analysis conducted > Aug 12, 2026
Issued by > New Life Labs Quality Assurance Systems



VERIFY THIS TEST REPORT ONLINE AT [NEWLIFELABS.US/LAUDO](http://newlifelabs.us/laudo) WITH VALIDATION KEY:

NL - TIR - 3006 - 006