

```

zabbix_export:
  version: '7.4'
  template_groups:
    - uuid: 7c2cb727f85b492d88cd56e17127c64d
      name: 'Templates/NAS & SAN'
  templates:
    - uuid: 23c72497b8d646ad90bf7a0740e0c186
      template: 'Synology DiskStation by SNMP.'
      name: 'Synology DiskStation by SNMP.'
      groups:
        - name: 'Templates/NAS & SAN'
      items:
        - uuid: 27de465cef1047b69d710a98b94bd718
          name: 'CPU Fan Status'
          type: SNMP_AGENT
          snmp_oid: .1.3.6.1.4.1.6574.1.4.2.0
          key: synoSystem.cpuFanStatus
          history: 90d
          description: 'Returns error if CPU fan fails.'
          valuemap:
            name: 'SYNOLOGY-SYSTEM-MIB::systemStatus'
          tags:
            - tag: Application
              value: CPU
            - tag: Application
              value: 'Synology System'
            - tag: Application
              value: 'System Health'
          triggers:
            - uuid: c376b59ea8254415963ba94c0b5e7b28
              expression: 'last(/Synology DiskStation by SNMP/
synoSystem.cpuFanStatus)<>1'
              name: 'CPU Fan CRITICAL on {HOST.NAME}'
              priority: HIGH
            - uuid: 3d058f51486b4d8cb53833f99412ff27
              name: 'Load Avg 1 min'
              type: SNMP_AGENT
              snmp_oid: .1.3.6.1.4.1.2021.10.1.5.1
              key: synoSystem.laLoadInt.1
              history: 90d
              value_type: FLOAT
              description: '1 minute load.'
              preprocessing:
                - type: MULTIPLIER
                  parameters:
                    - '0.01'
              tags:
                - tag: Application
                  value: CPU
                - tag: Application

```

```
        value: 'Synology System'
      - tag: Application
        value: 'System Health'
- uuid: 324f6183055646e5a27f7ff6c390336c
  name: 'Load Avg 5 min'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.10.1.5.2
  key: synoSystem.laLoadInt.2
  history: 90d
  value_type: FLOAT
  description: '5 minute load.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '0.01'
  tags:
    - tag: Application
      value: CPU
    - tag: Application
      value: 'Synology System'
    - tag: Application
      value: 'System Health'
- uuid: 8f213559058f4de38c347bf65a4c5b0c
  name: 'Load Avg 15 min'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.10.1.5.3
  key: synoSystem.laLoadInt.3
  history: 90d
  value_type: FLOAT
  description: '15 minute load.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '0.01'
  tags:
    - tag: Application
      value: CPU
    - tag: Application
      value: 'Synology System'
    - tag: Application
      value: 'System Health'
- uuid: c1a9a20071584c8abd9bb7b9993fb2ce
  name: 'Model Name'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.6574.1.5.1.0
  key: synoSystem.modelName
  delay: 1h
  history: 90d
  value_type: TEXT
  description: 'Model name of this NAS.'
```

```

inventory_link: MODEL
tags:
  - tag: Application
    value: 'Synology System'
  - tag: Application
    value: 'System Information'
- uuid: 857284b111c1441f8017b1a1b4119434
  name: 'System Name'
  type: SNMP_AGENT
  snmp_oid: 1.3.6.1.2.1.1.5.0
  key: synoSystem.Name
  delay: 1h
  history: 90d
  value_type: TEXT
  description: 'Name of this NAS.'
  tags:
    - tag: Application
      value: 'Synology System'
    - tag: Application
      value: 'System Information'
- uuid: df13ecf6fccc494ab05eb850100f73ee
  name: 'Power Status'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.6574.1.3.0
  key: synoSystem.powerStatus
  history: 90d
  description: 'Returns error if power supplies fail'
  valuemap:
    name: 'SYNOLOGY-SYSTEM-MIB::powerStatus'
  tags:
    - tag: Application
      value: 'Synology System'
  triggers:
    - uuid: d891556156414868a096b899513d30cf
      expression: 'last(/Synology DiskStation by SNMP/
synoSystem.powerStatus)<>1'
      name: 'Power Status FAILED on {HOST.NAME}'
      priority: HIGH
- uuid: 7a9c633f82b742449c04a386320170e8
  name: 'Serial Number'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.6574.1.5.2.0
  key: synoSystem.serialNumber
  delay: 1h
  history: 90d
  value_type: TEXT
  description: 'Model serial number'
  inventory_link: SERIALNO_A
  tags:
    - tag: Application

```

```

        value: 'Synology System'
      - tag: Application
        value: 'System Information'
    - uuid: 7805576325bb479086dea34e84b06188
      name: 'CPU Idle'
      type: SNMP_AGENT
      snmp_oid: .1.3.6.1.4.1.2021.11.11.0
      key: synoSystem.ssCpuIdle
      history: 90d
      units: '%'
      description: 'The percentage of processor time spent idle,
calculated over the last minute.'
      tags:
        - tag: Application
          value: CPU
        - tag: Application
          value: 'Synology System'
        - tag: Application
          value: 'System Health'
      triggers:
        - uuid: 241feffef524050922fbfb4e6d1cbef
          expression: 'avg(/Synology DiskStation by SNMP/
synoSystem.ssCpuIdle,5m)<30'
          name: 'CPU Usage High on {HOST.NAME}'
          priority: WARNING
        - uuid: e8f011cb5264499eb17fadb8330bf707
          expression: 'avg(/Synology DiskStation by SNMP/
synoSystem.ssCpuIdle,5m)<10'
          name: 'CPU Usage Very High on {HOST.NAME}'
          priority: HIGH
    - uuid: 5def2a5e143443189da1b9c14fd4b931
      name: 'CPU System'
      type: SNMP_AGENT
      snmp_oid: .1.3.6.1.4.1.2021.11.10.0
      key: synoSystem.ssCpuSystem
      history: 90d
      units: '%'
      description: 'The percentage of CPU time spent processing
system-level code, calculated over the last minute.'
      tags:
        - tag: Application
          value: CPU
        - tag: Application
          value: 'Synology System'
        - tag: Application
          value: 'System Health'
    - uuid: bd59c44267a64d7bb0f05c3511caa2d3
      name: 'CPU User'
      type: SNMP_AGENT
      snmp_oid: .1.3.6.1.4.1.2021.11.9.0

```

```

    key: synoSystem.ssCpuUser
    history: 90d
    units: '%'
    description: 'The percentage of CPU time spent processing
user-level code.'
    tags:
      - tag: Application
        value: CPU
      - tag: Application
        value: 'Synology System'
      - tag: Application
        value: 'System Health'
- uuid: d4f969b0bc70419ebf722997deb9b263
  name: 'System Fan Status'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.6574.1.4.1.0
  key: synoSystem.systemFanStatus
  history: 90d
  description: 'Returns error if system fan fails.'
  valuemap:
    name: 'SYNOLOGY-SYSTEM-MIB::systemStatus'
  tags:
    - tag: Application
      value: 'Synology System'
    - tag: Application
      value: 'System Health'
  triggers:
    - uuid: b791be012ac24883971181234450e394
      expression: 'last(/Synology DiskStation by SNMP/
synoSystem.systemFanStatus)<>1'
      name: 'System Fan Status CRITICAL on {HOST.NAME}'
      priority: WARNING
- uuid: 22db1a23ffc34c97b9a81fa2e285e4b3
  name: 'System Status'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.6574.1.1.0
  key: synoSystem.systemStatus
  history: 90d
  description: 'System partition status.'
  valuemap:
    name: 'SYNOLOGY-SYSTEM-MIB::systemStatus'
  tags:
    - tag: Application
      value: 'Synology System'
    - tag: Application
      value: 'System Health'
  triggers:
    - uuid: ed08172c092d4a9eb6e59ace3e7f435c
      expression: 'last(/Synology DiskStation by SNMP/
synoSystem.systemStatus)<>1'

```

```

        name: 'System Partition CRITICAL on {HOST.NAME}'
        priority: DISASTER
-   uuid: 41c57f394934422788792856add4cb76
    name: Uptime
    type: SNMP_AGENT
    snmp_oid: 1.3.6.1.2.1.25.1.1.0
    key: synoSystem.sysUpTime
    delay: 30s
    history: 2w
    trends: '0'
    units: uptime
    description: 'The time (in hundredths of a second) since the
network management portion of the system was last re-initialized.'
    preprocessing:
      - type: MULTIPLIER
        parameters:
          - '0.01'
    tags:
      - tag: Application
        value: Status
      - tag: Application
        value: 'Synology System'
-   uuid: 753f4a238d404d18ab002141a7685f08
    name: 'System Temperature'
    type: SNMP_AGENT
    snmp_oid: .1.3.6.1.4.1.6574.1.2.0
    key: synoSystem.temperature
    delay: 3m
    history: 90d
    units: C
    description: 'Temperature of this NAS.'
    tags:
      - tag: Application
        value: 'Synology System'
      - tag: Application
        value: 'System Health'
    triggers:
      - uuid: 0922bdc084f44428bdc4af8fa815692d
        expression: 'avg(/Synology DiskStation by SNMP/
synoSystem.temperature,#4)>60'
        name: 'System Temperature CRITICAL on {HOST.NAME}'
        priority: AVERAGE
-   uuid: 39b2385d140e48eba87896f85145ff41
    name: 'Upgrade Available'
    type: SNMP_AGENT
    snmp_oid: .1.3.6.1.4.1.6574.1.5.4.0
    key: synoSystem.upgradeAvailable
    delay: 1h
    history: 90d
    description: 'Checks whether a new version or update of DSM

```

```

is available'
  valuemap:
    name: 'SYNOLOGY-SYSTEM-MIB::upgradeAvailable'
  tags:
    - tag: Application
      value: 'Synology System'
    - tag: Application
      value: 'System Information'
  triggers:
    - uuid: f58c126d166b478581f7cf9d2d90c3db
      expression: 'last(/Synology DiskStation by SNMP/
synoSystem.upgradeAvailable)=1'
      name: 'Update available on {HOST.NAME}'
      priority: WARNING
      manual_close: 'YES'
- uuid: 882b071c2c0548deb1802759e8f365d4
  name: Version
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.6574.1.5.3.0
  key: synoSystem.version
  delay: 1h
  history: 90d
  value_type: TEXT
  description: 'The version of DSM'
  inventory_link: OS
  tags:
    - tag: Application
      value: 'Synology System'
    - tag: Application
      value: 'System Information'
  triggers:
    - uuid: 07c0281e3cf4442393d45280276868e4
      expression: '(last(/Synology DiskStation by SNMP/
synoSystem.version,#1)<>last(/Synology DiskStation by SNMP/
synoSystem.version,#2))>0'
      name: 'Firmware on {HOST.NAME} has changed'
      priority: INFO
      manual_close: 'YES'
- uuid: fbd86813df5045d0a5f588597c8fb76d
  name: 'Total Physical Available'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.6.0
  key: ucdavis.memory.memAvailReal
  delay: 3m
  history: 90d
  units: B
  description: 'The amount of real/physical memory currently
unused or available.'
  preprocessing:
    - type: MULTIPLIER

```

```

        parameters:
          - '1024'
      tags:
        - tag: Application
          value: Memory
        - tag: Application
          value: 'System Health'
- uuid: a0ab990e1cec4f2e80e1cc4008842b37
  name: 'Total Swap Available'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.4.0
  key: ucdavis.memory.memAvailSwap
  delay: 3m
  history: 90d
  units: B
  description: 'The amount of swap space currently unused or
available.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '1024'
  tags:
    - tag: Application
      value: Memory
    - tag: Application
      value: 'System Health'
- uuid: c738f2780fbc4bfb8f73642ee2d6e5a5
  name: 'Total Buffer Memory'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.14.0
  key: ucdavis.memory.memBuffer
  delay: 3m
  history: 90d
  units: B
  description: 'The total amount of real or virtual memory
currently allocated for use as memory buffers.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '1024'
  tags:
    - tag: Application
      value: Memory
    - tag: Application
      value: 'System Health'
- uuid: 24846ebae386418dad6b25792fc085d7
  name: 'Total Cached Memory'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.15.0
  key: ucdavis.memory.memCached

```



```

    delay: 3m
    history: 90d
    units: B
    description: 'The total amount of real or virtual memory
currently allocated for use as cached memory.'
    preprocessing:
      - type: MULTIPLIER
        parameters:
          - '1024'
    tags:
      - tag: Application
        value: Memory
      - tag: Application
        value: 'System Health'
- uuid: 86a11c6d751e4005b6982e9d761a7f62
  name: 'Total Shared Memory'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.13.0
  key: ucdavis.memory.memShared
  delay: 3m
  history: 90d
  units: B
  description: 'The total amount of real or virtual memory
currently allocated for use as shared memory.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '1024'
  tags:
    - tag: Application
      value: Memory
    - tag: Application
      value: 'System Health'
- uuid: 3d8c117d377747b9a52a9de6ff49b967
  name: 'Total Free Memory'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.11.0
  key: ucdavis.memory.memTotalFree
  delay: 3m
  history: 90d
  units: B
  description: 'The total amount of memory free or available
for use on this host.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '1024'
  tags:
    - tag: Application
      value: Memory

```

```

        - tag: Application
          value: 'System Health'
- uuid: 3a73d95e462a49d59a43ad08e2142465
  name: 'Total Physical Memory'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.5.0
  key: ucdavis.memory.memTotalReal
  delay: 3m
  history: 90d
  units: B
  description: 'The total amount of real/physical memory
installed on this host.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '1024'
  tags:
    - tag: Application
      value: Memory
    - tag: Application
      value: 'System Health'
- uuid: 6bef6064cc4149f8a6274dbca6a7b805
  name: 'Total Swap Space'
  type: SNMP_AGENT
  snmp_oid: .1.3.6.1.4.1.2021.4.3.0
  key: ucdavis.memory.memTotalSwap
  delay: 3m
  history: 90d
  units: B
  description: 'The total amount of swap space configured for
this host.'
  preprocessing:
    - type: MULTIPLIER
      parameters:
        - '1024'
  tags:
    - tag: Application
      value: Memory
    - tag: Application
      value: 'System Health'
discovery_rules:
- uuid: 882c8f12d1394aa593e400311a995dde
  name: Disk
  type: SNMP_AGENT
  snmp_oid: 'discovery[#{IFINDEX},.1.3.6.1.2.1.25.2.3.1.1,
{#IFDESCR},.1.3.6.1.2.1.25.2.3.1.3,{#IFUNIT},.1.3.6.1.2.1.25.2.3.1.4]'
  key: host.hrStorage.hrStorageTable.hrStorageEntry
  delay: 1h
  filter:
    conditions:

```

```

        - macro: '#{#IFDESCR}'
          value: /volume
lifetime: 30d
enabled_lifetime_type: DISABLE_NEVER
item_prototypes:
  - uuid: 88d7335bb5fb4308b97235923d9d1c45
    name: 'Storage Size on #{#IFDESCR}'
    type: SNMP_AGENT
    snmp_oid: '.1.3.6.1.2.1.25.2.3.1.5.#{#IFINDEX}'
    key:
'host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageSize[#{#IFINDEX}
]'
        delay: 3m
        units: B
        description: 'The size of the storage represented by
this entry.'
        preprocessing:
          - type: MULTIPLIER
            parameters:
              - '#{#IFUNIT}'
        tags:
          - tag: Application
            value: Disk
  - uuid: cf5711db52f4416caa8359b7452efa85
    name: 'Storage Used on #{#IFDESCR} (%)'
    type: CALCULATED
    key:
'host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageUsed[#{#IFINDEX}
,pct]'
        delay: 5m
        units: '%'
        params: 'last(//
host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageUsed[#{#IFINDEX}]
)/last(//
host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageSize[#{#IFINDEX}]
)*100'
        description: '% of disk space used.'
        tags:
          - tag: Application
            value: Disk
        trigger_prototypes:
          - uuid: 410d2c7ae2ef4caa90ba35f5fafdb48d
            expression: 'last(/Synology DiskStation by SNMP/
host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageUsed[#{#IFINDEX},
pct])>{${DISK_UTIL_HIGH}}'
            name: 'Disk Space is CRITICAL on #{#IFDESCR}'
            priority: HIGH
          - uuid: 8d7ac6e4b5b44809bf0ae587fcdb3e00
            expression: 'last(/Synology DiskStation by SNMP/
host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageUsed[#{#IFINDEX},

```

```

pct])>{$DISK_UTIL_WARN}'
    name: 'Disk Space is LOW on {#IFDESCR}'
    priority: WARNING
- uuid: ea5dce5e4e3a4a9aa261491ed89775d5
  name: 'Storage Used on {#IFDESCR}'
  type: SNMP_AGENT
  snmp_oid: '.1.3.6.1.2.1.25.2.3.1.6.{#IFINDEX}'
  key:
'host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageUsed[{#IFINDEX}
]'
    delay: 3m
    units: B
    description: 'The amount of the storage represented by
this entry.'
    preprocessing:
      - type: MULTIPLIER
        parameters:
          - '{#IFUNIT}'
    tags:
      - tag: Application
        value: Disk
graph_prototypes:
- uuid: 53b3469649574b48a649c3c5e07117e7
  name: 'Disk: Storage Evolution on {#IFDESCR}'
  height: '300'
  graph_items:
    - color: '000000'
      calc_fnc: ALL
      item:
        host: 'Synology DiskStation by SNMP'
        key:
'host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageSize[{#IFINDEX}
]'
      - sortorder: '1'
        drawtype: FILLED_REGION
        color: 0000EE
        item:
          host: 'Synology DiskStation by SNMP'
          key:
'host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageUsed[{#IFINDEX}
]'
      - uuid: 324c1a04258c4c8cad7c472f1f15f42b
        name: 'Disk: Storage Utilization on {#IFDESCR}'
        width: '600'
        height: '340'
        show_work_period: 'NO'
        show_triggers: 'NO'
        type: PIE
        show_3d: 'YES'
        graph_items:

```

```

        - color: '969696'
          calc_fnc: LAST
          type: GRAPH_SUM
          item:
            host: 'Synology DiskStation by SNMP'
            key:
'host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageSize[#{#IFINDEX}
]'
        - sortorder: '1'
          color: 2E7D32
          calc_fnc: LAST
          item:
            host: 'Synology DiskStation by SNMP'
            key:
'host.hrStorage.hrStorageTable.hrStorageEntry.hrStorageUsed[#{#IFINDEX}
]'
    - uuid: f64d354a85ca46ee94d76effb3a0be46
      name: Network
      type: SNMP_AGENT
      snmp_oid: 'discovery[#{#IFALIAS},1.3.6.1.2.1.31.1.1.1.18,
#{#IFNAME},1.3.6.1.2.1.31.1.1.1.1]'
      key: ifMIB.ifMIBObjects.ifXTable.ifXEntry
      delay: 1h
      filter:
        evaltype: OR
        conditions:
          - macro: '#{#IFNAME}'
            value: bond
          - macro: '#{#IFNAME}'
            value: eth
      lifetime: 30d
      enabled_lifetime_type: DISABLE_NEVER
      item_prototypes:
        - uuid: 55433155e81a418cb29b9c690a5d0491
          name: 'Incomming Packets on Interface #{#IFNAME}'
          type: SNMP_AGENT
          snmp_oid: '1.3.6.1.2.1.31.1.1.1.6.#{#SNMPINDEX}'
          key: 'ifMIB.ifMIBObjects.ifXTable.ifXEntry.ifHCInOctets.
[#{#IFNAME}]'
          delay: 3m
          value_type: FLOAT
          units: bps
          description: 'The total number of octets received on the
interface.'
          preprocessing:
            - type: CHANGE_PER_SECOND
            - type: MULTIPLIER
              parameters:
                - '8'
          tags:

```

```

        - tag: Application
          value: Network
      - uuid: e8de2f0e63ad4d758f22a195a4175b78
        name: 'Outgoing Packets on Interface {#IFNAME}'
        type: SNMP_AGENT
        snmp_oid: '.1.3.6.1.2.1.31.1.1.1.10.{#SNMPINDEX}'
        key:
'ifMIB.ifMIBObjects.ifXTable.ifXEntry.ifHCOutOctets.[{#IFNAME}]'
        delay: 3m
        value_type: FLOAT
        units: bps
        description: 'The total number of octets transmitted out
of the interface.'
        preprocessing:
          - type: CHANGE_PER_SECOND
          - type: MULTIPLIER
            parameters:
              - '8'
        tags:
          - tag: Application
            value: Network
    graph_prototypes:
      - uuid: 1615a291310546698d405260e5ca1492
        name: 'Network: Traffic on Interface {#IFNAME}'
        graph_items:
          - drawtype: GRADIENT_LINE
            color: 00AA00
            item:
              host: 'Synology DiskStation by SNMP'
              key:
'ifMIB.ifMIBObjects.ifXTable.ifXEntry.ifHCInOctets.[{#IFNAME}]'
              - sortorder: '1'
              drawtype: GRADIENT_LINE
              color: 3333FF
              item:
                host: 'Synology DiskStation by SNMP'
                key:
'ifMIB.ifMIBObjects.ifXTable.ifXEntry.ifHCOutOctets.[{#IFNAME}]'
              - uuid: f9076b7aa85342aabf4db01c8800fda2
                name: 'Synology SpaceIO'
                type: SNMP_AGENT
                snmp_oid:
'discovery[{#SNMPVALUE},.1.3.6.1.4.1.6574.102.1.1.2]'
                key: spaceIO.spaceIOTable.spaceIOEntry
                delay: 1h
                filter:
                  conditions:
                    - macro: '{#SNMPVALUE}'
                      value: sd
                lifetime: 30d

```

```

        enabled_lifetime_type: DISABLE_NEVER
        description: 'An entry containing a device and its
statistics.'
        item_prototypes:
            - uuid: 4574eadec3dc43af86d756a3286734fb
              name: 'Space Load of Disk {#SNMPVALUE}'
              type: SNMP_AGENT
              snmp_oid: '.1.3.6.1.4.1.6574.102.1.1.7.{#SNMPINDEX}'
              key: 'spaceIO.spaceIOTable.spaceIOEntry.spaceIOLA.
[{{#SNMPINDEX}}]'
              delay: 3m
              units: '%'
              description: 'The load of disk in the volume (%).'
              tags:
                - tag: Application
                  value: 'Synology Spaceio'
            - uuid: 30f7351c90f54e19b24089e06692afa6
              name: '{#SNMPVALUE} byte(s) read since boot'
              type: SNMP_AGENT
              snmp_oid: '.1.3.6.1.4.1.6574.102.1.1.3.{#SNMPINDEX}'
              key: 'spaceIO.spaceIOTable.spaceIOEntry.spaceIONRead.
[{{#SNMPINDEX}}]'
              delay: 3m
              status: DISABLED
              units: byte(s)
              description: 'The number of bytes read from this volume
since boot (32-bit ver.).'
              tags:
                - tag: Application
                  value: 'Synology Spaceio'
            - uuid: 6042a97bd1a3411d9e16797f8efc4812
              name: '{#SNMPVALUE} read access(es) since boot'
              type: SNMP_AGENT
              snmp_oid: '.1.3.6.1.4.1.6574.102.1.1.5.{#SNMPINDEX}'
              key: 'spaceIO.spaceIOTable.spaceIOEntry.spaceIONReads.
[{{#SNMPINDEX}}]'
              delay: 3m
              status: DISABLED
              units: byte(s)
              description: 'The number of read accesses from this
volume since boot.'
              tags:
                - tag: Application
                  value: 'Synology Spaceio'
            - uuid: f66c133715d34c8d81a7b0945e258b02
              name: '{#SNMPVALUE} write accesses since boot'
              type: SNMP_AGENT
              snmp_oid: '.1.3.6.1.4.1.6574.102.1.1.6.{#SNMPINDEX}'
              key: 'spaceIO.spaceIOTable.spaceIOEntry.spaceIONWrites.
[{{#SNMPINDEX}}]'

```

```

        delay: 3m
        status: DISABLED
        units: byte(s)
        description: 'The number of write accesses to this
volume since boot (32-bit ver.).'
        tags:
            - tag: Application
              value: 'Synology Spaceio'
            - uuid: 4cbec0953c7b4e6590c39922a9e3fdb4
              name: '#{SNMPVALUE} byte(s) written since boot'
              type: SNMP_AGENT
              snmp_oid: '.1.3.6.1.4.1.6574.102.1.1.4.#{SNMPINDEX}'
              key: 'spaceIO.spaceIOTable.spaceIOEntry.spaceIONWritten.
[#{SNMPINDEX}]'
        delay: 3m
        status: DISABLED
        units: byte(s)
        description: 'The number of bytes written to this volume
since boot (32-bit ver.).'
        tags:
            - tag: Application
              value: 'Synology Spaceio'
graph_prototypes:
    - uuid: f073336a62714d0496774d7094719448
      name: 'SpaceIO: Load on Disk {#SNMPVALUE} (in %)'
      graph_items:
          - color: EE00EE
            item:
                host: 'Synology DiskStation by SNMP'
                key: 'spaceIO.spaceIOTable.spaceIOEntry.spaceIOLA.
[#{SNMPINDEX}]'
    - uuid: 3c6ecf48282a4b9da5f56670ac770ccd
      name: 'Synology StorageIO'
      type: SNMP_AGENT
      snmp_oid:
'discovery[#{SNMPVALUE},.1.3.6.1.4.1.6574.101.1.1.2]'
      key: storageIO.storageIOTable.storageIOEntry
      delay: 1h
      filter:
          conditions:
              - macro: '#{SNMPVALUE}'
                value: sd
      lifetime: 30d
      enabled_lifetime_type: DISABLE_NEVER
      description: 'An entry containing a device and its
statistics.'
      item_prototypes:
          - uuid: 098e76bb02be4156806c4889bf0723a9
            name: 'Storage Load on Disk {#SNMPVALUE}'
            type: SNMP_AGENT

```



```

        snmp_oid: '.1.3.6.1.4.1.6574.101.1.1.8.{#SNMPINDEX}'
        key:
'storageIO.storageIOTable.storageIOEntry.storageIOLA. [{#SNMPINDEX}] '
        delay: 3m
        units: '%'
        description: 'The load of disk (in %).'
        tags:
            - tag: Application
              value: 'Synology Storageio'
        - uuid: 964804a4353d4270a25e1749fc054903
          name: '{#SNMPVALUE} byte(s) read since boot'
          type: SNMP_AGENT
          snmp_oid: '.1.3.6.1.4.1.6574.101.1.1.3.{#SNMPINDEX}'
          key:
'storageIO.storageIOTable.storageIOEntry.storageIONRead.
 [{#SNMPINDEX}] '
        delay: 3m
        status: DISABLED
        units: byte(s)
        description: 'The number of bytes read from this device
since boot (32-bit VER.).'
        tags:
            - tag: Application
              value: 'Synology Storageio'
        - uuid: 442be3a22a7a4cf6b6a86bb2f748c875
          name: '{#SNMPVALUE} byte(s) written since boot'
          type: SNMP_AGENT
          snmp_oid: '.1.3.6.1.4.1.6574.101.1.1.4.{#SNMPINDEX}'
          key:
'storageIO.storageIOTable.storageIOEntry.storageIONWritten.
 [{#SNMPINDEX}] '
        delay: 3m
        status: DISABLED
        units: byte(s)
        description: 'The number of bytes written to this device
since boot (32-bit VER.).'
        tags:
            - tag: Application
              value: 'Synology Storageio'
        - uuid: 360c6db137dd4f5b9a12c5696a07e0dd
          name: '{#SNMPVALUE} read access(es) since boot'
          type: SNMP_AGENT
          snmp_oid: '.1.3.6.1.4.1.6574.101.1.1.5.{#SNMPINDEX}'
          key:
'storageIO.storageIOTable.storageIOEntry.storageIOReads.
 [{#SNMPINDEX}] '
        delay: 3m
        status: DISABLED
        units: access(es)
        description: 'The number of read accesses from this

```

```

device since boot (32-bit VER.).'
    tags:
        - tag: Application
          value: 'Synology Storageio'
    - uuid: 38dcfe8124704310b70af781d90598ad
      name: '#{SNMPVALUE} write access(es) since boot'
      type: SNMP_AGENT
      snmp_oid: '.1.3.6.1.4.1.6574.101.1.1.6.#{SNMPINDEX}'
      key:
'storageIO.storageIOTable.storageIOEntry.storageIOWrites.
[#{SNMPINDEX}]'
    delay: 3m
    status: DISABLED
    units: access(es)
    description: 'The number of write accesses from this
device since boot (32-bit VER.).'
    tags:
        - tag: Application
          value: 'Synology Storageio'
    graph_prototypes:
        - uuid: 922306759fc045178139ca3f5b6fe89b
          name: 'StorageIO: Load on Disk #{SNMPVALUE}'
          show_work_period: 'NO'
          show_triggers: 'NO'
          ymin_type_1: ITEM
          ymin_item_1:
            host: 'Synology DiskStation by SNMP'
            key:
'storageIO.storageIOTable.storageIOEntry.storageIOLA. [#{SNMPINDEX}]'
          ymax_type_1: ITEM
          ymax_item_1:
            host: 'Synology DiskStation by SNMP'
            key:
'storageIO.storageIOTable.storageIOEntry.storageIOLA. [#{SNMPINDEX}]'
          graph_items:
            - drawtype: BOLD_LINE
              color: 0000EE
              calc_fnc: ALL
              type: GRAPH_SUM
              item:
                host: 'Synology DiskStation by SNMP'
                key:
'storageIO.storageIOTable.storageIOEntry.storageIOLA. [#{SNMPINDEX}]'
            - uuid: 667d018d2ea941e9a29a5856af6a9eb9
              name: 'Synology Disk(s)'
              type: SNMP_AGENT
              snmp_oid:
'discovery[#{SNMPVALUE},.1.3.6.1.4.1.6574.2.1.1.2]'
              key: synoDisk.diskTable.diskEntry
              delay: 1h

```

```

lifetime: 30d
enabled_lifetime_type: DISABLE_NEVER
description: 'For all disk entry.'
item_prototypes:
- uuid: cfb366c37f364af1846c9f0b0d4f344f
  name: '#{SNMPVALUE} Bad sectors count'
  type: SNMP_AGENT
  snmp_oid: '.1.3.6.1.4.1.6574.2.1.1.9.#{SNMPINDEX}'
  key: 'synoDisk.diskTable.diskEntry.diskBadSector.
[#{SNMPINDEX}]'
  delay: 12h
  description: 'The count of each disk I/O bad sector'
  tags:
  - tag: Application
    value: 'Synology Disk'
  trigger_prototypes:
  - uuid: 1aaced98ed6a4c37830d48bf309d16cc
    expression: 'last(/Synology DiskStation by SNMP/
synoDisk.diskTable.diskEntry.diskBadSector.[#{SNMPINDEX}])>0'
    name: '#{SNMPVALUE} disk contains bad sectors'
    priority: HIGH
    description: 'Bad sectors in disk.'
  - uuid: 8d8dd79307c04518a19a164507fdac5c
    name: '#{SNMPVALUE} Model'
    type: SNMP_AGENT
    snmp_oid: '.1.3.6.1.4.1.6574.2.1.1.3.#{SNMPINDEX}'
    key: 'synoDisk.diskTable.diskEntry.diskModel.
[#{SNMPINDEX}]'
    delay: 1d
    value_type: TEXT
    description: 'Synology disk model name: the disk model
name will be showed here.'
    tags:
    - tag: Application
      value: 'Synology Disk'
    trigger_prototypes:
    - uuid: 5aa70edd984f42f384148304354056d0
      expression: '(last(/Synology DiskStation by SNMP/
synoDisk.diskTable.diskEntry.diskModel.[#{SNMPINDEX}],#1)<>last(/
Synology DiskStation by SNMP/synoDisk.diskTable.diskEntry.diskModel.
[#{SNMPINDEX}],#2))>0'
      name: '#{SNMPVALUE} was changed'
      priority: INFO
      description: 'Disk was changed'
    - uuid: dc7657205e7e4c3a884d461d2106f779
      name: '#{SNMPVALUE} Status'
      type: SNMP_AGENT
      snmp_oid: '.1.3.6.1.4.1.6574.2.1.1.5.#{SNMPINDEX}'
      key: 'synoDisk.diskTable.diskEntry.diskStatus.
[#{SNMPINDEX}]'

```

```

        description: |
            Synology disk status: each meanings of status
            represented describe below:
            [1] Normal: the hard disk functions normally.
            [2] Initialized: the hard disk has system partition
            but no data.
            [3] NotInitialized: the hard disk does not have system
            in system partition.
            [4] SystemPartitionFailed: the system partitions on
            the hard disks are damaged.
            [5] Crashed: the hard disk has damaged.
        valuemap:
            name: 'SYNOLOGY-DISK-MIB::diskStatus'
        tags:
            - tag: Application
              value: 'Synology Disk'
        trigger_prototypes:
            - uuid: 42706ae3d0784f7a8647da128a49e062
              expression: 'last(/Synology DiskStation by SNMP/
synoDisk.diskTable.diskEntry.diskStatus.[{#SNMPINDEX}])=5'
              name: '#{#SNMPVALUE} disk damaged'
              priority: HIGH
              description: 'The disk is damaged'
            - uuid: cfbfc8ab2f5d49f4b5d0428a596f5e21
              expression: 'last(/Synology DiskStation by SNMP/
synoDisk.diskTable.diskEntry.diskStatus.[{#SNMPINDEX}])=4'
              name: '#{#SNMPVALUE} partition damaged'
              priority: AVERAGE
              description: 'Partitions on the disk are damaged'
            - uuid: 2128c339329f43d1bca031e5c70f954e
              name: '#{#SNMPVALUE} Temperature'
              type: SNMP_AGENT
              snmp_oid: '.1.3.6.1.4.1.6574.2.1.1.6.{#SNMPINDEX}'
              key: 'synoDisk.diskTable.diskEntry.diskTemperature.
[#{#SNMPINDEX}]'
              units: C
              description: 'Synology disk temperature: the temperature
of each disk uses Celsius degree.'
              tags:
                - tag: Application
                  value: 'Synology Disk'
              trigger_prototypes:
                - uuid: b43b70d6de3e4ccd9dfc62b580b2de78
                  expression: 'avg(/Synology DiskStation by SNMP/
synoDisk.diskTable.diskEntry.diskTemperature.[{#SNMPINDEX}],#4)>60'
                  name: '#{#SNMPVALUE} temperature'
                  priority: WARNING
                - uuid: a2d9899c31124f9489708038b1d7e543
                  name: '#{#SNMPVALUE} Type'
                  type: SNMP_AGENT

```

```

        snmp_oid: '.1.3.6.1.4.1.6574.2.1.1.4.{#SNMPINDEX}'
        key: 'synoDisk.diskTable.diskEntry.diskType.
[#{#SNMPINDEX}]'
        delay: 1d
        value_type: TEXT
        description: 'Synology disk type: the type of disk will
be showed here, including SATA, SSD and so on.'
        tags:
            - tag: Application
              value: 'Synology Disk'
        graph_prototypes:
            - uuid: fb46a95187c845c9a6ac93d6e531b9c0
              name: 'Temperature: Disk {#SNMPVALUE}'
              graph_items:
                  - drawtype: FILLED_REGION
                    color: 2774A4
                    calc_fnc: ALL
                    item:
                        host: 'Synology DiskStation by SNMP'
                        key:
'synoDisk.diskTable.diskEntry.diskTemperature.[#{#SNMPINDEX}]'
                  - sortorder: '1'
                    color: 3333FF
                    item:
                        host: 'Synology DiskStation by SNMP'
                        key: synoSystem.temperature
            - uuid: cc008d4c140349ccb7cea3010c9598a7
              name: 'Synology Disk(s) SMART'
              type: SNMP_AGENT
              snmp_oid: 'discovery[{#SNMPVALUE},.1.3.6.1.4.1.6574.5.1.1.2,
#{#ATTRNAME},.1.3.6.1.4.1.6574.5.1.1.3,
#{#ATTRID},.1.3.6.1.4.1.6574.5.1.1.4,
#{#ATTRCURRENT},.1.3.6.1.4.1.6574.5.1.1.5,
#{#ATTRWORST},.1.3.6.1.4.1.6574.5.1.1.6,
#{#ATTRTHRESHOLD},.1.3.6.1.4.1.6574.5.1.1.7,
#{#ATTRRAW},.1.3.6.1.4.1.6574.5.1.1.8,
#{#ATTRSTATUS},.1.3.6.1.4.1.6574.5.1.1.9]'
              key: synologyDiskSMART.diskSMARTTable.diskSMARTEntry
              delay: 1h
              lifetime: 30d
              enabled_lifetime_type: DISABLE_NEVER
              description: 'An entry containing a disk SMART information.'
              item_prototypes:
                  - uuid: 46d19451821d41ada5517acea9eff282
                    name: '{#ATTRNAME} on {#SNMPVALUE}'
                    type: SNMP_AGENT
                    snmp_oid: '.1.3.6.1.4.1.6574.5.1.1.9.{#SNMPINDEX}'
                    key: 'synologyDiskSMART.diskSMARTTable.diskSMARTEntry.
[#{#SNMPINDEX}]'
                    delay: 1h

```

```

        value_type: TEXT
        tags:
            - tag: Application
              value: 'Synology Disk SMART'
        trigger_prototypes:
            - uuid: d9121ba10d894e2998b88875e7b3697d
              expression: '(last(/Synology DiskStation by SNMP/
synologyDiskSMART.diskSMARTTable.diskSMARTEntry.
[{{#SNMPINDEX}},#1]<>last(/Synology DiskStation by SNMP/
synologyDiskSMART.diskSMARTTable.diskSMARTEntry.{{#SNMPINDEX}},#2))>0'
              name: 'Disk SMART attribute {{#ATTRNAME}} state was
changed on {{#SNMPVALUE}}'
              priority: HIGH
            - uuid: 10bc114adb524dc3a41e1135580d56cc
              name: 'Synology iSCSI LUN'
              type: SNMP_AGENT
              snmp_oid:
'discovery[{{#LUNINDEX}},.1.3.6.1.4.1.6574.104.1.1.1,
{{#LUNUID}},.1.3.6.1.4.1.6574.104.1.1.2,
{{#LUNNAME}},.1.3.6.1.4.1.6574.104.1.1.3]'
              key: synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry
              delay: 1h
              lifetime: 30d
              enabled_lifetime_type: DISABLE_NEVER
              description: 'An entry containing iscsi lun information.'
              item_prototypes:
                  - uuid: 634ff65ef9b645f6b7e22d0211b9e3b5
                    name: 'Disk Latency Read on LUN {{#LUNNAME}} ({{#LUNUID}})'
                    type: SNMP_AGENT
                    snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.10.{{#LUNINDEX}}'
                    key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNDiskLatencyRead[
{{#LUNINDEX}}]'
                    value_type: FLOAT
                    units: ms
                    description: 'LUN read disk latency.'
                    tags:
                        - tag: Application
                          value: 'Synology iSCSI LUN'
                  - uuid: ab4e5b7cd47445ff8f1ed9304051563f
                    name: 'Disk Latency Write on LUN {{#LUNNAME}} ({{#LUNUID}})'
                    type: SNMP_AGENT
                    snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.11.{{#LUNINDEX}}'
                    key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNDiskLatencyWrite
[{{#LUNINDEX}}]'
                    value_type: FLOAT
                    units: ms
                    description: 'LUN write disk latency.'
                    tags:

```

```

        - tag: Application
          value: 'Synology iSCSI LUN'
- uuid: 4decc07717734d0588fe53949eef7dd9
  name: 'IOPS Read on LUN {#LUNNAME} ({#LUNUID})'
  type: SNMP_AGENT
  snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.8.{#LUNINDEX}'
  key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNIopsRead[{#LUNINDEX}]'
    value_type: FLOAT
    units: iops
    description: 'LUN read iops.'
    tags:
      - tag: Application
        value: 'Synology iSCSI LUN'
- uuid: 946b749bb38646328555c9fa4199a30d
  name: 'IOPS Write on LUN {#LUNNAME} ({#LUNUID})'
  type: SNMP_AGENT
  snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.9.{#LUNINDEX}'
  key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNIopsWrite[{#LUNINDEX}]'
    value_type: FLOAT
    units: iops
    description: 'LUN write iops.'
    tags:
      - tag: Application
        value: 'Synology iSCSI LUN'
- uuid: 5dadb1e9c5a84b6daae30b3a13fc8036
  name: 'IO Size Read on LUN {#LUNNAME} ({#LUNUID})'
  type: SNMP_AGENT
  snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.14.{#LUNINDEX}'
  key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNIoSizeRead[{#LUNINDEX}]'
    value_type: FLOAT
    units: B
    description: 'LUN average io size when reading.'
    tags:
      - tag: Application
        value: 'Synology iSCSI LUN'
- uuid: 055643f0938147ba84fc8230d3891b7e
  name: 'IO Size Write on LUN {#LUNNAME} ({#LUNUID})'
  type: SNMP_AGENT
  snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.15.{#LUNINDEX}'
  key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNIoSizeWrite[{#LUNINDEX}]'
    value_type: FLOAT
    units: B

```

```

        description: 'LUN average io size when writing.'
        tags:
          - tag: Application
            value: 'Synology iSCSI LUN'
      - uuid: 45b3bcd46a93411d8398d9922393119f
        name: 'Network Latency TX on LUN {#LUNNAME} ({#LUNUID})'
        type: SNMP_AGENT
        snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.12.{#LUNINDEX}'
        key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNNetworkLatencyTx
[#{#LUNINDEX}]'
        value_type: FLOAT
        units: ms
        description: 'LUN network tx latency.'
        tags:
          - tag: Application
            value: 'Synology iSCSI LUN'
      - uuid: 5046a5114f3f419096c877ebf4f4e312
        name: 'Throughput Read High on LUN {#LUNNAME}
({#LUNUID})'
        type: SNMP_AGENT
        snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.4.{#LUNINDEX}'
        key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNThroughputReadHi
gh[#{#LUNINDEX}]'
        value_type: FLOAT
        units: bps
        description: 'LUN read throughput over 32 bits part.'
        tags:
          - tag: Application
            value: 'Synology iSCSI LUN'
      - uuid: 554d45f7632341d486878cb715be817e
        name: 'Throughput Read Low on LUN {#LUNNAME}
({#LUNUID})'
        type: SNMP_AGENT
        snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.5.{#LUNINDEX}'
        key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNThroughputReadLo
w[#{#LUNINDEX}]'
        value_type: FLOAT
        units: bps
        description: 'LUN read throughput over 32 bits part.'
        tags:
          - tag: Application
            value: 'Synology iSCSI LUN'
      - uuid: 19abf3cc7cbd4417b6dac751d76e2730
        name: 'Throughput Write High on LUN {#LUNNAME}
({#LUNUID})'
        type: SNMP_AGENT
        snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.6.{#LUNINDEX}'

```



```

        key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNThroughputWriteHigh[#{#LUNINDEX}]'
        value_type: FLOAT
        units: bps
        description: 'The higher 32 bit of write throughput.'
        tags:
        - tag: Application
          value: 'Synology iSCSI LUN'
- uuid: a74861d2c7584977a363ccdbd175a709
  name: 'Throughput Write Low on LUN {#LUNNAME}'
({#LUNUID})'
  type: SNMP_AGENT
  snmp_oid: '.1.3.6.1.4.1.6574.104.1.1.7.#{#LUNINDEX}'
  key:
'synologyiSCSILUN.iSCSILUNTable.iSCSILUNEntry.iSCSILUNThroughputWriteLow[#{#LUNINDEX}]'
  value_type: FLOAT
  units: bps
  description: 'The lower 32 bit of write throughput.'
  tags:
  - tag: Application
    value: 'Synology iSCSI LUN'
- uuid: accc2d63ba3d4b5eb380263ac7c796b0
  name: 'Synology Service(s)'
  type: SNMP_AGENT
  snmp_oid:
'discovery[#{#SNMPVALUE},.1.3.6.1.4.1.6574.6.1.1.2]'
  key: synologyService.serviceTable.serviceEntry
  delay: 1h
  lifetime: 30d
  enabled_lifetime_type: DISABLE_NEVER
  description: 'An entry containing Service information.'
  item_prototypes:
  - uuid: 134a32937dd84c1f9707d98c3ca4590b
    name: '{#SNMPVALUE} Users'
    type: SNMP_AGENT
    snmp_oid: '.1.3.6.1.4.1.6574.6.1.1.3.#{#SNMPINDEX}'
    key:
'synologyService.serviceTable.serviceEntry.serviceUsers.
[#{#SNMPINDEX}]'
    units: user(s)
    description: 'Number of users using this service.'
    tags:
    - tag: Application
      value: 'Synology Services'
  graph_prototypes:
  - uuid: 2d68532bbb1745bb8a21e0b967f38f36
    name: 'Service: {#SNMPVALUE} Users'
    show_triggers: 'NO'

```

```

        ymin_type_1: ITEM
        ymin_item_1:
            host: 'Synology DiskStation by SNMP'
            key:
'synologyService.serviceTable.serviceEntry.serviceUsers.
[#{SNMPINDEX}]'
        ymax_type_1: ITEM
        ymax_item_1:
            host: 'Synology DiskStation by SNMP'
            key:
'synologyService.serviceTable.serviceEntry.serviceUsers.
[#{SNMPINDEX}]'
        graph_items:
            - color: 0000EE
              calc_fnc: ALL
              item:
                  host: 'Synology DiskStation by SNMP'
                  key:
'synologyService.serviceTable.serviceEntry.serviceUsers.
[#{SNMPINDEX}]'
            - uuid: c3711376bd4f44a396888c6d9d715569
              name: 'Synology RAID Volume(s)'
              type: SNMP_AGENT
              snmp_oid:
'discovery[#{SNMPVALUE},.1.3.6.1.4.1.6574.3.1.1.2]'
              key: synoRaid.raidTable.raidEntry
              delay: 1h
              lifetime: 30d
              enabled_lifetime_type: DISABLE_NEVER
              item_prototypes:
                  - uuid: 46b1b67cb8b041e996c6a4e8a6d0efdb
                    name: '#{SNMPVALUE} RAID Name'
                    type: SNMP_AGENT
                    snmp_oid: '.1.3.6.1.4.1.6574.3.1.1.2.#{SNMPINDEX}'
                    key: 'synoRaid.raidTable.raidEntry.raidName.
[#{SNMPINDEX}]'
                    delay: 1d
                    value_type: TEXT
                    description: 'Synology raid name: the name of each raid
will be showed here.'
                    tags:
                        - tag: Application
                          value: 'Synology RAID'
                  - uuid: 9578a9400bde447da90cf5ee217c655e
                    name: '#{SNMPVALUE} RAID Status'
                    type: SNMP_AGENT
                    snmp_oid: '.1.3.6.1.4.1.6574.3.1.1.3.#{SNMPINDEX}'
                    key: 'synoRaid.raidTable.raidEntry.raidStatus.
[#{SNMPINDEX}]'
                    delay: 3m

```

```

        description: |
            Synology Raid status: each meanings of status
            represented describe below:
            [1] Normal: the raid functions normally.
            [11] Degrade: degrade happens when a tolerable failure
            of disk(s) occurs.
            [12] Crashed: raid has crashed and just uses for read-
            only operation.

```

```

        Note: other status will be showed when creating or
        deleting raids, including below status:

```

- [2] Repairing,
- [3] Migrating,
- [4] Expanding,
- [5] Deleting,
- [6] Creating(6),
- [7] RaidSyncing,
- [8] RaidParityChecking,
- [9] RaidAssembling and
- [10] Canceling.

```

        valuemap:

```

```

            name: 'SYNOLOGY-RAID-MIB::raidStatus'

```

```

        tags:

```

- tag: Application
- value: 'Synology RAID'

```

        trigger_prototypes:

```

```

            - uuid: 5477ff1d1f2c47dfbfb938169ec9f731
              expression: 'last(/Synology DiskStation by SNMP/
synoRaid.raidTable.raidEntry.raidStatus.[{#SNMPINDEX}])>1 and last(/
Synology DiskStation by SNMP/synoRaid.raidTable.raidEntry.raidStatus.
[{#SNMPINDEX}])<11'

```

```

                name: 'Raid status on {HOSTNAME}: abnormal'

```

```

                priority: WARNING

```

```

                description: |

```

- Repairing(2)
- Migrating(3)
- Expanding(4)
- Deleting(5)
- Creating(6)
- RaidSyncing(7)
- RaidParityChecking(8)
- RaidAssembling(9)
- Canceling(10)

```

            - uuid: 1192b77fa9c6464fa60e82d774d0f9ba

```

```

              expression: 'last(/Synology DiskStation by SNMP/
synoRaid.raidTable.raidEntry.raidStatus.[{#SNMPINDEX}])=12'

```

```

                name: 'Raid status on {HOSTNAME}: crashed'

```

```

                priority: HIGH

```

```

                description: 'RAID has crashed and is now read-
only.'

```

```

        - uuid: 2a9c87888a914fab8a75c0fb70b59dbd
          expression: 'last(/Synology DiskStation by SNMP/
synoRaid.raidTable.raidEntry.raidStatus.[{#SNMPINDEX}])=11'
          name: 'Raid status on {HOSTNAME}: degrade'
          priority: AVERAGE
          description: 'Degrade is shown when a tolerable
failure of disk(s) occurs.'
      tags:
        - tag: class
          value: storage
        - tag: target
          value: synology
      macros:
        - macro: '{$DISK_UTIL_HIGH}'
          value: '90'
        - macro: '{$DISK_UTIL_WARN}'
          value: '80'
        - macro: '{$SNMP_AUTHPASS}'
        - macro: '{$SNMP_PORT}'
          value: '161'
        - macro: '{$SNMP_PRIVPASS}'
        - macro: '{$SNMP_USERNAME}'
      dashboards:
        - uuid: f219b1f6a65b4936a2316d6270bc7ef0
          name: Overview
          pages:
            - name: Overview
              widgets:
                - type: item
                  name: 'System Name'
                  width: '36'
                  height: '3'
                  hide_header: 'YES'
                  fields:
                    - type: STRING
                      name: description
                      value: 'System Name'
                    - type: INTEGER
                      name: desc_v_pos
                      value: '0'
                    - type: ITEM
                      name: itemid.0
                      value:
                        host: 'Synology DiskStation by SNMP'
                        key: synoSystem.Name
                    - type: INTEGER
                      name: show.0
                      value: '1'
                    - type: INTEGER
                      name: show.1

```

```

        value: '2'
    - type: INTEGER
      name: show.2
      value: '4'
    - type: INTEGER
      name: value_size
      value: '35'
- type: item
  name: Uptime
  'y': '3'
  width: '36'
  height: '3'
  hide_header: 'YES'
  fields:
    - type: STRING
      name: description
      value: Uptime
    - type: INTEGER
      name: desc_v_pos
      value: '0'
    - type: ITEM
      name: itemid.0
      value:
        host: 'Synology DiskStation by SNMP'
        key: synoSystem.sysUpTime
    - type: INTEGER
      name: show.0
      value: '1'
    - type: INTEGER
      name: show.1
      value: '2'
    - type: INTEGER
      name: show.2
      value: '4'
    - type: INTEGER
      name: value_size
      value: '35'
- type: honeycomb
  name: Temperatures
  'y': '6'
  width: '72'
  height: '3'
  fields:
    - type: STRING
      name: items.0
      value: '*Temperature'
    - type: STRING
      name: primary_label
      value: '{ITEM.NAME}'
    - type: STRING

```

```

        name: reference
        value: BSBRX
    - type: STRING
      name: secondary_label_units
      value: °C
- type: honeycomb
  name: 'FAN Status'
  'y': '9'
  width: '36'
  height: '3'
  fields:
    - type: STRING
      name: items.0
      value: '*Fan status'
    - type: STRING
      name: primary_label
      value: '{ITEM.NAME}'
    - type: STRING
      name: reference
      value: BEMCQ
    - type: INTEGER
      name: secondary_label_units_show
      value: '0'
    - type: STRING
      name: thresholds.0.color
      value: D3212C
    - type: STRING
      name: thresholds.0.threshold
      value: '0'
    - type: STRING
      name: thresholds.1.color
      value: 069C56
    - type: STRING
      name: thresholds.1.threshold
      value: '1'
    - type: STRING
      name: thresholds.2.color
      value: D3212C
    - type: STRING
      name: thresholds.2.threshold
      value: '2'
- type: svggraph
  name: Temperatures
  'y': '12'
  width: '72'
  height: '6'
  fields:
    - type: INTEGER
      name: ds.0.approximation
      value: '7'

```

- type: INTEGER
 name: ds.0.color_palette
 value: '10'
- type: STRING
 name: ds.0.items.0
 value: '*Temperature'
- type: INTEGER
 name: ds.0.width
 value: '2'
- type: STRING
 name: lefty_static_units
 value: °C
- type: INTEGER
 name: lefty_units
 value: '1'
- type: INTEGER
 name: legend_lines
 value: '10'
- type: INTEGER
 name: legend_lines_mode
 value: '1'
- type: INTEGER
 name: legend_statistic
 value: '1'
- type: STRING
 name: reference
 value: HBXQT
- type: INTEGER
 name: righty
 value: '0'
- type: graphprototype
 'y': '18'
 width: '72'
 height: '5'
 fields:
 - type: GRAPH_PROTOTYPE
 name: graphid.0
 value:
 host: 'Synology DiskStation by SNMP'
 name: 'Disk: Storage Utilization on'

{#IFDESCR}'

- type: STRING
 name: reference
 value: APEEI
- type: item
 name: Model
 x: '36'
 width: '14'
 height: '3'
 hide_header: 'YES'

```

fields:
  - type: STRING
    name: description
    value: Model
  - type: INTEGER
    name: desc_v_pos
    value: '0'
  - type: ITEM
    name: itemid.0
    value:
      host: 'Synology DiskStation by SNMP'
      key: synoSystem.modelName
  - type: INTEGER
    name: show.0
    value: '1'
  - type: INTEGER
    name: show.1
    value: '2'
  - type: INTEGER
    name: show.2
    value: '4'
  - type: INTEGER
    name: value_size
    value: '30'
- type: item
  name: 'Upgrade status'
  x: '36'
  'y': '3'
  width: '36'
  height: '3'
  hide_header: 'YES'
  fields:
    - type: INTEGER
      name: decimal_places
      value: '0'
    - type: STRING
      name: description
      value: 'Upgrade status'
    - type: INTEGER
      name: desc_v_pos
      value: '0'
    - type: ITEM
      name: itemid.0
      value:
        host: 'Synology DiskStation by SNMP'
        key: synoSystem.upgradeAvailable
    - type: INTEGER
      name: show.0
      value: '1'
    - type: INTEGER

```



```

        name: show.1
        value: '2'
    - type: INTEGER
      name: value_size
      value: '30'
- type: honeycomb
  name: 'SMART Status'
  x: '36'
  'y': '9'
  width: '36'
  height: '3'
  fields:
    - type: STRING
      name: items.0
      value: 'Drive*Status'
    - type: STRING
      name: items.1
      value: 'Disk*Status'
    - type: STRING
      name: primary_label
      value: '{ITEM.NAME}'
    - type: STRING
      name: reference
      value: VWJHW
    - type: INTEGER
      name: secondary_label_units_show
      value: '0'
    - type: STRING
      name: thresholds.0.color
      value: 069C56
    - type: STRING
      name: thresholds.0.threshold
      value: '1'
    - type: STRING
      name: thresholds.1.color
      value: FCCB1D
    - type: STRING
      name: thresholds.1.threshold
      value: '2'
    - type: STRING
      name: thresholds.2.color
      value: FCCB1D
    - type: STRING
      name: thresholds.2.threshold
      value: '3'
    - type: STRING
      name: thresholds.3.color
      value: D3212C
    - type: STRING
      name: thresholds.3.threshold

```

```

        value: '4'
      - type: STRING
        name: thresholds.4.color
        value: D3212C
      - type: STRING
        name: thresholds.4.threshold
        value: '5'
    - type: item
      name: 'Firmware version'
      x: '50'
      width: '22'
      height: '3'
      hide_header: 'YES'
      fields:
        - type: STRING
          name: description
          value: 'Firmware version'
        - type: INTEGER
          name: desc_v_pos
          value: '0'
        - type: ITEM
          name: itemid.0
          value:
            host: 'Synology DiskStation by SNMP'
            key: synoSystem.version
        - type: INTEGER
          name: show.0
          value: '1'
        - type: INTEGER
          name: show.1
          value: '2'
        - type: INTEGER
          name: show.2
          value: '4'
        - type: INTEGER
          name: value_size
          value: '30'
    - name: Network
      widgets:
        - type: graphprototype
          width: '72'
          height: '10'
          fields:
            - type: GRAPH_PROTOTYPE
              name: graphid.0
              value:
                host: 'Synology DiskStation by SNMP'
                name: 'Network: Traffic on Interface'
                value: '4'
            - type: STRING

```

{#IFNAME}'

```
        name: reference
        value: AWDTN
    - type: INTEGER
      name: rows
      value: '2'
```

valuemaps:

- uuid: 3a17c5b68b454649893d7e32f0c55db7
 name: 'SYNOLOGY-DISK-MIB::diskStatus'
 mappings:
 - value: '1'
 newvalue: Normal
 - value: '2'
 newvalue: Initialized
 - value: '3'
 newvalue: 'Not Initialized'
 - value: '4'
 newvalue: 'System Partition Failed'
 - value: '5'
 newvalue: Crashed
- uuid: 9257948aeb2b4d9d82816b00d38eb0a3
 name: 'SYNOLOGY-RAID-MIB::raidStatus'
 mappings:
 - value: '1'
 newvalue: Normal
 - value: '2'
 newvalue: Repairing
 - value: '3'
 newvalue: Migrating
 - value: '4'
 newvalue: Expanding
 - value: '5'
 newvalue: Deleting
 - value: '6'
 newvalue: Creating
 - value: '7'
 newvalue: 'Raid Syncing'
 - value: '8'
 newvalue: 'Raid Parity Checking'
 - value: '9'
 newvalue: 'Raid Assembling'
 - value: '10'
 newvalue: Canceling
 - value: '11'
 newvalue: Degraded
 - value: '12'
 newvalue: Crashed
- uuid: afd475a79c74b05909e622376f2bfd0
 name: 'SYNOLOGY-SYSTEM-MIB::powerStatus'
 mappings:
 - value: '1'

```

        newvalue: Normal
      - value: '2'
        newvalue: Failed
    - uuid: 1ce7265bf0424e3cad1cb8a87012afa0
      name: 'SYNOLOGY-SYSTEM-MIB::systemStatus'
      mappings:
        - value: '1'
          newvalue: Normal
        - value: '2'
          newvalue: Failed
    - uuid: b8b5468ab72e473d842f63b653d5d431
      name: 'SYNOLOGY-SYSTEM-MIB::upgradeAvailable'
      mappings:
        - value: '1'
          newvalue: Available
        - value: '2'
          newvalue: 'Up to date'
        - value: '3'
          newvalue: Connecting
        - value: '4'
          newvalue: Disconnected
        - value: '5'
          newvalue: Other
  graphs:
    - uuid: 22fe43ffac72474bb67f4010cb2b3c4b
      name: 'CPU: Idle System User'
      height: '300'
      graph_items:
        - drawtype: BOLD_LINE
          color: 1A7C11
          calc_fnc: ALL
          item:
            host: 'Synology DiskStation by SNMP'
            key: synoSystem.ssCpuIdle
        - sortorder: '1'
          color: F63100
          calc_fnc: ALL
          item:
            host: 'Synology DiskStation by SNMP'
            key: synoSystem.ssCpuSystem
        - sortorder: '2'
          color: 2774A4
          calc_fnc: ALL
          item:
            host: 'Synology DiskStation by SNMP'
            key: synoSystem.ssCpuUser
    - uuid: 68b0ec1cb01c4c5c838e288db0866691
      name: 'Memory: Physical Memory (Exploded)'
      width: '600'
      height: '340'

```

```
yaxismax: '0'
show_work_period: 'NO'
show_triggers: 'NO'
type: EXPLODED
show_3d: 'YES'
graph_items:
  - color: 6C59DC
    calc_fnc: LAST
    type: GRAPH_SUM
    item:
      host: 'Synology DiskStation by SNMP'
      key: ucdavis.memory.memTotalReal
  - sortorder: '1'
    color: EEEE00
    calc_fnc: LAST
    item:
      host: 'Synology DiskStation by SNMP'
      key: ucdavis.memory.memAvailReal
- uuid: 5a869a677b254629825e145277b54173
  name: 'Memory: Swap Memory (Exploded)'
  width: '600'
  height: '340'
  yaxismax: '0'
  show_work_period: 'NO'
  show_triggers: 'NO'
  type: EXPLODED
  show_3d: 'YES'
  graph_items:
    - color: A54F10
      calc_fnc: LAST
      type: GRAPH_SUM
      item:
        host: 'Synology DiskStation by SNMP'
        key: ucdavis.memory.memTotalSwap
    - sortorder: '1'
      color: 2774A4
      calc_fnc: LAST
      item:
        host: 'Synology DiskStation by SNMP'
        key: ucdavis.memory.memAvailSwap
- uuid: 7047bceded544c67ade37f095a519a05
  name: 'System: Temperature'
  graph_items:
    - drawtype: FILLED_REGION
      color: 2774A4
      calc_fnc: ALL
      item:
        host: 'Synology DiskStation by SNMP'
        key: synoSystem.temperature
```