PRODUCT REQUIREMENTS DOCUMENT

Metzudat HaLikud

User Accounts & Likud Primaries Module

Extension PRD — v1.0.0

Property	Value
Project	Metzudat HaLikud (מצודת הליכוד)
Document Type	Extension PRD — User System + Primaries Module
Base Version	v0.18.0 (existing news app)
Target Version	v1.0.0 (with user accounts + primaries)
Date	February 22, 2026
Author	Ofek Grim
Status	Draft — Planning Phase
Stack	Flutter + BLoC · NestJS + PostgreSQL · Next.js Admin
Target Primaries	Knesset list primaries — April/May 2026

Table of Contents

1. Executive Summary

2. User Account System (Module A)

2.1 Overview & Motivation

2.2 Authentication Architecture

2.3 User Profile & Preferences

2.4 Enhanced Favorites & History

2.5 Push Notification Preferences

2.6 Database Schema Changes

2.7 API Endpoints

2.8 Admin Panel Changes

2.9 Migration Strategy (Device-ID to User)

3. Likud Primaries Module (Module B)

3.1 Overview & Political Context

3.2 Pre-Primary Phase Features

3.3 Election Day Features

3.4 Post-Primary Phase Features

3.5 Year-Round Engagement

3.6 Database Schema (Primaries)

3.7 API Endpoints (Primaries)

3.8 Admin Panel (Primaries)

4. Flutter Feature Specifications

5. Monetization & Legal Compliance

6. Development Roadmap & Effort Estimates

7. Risk Register

8. Appendix: Full Screen Inventory

1. Executive Summary

This document extends the Metzudat HaLikud PRD (v0.18.0) with two major modules that transform the app from a read-only news platform into an interactive membership engagement tool:

- **Module A — User Account System:** Replaces the anonymous device-ID approach with optional phone/email authentication. Enables cross-device sync of favorites, reading history, comments, and notification preferences. Users who prefer anonymity can continue using the app without registration — accounts are optional but unlock additional features.
- **Module B — Likud Primaries:** A full-cycle election module covering pre-primary candidate discovery, election-day live results, and post-primary analysis. Designed to serve ~140,000 registered Likud members during both leadership and Knesset list primaries, with year-round engagement features between election cycles.

Both modules share a common authentication layer and integrate seamlessly with the existing news infrastructure (articles, breaking news, member profiles, SSE streams).

Metric	Current (v0.18.0)	Target (v1.0.0)
Flutter features	16	24 (+8 new)
Database tables	14	28 (+14 new)
REST endpoints	70+	120+ (+50 new)
Admin pages	20	32 (+12 new)
Translation keys	203	~380 (+177 new)
User model	Anonymous device-ID	Optional phone/email auth
Primaries module	None	Full cycle (pre/live/post)

2. User Account System (Module A)

2.1 Overview & Motivation

The current app uses anonymous device-IDs (UUID) for favorites and reading history. This works for casual readers but creates three problems: (1) users lose their data when switching devices, (2) the app cannot personalize content or deliver targeted notifications, and (3) the primaries module requires verified identity for features like polling station lookup and candidate quiz results.

The user system is designed as an optional upgrade — the app remains fully functional without registration. This mirrors the Israel Hayom / Ynet model where accounts are optional but unlock commenting, personalization, and saved content sync.

Capability	Anonymous (device-ID)	Registered User
Read articles & news	✓	✓
Breaking news & ticker	✓	✓
Save favorites	✓ (local only)	✓ (synced cross-device)
Reading history	✓ (local only)	✓ (synced cross-device)
Comments	✗	✓ (with display name)
Notification preferences	Basic (all/none)	Granular (categories, authors, members)
Candidate matching quiz	✗	✓
Membership verification	✗	✓
Polling station finder	✗	✓
Community polls	✗	✓ (one vote per user)
Engagement points/badges	✗	✓

2.2 Authentication Architecture

2.2.1 Registration Methods

Users can register via three methods, all producing the same JWT-authenticated session:

- **Phone + OTP:** Primary method for Israeli users. 6-digit code sent via SMS (Twilio or MessageBird). Phone number serves as unique identifier. No password required.
- **Email + Password:** Secondary method. Email verified via magic link. Password stored as bcrypt hash. Minimum 8 characters.
- **Social Login (Phase 2):** Google and Apple Sign-In via Firebase Auth. Maps to internal user record.

2.2.2 Session Management

- **Access Token:** JWT, 15-minute expiry, stored in secure storage (flutter_secure_storage)
- **Refresh Token:** Opaque token, 30-day expiry, stored server-side in refresh_tokens table, rotated on each use
- **Device Migration:** On first login, prompt user to merge existing device-ID favorites/history into their account
- **Multi-device:** Users can be logged in on multiple devices simultaneously. Favorites sync in real-time via polling (every 5 min) or SSE.

2.2.3 Role Hierarchy

Role	Scope	Capabilities
guest	App	Read content, device-local favorites
member	App	All guest + synced favorites, comments, polls, basic primaries features
verified_member	App	All member + candidate quiz, polling station, full primaries access
editor	Admin	Create/edit articles, manage content
admin	Admin	All editor + manage users, categories, members, push notifications
super_admin	Admin	All admin + manage other admins, system settings, primaries config

The verified_member role requires linking a Likud membership ID. Verification is done via the party's membership database API (or manual admin approval if API is unavailable).

2.3 User Profile & Preferences

Each registered user has a profile with the following fields:

Field	Type	Required	Notes
displayName	string(60)	Yes	Shown on comments, polls. Hebrew or English.
phone	string(15)	Phone or email	Israeli format (+972...). Unique.
email	string(255)	Phone or email	Unique. Verified via magic link.
avatarUrl	string	No	S3 URL or Gravatar fallback
likudMemberId	string(20)	No	For verified_member upgrade
district	enum	No	1 of 10 Likud geographic districts
birthYear	int	No	For demographic insights (admin only)
preferredLanguage	enum(he/en)	No	Defaults to device locale
notificationPrefs	JSONB	No	See section 2.5
isPublicProfile	boolean	No	Whether profile is visible in community features

2.4 Enhanced Favorites & History

With user accounts, the favorites and reading history systems upgrade from device-local to cloud-synced:

2.4.1 Favorites (Bookmarks)

- **Folders:** Users can organize bookmarks into custom folders (e.g., “Security”, “Economy”, “Primaries”). Default folder: “General”.
- **Notes:** Optional personal note on each bookmark (up to 500 chars). Visible only to the user.
- **Sharing:** Share a folder as a public link — useful for recommendation lists during primaries.
- **Sync:** Bi-directional sync. Offline changes queue and merge on reconnect. Last-write-wins conflict resolution.

2.4.2 Reading History

- **Read progress:** Track scroll position (% read) for long articles. Resume where you left off.
- **Read time:** Estimated and actual reading time per article.
- **History export:** Export reading history as CSV (for power users).

2.4.3 Personalized Feed

- **Followed categories:** Users select categories of interest during onboarding. Home feed prioritizes these.
- **Followed members:** Follow specific Knesset members to get their articles and updates in feed.
- **Followed authors:** Follow specific journalists/columnists.
- **Algorithm:** Simple scoring: followed_category(+3) + followed_member(+5) + followed_author(+4) + recency(-1/hour) + popularity(views/100). No ML — transparent, deterministic ranking.

2.5 Push Notification Preferences

Granular notification controls stored as JSONB:

Preference	Type	Default	Description
breakingNews	boolean	true	All breaking news alerts
dailyDigest	boolean	true	Morning summary at 07:00
weeklyRecap	boolean	false	Weekly highlights on Friday
followedMembers	boolean	true	New articles about followed members
followedAuthors	boolean	true	New articles by followed authors
followedCategories	boolean	true	New articles in followed categories
comments	boolean	true	Replies to your comments

primariesAlerts	boolean	true	Primary election updates
electionDay	boolean	true	Election day reminders and results
quietHoursStart	string	23:00	No notifications after this time
quietHoursEnd	string	07:00	Resume notifications after this time

2.6 Database Schema Changes

New and modified tables for the user account system:

New Tables

Table	Key Columns	Purpose
app_users	id, phone, email, passwordHash, displayName, avatarUrl, role, likudMemberId, district, notificationPrefs(JSONB), createdAt, lastLoginAt, isActive	Registered user accounts
refresh_tokens	id, userId, token, expiresAt, deviceInfo, createdAt	JWT refresh tokens (rotated)
otp_codes	id, phone, code, expiresAt, attempts, verifiedAt	Phone OTP verification (TTL: 5 min)
email_verifications	id, userId, token, expiresAt, verifiedAt	Email magic link tokens
bookmark_folders	id, userId, name, color, sortOrder, isDefault	User-created bookmark folders
user_follows	id, userId, followableType(category/member/author/tag), followableId, createdAt	Polymorphic follow relationships

Modified Tables

Table	Changes	Migration Notes
user_favorites	Add userId (nullable FK), add folderId (nullable FK), add note(text)	Existing device-ID rows preserved. userId populated on account link.
reading_history	Add userId (nullable FK), add scrollPosition(float), add readDurationSec(int)	Existing rows preserved. userId populated on account link.
comments	Add userId (FK, nullable). Change authorName to computed from user profile if userId present.	Existing anonymous comments unchanged.
push_tokens	Add userId (nullable FK)	Link tokens to user accounts for targeted notifications.

2.7 API Endpoints

Method	Endpoint	Auth	Description
POST	/auth/register/phone	Public	Send OTP to phone number

POST	/auth/verify/phone	Public	Verify OTP, return JWT + refresh token
POST	/auth/register/email	Public	Register with email + password
POST	/auth/verify/email/:token	Public	Verify email via magic link
POST	/auth/login/email	Public	Login with email + password
POST	/auth/refresh	Public	Exchange refresh token for new JWT
POST	/auth/logout	Member	Revoke refresh token
GET	/users/me	Member	Get current user profile
PATCH	/users/me	Member	Update profile fields
POST	/users/me/avatar	Member	Upload avatar image
POST	/users/me/verify-membership	Member	Submit Likud ID for verification
POST	/users/me/merge-device	Member	Merge device-ID data into account
GET	/users/me/favorites	Member	Get all favorites with folders
POST	/users/me/favorites/folders	Member	Create bookmark folder
GET	/users/me/follows	Member	Get all follows (categories, members, authors)
POST	/users/me/follows	Member	Follow a category/member/author
DELETE	/users/me/follows/:id	Member	Unfollow
GET	/users/me/feed	Member	Personalized article feed
PATCH	/users/me/notifications	Member	Update notification preferences

2.8 Admin Panel Changes

- **User Management Page:** List all registered users with search, filter by role, sort by registration date. View/edit individual user profiles. Approve/reject membership verification requests.
- **User Detail Page:** Full profile view, activity log (comments, favorites, reading stats), role management, ban/suspend actions.
- **Analytics Enhancement:** Registered vs anonymous user breakdown, daily active users, retention metrics, notification opt-in rates.
- **Comment Moderation Update:** Show user profile alongside comment for moderation context. Link to user history.

2.9 Migration Strategy (Device-ID to User)

The migration from device-ID to user accounts must be seamless and non-disruptive:

1. Phase 1 — Dual Mode: Deploy user auth alongside existing device-ID system. Both work simultaneously. New registration prompt appears as a non-blocking banner on home screen after 3 app opens.
2. Phase 2 — Merge Flow: When a user registers, prompt: “We found X favorites and Y articles in your history. Would you like to add them to your account?” If yes, copy all device-ID data to user account. Device-ID continues to work as fallback.

3. Phase 3 — Incentivize: After primaries module launches, gate primaries features behind registration. Display “Sign up to access candidate quiz, polling station finder, and live results” prompts.
4. Phase 4 — Sunset (optional): After 6+ months, if >70% of active users are registered, consider deprecating device-ID favorites (but never block reading).

3. Likud Primaries Module (Module B)

3.1 Overview & Political Context

Likud runs two types of internal elections: leadership primaries (who chairs the party) and Knesset list primaries (who represents the party in parliament). With ~140,000 registered members, 110+ candidates in list primaries, and 10 geographic districts, the information gap is currently filled by WhatsApp power brokers rather than transparent tools.

The primaries module transforms the news app into the central hub for Likud's democratic process. It operates across three phases:

Phase	Timeline	Core Features	User Type Required
Pre-Primary	2–6 months before vote	Candidate profiles, matching quiz, endorsement tracker, membership dashboard, event calendar, community polls	member (quiz requires verified_member)
Election Day	Voting day (9:00–22:30)	Polling station finder, live results dashboard, turnout tracker, P2P mobilization, push alert blitz	verified_member for station finder
Post-Primary	1–2 weeks after vote	Results analysis, winner profiles, mandate visualization, historical comparison, faction analysis	All users
Year-Round	Between election cycles	Engagement gamification, branch coordination, Central Committee coverage, party education	member

3.2 Pre-Primary Phase Features

3.2.1 Candidate Profiles (כרטיסי מועמדים)

Every national and district candidate gets a standardized profile page with structured data:

Field	Type	Source
Full name (HE + EN)	text	Candidate submission
Photo (portrait)	image	Candidate submission (S3)
Age, city of residence	text	Candidate submission
Party member since	date	Party database
Previous Knesset terms	int	Admin data entry
Current/past positions	text[]	Candidate submission
District (if district candidate)	enum	Party registration
Policy positions (10–15 issues)	JSONB	Structured form submission
90-second video intro	video URL	Candidate upload (S3)
Endorsements	FK[] to members	Admin-verified

Related articles	FK[] to articles	Auto-linked by tag
Campaign website / social links	URLs	Candidate submission
Sponsorship badge	boolean + text	Paid placement (marked תוכן ממומן)

3.2.2 Candidate Matching Quiz (מי מתאים לי?)

An iSideWith-style quiz that matches members to their most-aligned candidates. This is the primaries module's killer feature.

- **Format:** 15–20 multiple-choice questions on key Likud policy issues (security doctrine, settlements, judicial reform, religion-state, economy, social policy, coalition strategy)
- **Weighting:** Each question has a weight slider — "How important is this issue to you?" (low/medium/high). Higher weight = more impact on match score.
- **Scoring:** Cosine similarity between user's weighted answer vector and each candidate's position vector. Results shown as percentage match (e.g., "87% match with Candidate A").
- **Output:** Ranked list of top 15 candidates with match percentage. Tap any candidate to see detailed comparison ("You agree on 12/15 issues, disagree on 3"). Shareable result card for WhatsApp.
- **Admin:** Admin panel form for entering each candidate's positions. Questions and weights managed via dedicated admin page.

3.2.3 Membership Status Dashboard (מצב חברות)

Solves the "Code 99" problem where ~35,000 members had frozen registrations due to payment issues:

- **Eligibility checker:** Real-time display: "You are eligible to vote" / "Your membership expires in X days" / "Your payment method needs updating"
- **16-month countdown:** For new members, a visual countdown to voting eligibility (must be registered 16+ months before the primary)
- **Payment reminders:** Push notifications 30, 14, and 3 days before payment deadline or card expiry
- **District info:** Display user's assigned district, district representative candidates, and local polling station

3.2.4 Endorsement Tracker (מפת המלצות)

- **Visual endorsement graph:** Interactive network showing which senior figures, MKs, and branch chairs endorse which candidates
- **Filter by endorser:** See all candidates endorsed by a specific MK or faction leader
- **Timeline view:** Chronological display of endorsement announcements with linked news articles

3.2.5 Campaign Event Calendar (לוח אירועים)

- All candidate appearances, debates, parlor meetings, branch events

- **Location-based filtering:** Surface events near user's location or district
- **RSVP + calendar integration:** Add events to device calendar, push reminders 1 hour before
- **Admin:** Candidates can submit events; editors approve and publish

3.2.6 Community Polls (סקרים)

- **Non-binding preference polls:** Weekly polls on candidate preferences, policy questions, party direction
- **One vote per verified user:** Anti-fraud via user account + rate limiting
- **Results visible after voting:** Prevents bandwagon effect — user must vote before seeing results
- **Shareable results cards:** Drive app installs via WhatsApp sharing

3.3 Election Day Features

3.3.1 Polling Station Finder (איפה מצביעים?)

- **Address-based lookup:** Enter address or use GPS to find assigned polling station
- **Navigation:** One-tap open in Google Maps / Waze / Apple Maps
- **Operating hours:** Station hours (typically 9:00–22:30) with countdown to closing
- **Crowdsourced wait times:** Users report current wait times; displayed as traffic light (green < 10min, yellow 10–30, red > 30)
- **Data source:** Likud's official polling station list (uploaded by admin before election day)

3.3.2 Live Results Dashboard (לוח תוצאות)

- **Real-time leaderboard:** As votes are counted, display each candidate's total votes and current position on the list
- **Animated list assembly:** Visual showing the Knesset list taking shape: national slots, district slots, reserved slots, leader picks
- **Count progress:** Percentage of ballots counted, estimated final results
- **SSE-powered:** Results pushed via existing SSE infrastructure with new /sse/primaries channel
- **Admin data entry:** Editors manually input results as they're announced (no automated feed exists)

3.3.3 Turnout Tracker (מד הצבעה)

- **Overall and per-district turnout:** Percentage with comparison to previous primaries (2022: 58%, 2019: 58%)
- **Hourly updates:** Turnout curve visualization throughout the day
- **Social pressure mechanics:** Push notifications escalate: morning reminder → midday turnout update → evening "Polls close in 2 hours"

3.3.4 P2P Mobilization (גיוס חברים)

- **"I Voted" sharing:** Branded graphic with Metzudat logo for WhatsApp/Instagram sharing
- **Remind a friend:** Select contacts from phone, send pre-composed WhatsApp message with app deep link to polling station finder
- **Branch turnout competition:** Real-time leaderboard of branches by voter turnout percentage

3.4 Post-Primary Phase Features

- **Full results breakdown:** National list, district winners, reserved slot activations, leader picks — all in one comprehensive view
- **Historical comparison:** How each candidate's 2026 placement compares to 2022 and 2019
- **Faction analysis:** Which internal power blocs gained or lost influence
- **Mandate visualization:** Based on current polling, which list positions translate to realistic Knesset seats (threshold analysis)
- **Winner profiles:** Enhanced profiles for elected candidates with video interviews

3.5 Year-Round Engagement

3.5.1 Gamification (נקודות ותגים)

A points-badges-leaderboard system adapted from successful political apps (Hillary 2016, AUR Romania, Trump 2020):

Action	Points	Frequency Limit
Read an article	5	20/day
Share article to social media	10	10/day
Complete daily quiz	15	1/day
Complete candidate matching quiz	50	1/primary cycle
Attend branch event (GPS check-in)	30	1/event
Vote in community poll	10	1/poll
Comment on article	5	10/day
Recruit new member (referral code)	100	Unlimited
Vote on election day (self-report)	200	1/primary

Badges with Likud heritage names:

- **תג ז׳בוטינסקי (Jabotinsky Badge):** Complete 10 educational quizzes
- **תג בגין (Begin Badge):** Attend 5 branch events
- **תג הרצל (Herzl Badge):** Recruit 10 new members
- **תג המצודה (Fortress Badge):** Reach 1,000 total points
- **תג הדמוקרטיה (Democracy Badge):** Vote in a primary

3.5.2 Branch Coordination (תיאום סניפים)

- Branch-specific news feeds and event boards
- Volunteer signup for local campaigns
- Branch leaderboard (aggregate member engagement)
- Opt-in member directory for branch networking

3.5.3 Educational Content (מורשת הליכוד)

- “This Day in Likud History” daily feature
- Weekly trivia quiz about party heritage
- Central Committee coverage and analysis
- Knesset session live blogs for Likud MKs

3.6 Database Schema (Primaries)

New tables for the primaries module:

Table	Key Columns	Purpose
primary_elections	id, type(leadership/list), title, votingDate, registrationDeadline, status(upcoming/active/counting/completed), totalEligible, totalVoted, config(JSONB)	Election metadata
candidates	id, electionId(FK), userId(FK nullable), name, nameEn, photo, district, candidateType(national/district), videoUrl, campaignUrl, socialLinks(JSONB), positions(JSONB), partyMemberSince, previousTerms, isSponsored, sortOrder	Candidate profiles
candidate_endorsements	id, candidateId(FK), endorserId(FK to members), endorserName, endorserTitle, endorsedAt, articleId(FK nullable)	Endorsement relationships
quiz_questions	id, electionId(FK), questionHe, questionEn, options(JSONB), category, weight, sortOrder, isActive	Matching quiz questions
quiz_responses	id, userId(FK), electionId(FK), answers(JSONB), topMatches(JSONB), completedAt	User quiz results
election_results	id, electionId(FK), candidateId(FK), votes, position, slotType(national/district/reserved/leader_pick), isElected, updatedAt	Vote counts and list positions
polling_stations	id, electionId(FK), name, address, lat, lng, district, openTime, closeTime, capacity	Physical voting locations
station_reports	id, stationId(FK), userId(FK), waitMinutes, reportedAt	Crowdsourced wait times
turnout_snapshots	id, electionId(FK), district, timestamp, votedCount, eligibleCount	Periodic turnout data
community_polls	id, questionHe, questionEn, options(JSONB), type(single/multi), electionId(FK nullable), startsAt, endsAt, isActive	Non-binding community polls
poll_votes	id, pollId(FK), userId(FK), selectedOptions(JSONB), votedAt	One vote per user per poll
campaign_events	id, candidateId(FK nullable), title, description, location, lat, lng, startTime, endTime, eventType(debate/meeting/rally), isApproved	Campaign calendar events
user_points	id, userId(FK), action, points, metadata(JSONB), earnedAt	Gamification point log
user_badges	id, userId(FK), badgeType(enum), earnedAt	Earned badges

3.7 API Endpoints (Primaries)

Method	Endpoint	Auth	Description
GET	/primaries/elections	Public	List all elections (current + past)

GET	/primaries/elections/:id	Public	Election details + status
GET	/primaries/candidates	Public	All candidates for current election
GET	/primaries/candidates/:id	Public	Candidate detail with positions
GET	/primaries/candidates/compare?ids=	Public	Side-by-side comparison (2–3 candidates)
GET	/primaries/endorsements	Public	All endorsements (filterable)
GET	/primaries/quiz/:electionId	Member	Get quiz questions
POST	/primaries/quiz/:electionId	Member	Submit answers, get matches
GET	/primaries/quiz/:electionId/results	Member	Retrieve saved quiz results
GET	/primaries/membership-status	Verified	Check voting eligibility
GET	/primaries/polling-station	Verified	Find assigned polling station
POST	/primaries/station-report	Verified	Report wait time
GET	/primaries/results/:electionId	Public	Current results/leaderboard
SSE	/sse/primaries	Public	Live results stream
GET	/primaries/turnout/:electionId	Public	Turnout data by district
GET	/primaries/polls	Public	Active community polls
POST	/primaries/polls/:id/vote	Member	Cast poll vote
GET	/primaries/events	Public	Campaign events calendar
GET	/primaries/points/me	Member	User's points and badges
GET	/primaries/leaderboard	Member	Top users and branches

3.8 Admin Panel (Primaries)

New admin pages for managing the primaries module:

Page	CRUD	Key Features
Elections Management	Full CRUD	Create/configure elections, set dates, manage status transitions
Candidates	Full CRUD	Candidate profiles, position entry form, photo/video upload, sponsorship toggle
Endorsements	Full CRUD	Link endorsers to candidates, verify, attach articles
Quiz Builder	Full CRUD	Create/edit questions, set weights, preview quiz, view aggregate analytics
Polling Stations	Full CRUD	Bulk import (CSV), map view, district assignment
Results Entry	Create/Update	Manual vote count entry, position calculator, publish results
Community Polls	Full CRUD	Create polls, set timing, view results, export data
Campaign Events	Full CRUD + Approve	Review candidate-submitted events, approve/reject, edit
Gamification Config	Update	Configure points per action, badge thresholds, view leaderboards

Turnout Dashboard	Read	Real-time turnout by district, comparison to historical data
Primaries Analytics	Read	Quiz completion rates, candidate profile views, engagement metrics
Primaries Push	Send	Election-day push notifications, results alerts, turnout reminders

4. Flutter Feature Specifications

All new features follow the same Clean Architecture pattern (data/domain/presentation) with BLoC state management. Below is the complete inventory of new Flutter features:

#	Feature	Screens	Key Widgets	Effort
17	**Auth (Login/Register)**	Login, Register, OTP Verify, Forgot Password	PhoneInputField, OTPPinField, SocialLoginButtons	Large
18	**User Profile**	Profile View, Edit Profile, Avatar Upload	ProfileHeader, StatsRow, FollowChips	Medium
19	**Notification Preferences**	Preferences Screen	ToggleSwitchGroup, TimePicker (quiet hours)	Small
20	**Enhanced Favorites**	Folders List, Folder Detail, Add Note	FolderCard, BookmarkWithNote, ShareFolderButton	Medium
21	**Candidate Directory**	Candidate List (filterable), Candidate Detail, Compare View	CandidateCard, PositionRadar, CompareTable	Large
22	**Candidate Quiz**	Quiz Flow (swipeable), Results Screen, Share Card	QuizCard, WeightSlider, MatchPercentBar, ResultsChart	Large
23	**Membership Dashboard**	Status Screen, District Info	EligibilityBanner, CountdownTimer, DistrictMap	Medium
24	**Election Day Hub**	Station Finder, Live Results, Turnout Tracker	StationMap, ResultsLeaderboard, TurnoutGauge, ShareIVoted	X-Large

Shared infrastructure additions:

- **AuthBloc:** Global BLoC managing auth state (unauthenticated/authenticating/authenticated). Wraps go_router redirect guards.
- **SecureStorageService:** flutter_secure_storage wrapper for JWT/refresh tokens.
- **UserRepository:** Abstracts user CRUD, profile sync, follow management.
- **PrimariesRepository:** Abstracts all primaries API calls.
- **SSE Channel (primaries):** New SSE connection for live results during election day.

5. Monetization & Legal Compliance

5.1 Revenue Streams

Stream	Model	Pricing	Legal Requirement
Candidate Sponsored Profiles	Enhanced placement in search, home spotlight	Equal rates for all candidates	Must display תוכן ממומן badge. Must offer same terms to all.
Campaign Analytics	Anonymized engagement data per candidate	Fair market value per package	Individual donor cap: NIS 45,468. Report to State Comptroller.
Sponsored Push Notifications	Candidate-branded alerts (clearly labeled)	Per-notification pricing	Non-discrimination: available to all candidates equally.
News App Ads (existing)	Google AdMob banners + native	Programmatic	Standard ad disclosure. Not applicable during primaries blackout.

5.2 Legal Requirements

- **Elections (Modes of Propaganda) Law 2022 Amendment:** Every political ad must identify who ordered it and which candidate it supports. Non-compliance: up to 6 months imprisonment or ~NIS 29,200 fine.
- **Non-discrimination principle:** Once ad space is sold to one candidate, equivalent terms must be offered to all.
- **Privacy Protection Law Amendment 13 (August 2025):** Political opinions are “data of special sensitivity.” Requires explicit consent, appointed Privacy Protection Officer, database registration (>10,000 records), penetration testing.
- **Elector precedent:** The 2020 data breach exposing 6.5M voter records is a cautionary tale. Security architecture must include E2E encryption, SOC 2 compliance, and regular third-party audits.

6. Development Roadmap & Effort Estimates

Sprint	Dates	Deliverables	Effort (days)
Sprint 1	Week 1–2	User auth backend (JWT, OTP, refresh tokens, role guards) + DB migrations + admin user management page	10
Sprint 2	Week 3–4	Flutter auth screens (login, register, OTP verify) + AuthBloc + secure storage + profile screen	10
Sprint 3	Week 5–6	Enhanced favorites (folders, notes, sync) + follows (categories, members, authors) + personalized feed	10
Sprint 4	Week 7–8	Primaries backend (elections, candidates, endorsements, quiz tables) + admin CRUD pages	10
Sprint 5	Week 9–10	Flutter candidate directory + detail pages + comparison view + endorsement tracker	10
Sprint 6	Week 11–12	Candidate matching quiz (admin builder + Flutter quiz flow + results + sharing)	10
Sprint 7	Week 13–14	Membership dashboard + polling station finder + community polls	10
Sprint 8	Week 15–16	Election day hub (live results SSE + turnout tracker + P2P mobilization + push blitz)	10
Sprint 9	Week 17–18	Gamification system (points, badges, leaderboards) + branch coordination + year-round features	10
Sprint 10	Week 19–20	Testing, performance optimization, security audit, App Store submission	10

Module	Backend (days)	Flutter (days)	Admin (days)	Total (days)
User Account System	12	15	6	33
Primaries — Pre-Primary	10	18	8	36
Primaries — Election Day	5	10	4	19
Primaries — Post-Primary	3	5	3	11
Primaries — Year-Round	5	8	4	17
Testing & QA	5	5	3	13
TOTAL	**40**	**61**	**28**	**129**

Timeline: 20 weeks (5 months). Targeting beta launch by mid-March 2026, full launch before Knesset list primaries in April/May 2026.

7. Risk Register

Risk	Impact	Likelihood	Mitigation
Likud membership API unavailable	High	Medium	Fall back to manual admin verification of member IDs. Allow self-declaration with post-verification.
Primaries date moves earlier than expected	Critical	Low	Modular development — ship candidate profiles + quiz first (highest value), delay election-day features if needed.
Low user registration adoption	Medium	Medium	Keep app fully functional without login. Gate only premium primaries features. Incentivize via gamification points.
Data breach / privacy violation	Critical	Low	SOC 2 compliance, E2E encryption, regular penetration testing, Privacy Protection Officer appointment, minimal data collection.
Candidate non-participation in profiles	Medium	Medium	Pre-populate from public sources. Incentivize with analytics package. Run sponsored profile promotions.
WhatsApp competition (members stay on WhatsApp)	High	High	Deep WhatsApp sharing integration. Make the app the source of shareable content that WhatsApp groups distribute.
Election propaganda law violation	Critical	Low	Legal review of all sponsored content features. Clear תוכן ממומן labeling. Equal access for all candidates.
Server overload on election day	High	Medium	Auto-scaling infrastructure. Pre-warm SSE connections. CDN for static assets. Load test at 3x expected traffic.

8. Appendix: Full Screen Inventory

Complete screen count after v1.0.0 (existing + new):

Existing Screens (v0.18.0) — 16 features

#	Screen	Status
1	Home (Hero + Ticker + Stories + Feed)	Built
2	Article Detail (11 block types + comments)	Built
3	Breaking News (SSE + search + tabs)	Built
4	Categories (grid + filtered feeds)	Built
5	Members Directory + Detail Page	Built
6	Search (full-text + popular + recent)	Built
7	Video (grid + full-screen player)	Built
8	Magazine (featured + long-form)	Built
9	Favorites (bookmarks + history tabs)	Built
10	Contact (email form)	Built
11	Settings (language, theme, font)	Built
12	Author Articles (filtered feed)	Built
13	Tag Articles (filtered feed)	Built
14	About	Built
15	Privacy / Accessibility	Built
16	More (navigation hub)	Built

New Screens (v1.0.0) — 8 features, ~20 screens

#	Screen	Module
17a	Login (phone/email toggle)	User Auth
17b	Register (phone/email)	User Auth
17c	OTP Verification	User Auth
17d	Forgot Password / Reset	User Auth
18a	User Profile View	User Profile
18b	Edit Profile	User Profile
18c	My Follows (categories, members, authors)	User Profile
19	Notification Preferences	User Profile
20a	Bookmark Folders List	Enhanced Favorites
20b	Folder Detail (articles + notes)	Enhanced Favorites
21a	Candidate Directory (searchable, filterable)	Primaries
21b	Candidate Detail Page	Primaries

21c	Candidate Comparison (2–3 side-by-side)	Primaries
22a	Quiz Flow (swipeable cards)	Primaries
22b	Quiz Results + Match Percentages	Primaries
22c	Share Quiz Result Card	Primaries
23a	Membership Status Dashboard	Primaries
23b	District Info + Map	Primaries
24a	Polling Station Finder + Map	Primaries
24b	Live Results Dashboard	Primaries
24c	Turnout Tracker	Primaries
24d	Community Polls	Primaries
24e	Campaign Events Calendar	Primaries
24f	Points & Badges (Gamification)	Primaries
24g	Branch Leaderboard	Primaries

End of Document
Metzudat HaLikud — Extension PRD v1.0.0 — February 2026