



Open Source Is Not Just Code

Designing Communities That Actually Scale

Sinduri Guntupalli



SPEAKER

About Me



Sinduri Guntupalli
Sr Developer Programs
Engineer, OSPO team at
Dynatrace

- ✦ 5+ years in Drupal: developer, then Product Manager
- ✦ Volunteer organizer across Drupal Austria, Drupal Switzerland, and beyond
- ✦ Open Source Program Office team at Dynatrace
- ✦ Building [OffOn.dev](https://offon.dev), a vendor-neutral community to sustain open source contributors and grow the maintainers of tomorrow



WHY THIS MATTERS

Open Source Runs Everything

Linux

Most servers, the cloud, and every Android phone.

Git

Version control behind nearly all software.

curl

Moves data inside cars, TVs, phones, and servers.

OpenSSL

Secures a huge share of web traffic.

Python

Powers data work and most of modern AI.

Kubernetes

Runs cloud infrastructure at scale.

Most of the open source projects are maintained by small teams, often unpaid volunteers.



PART I

I

The Burden

*Most projects don't fail on code. They fail
under invisible weight.*



CONTEXT

The Comfortable Myth

- ✦ The myth: success comes from code quality
- ✦ Just ship better code, and the rest follows
- ✦ **Mostly wrong**



REALITY

What Actually Kills Projects

- ✦ Unclear contribution paths
- ✦ Expectations never written down
- ✦ A few absorb all the pressure
- ✦ **Fragile, then it stalls**



REFRAME

A Socio-Technical System

- ✦ A **socio-technical system**
- ✦ Code and community are one system
- ✦ **Community design matters as much as code**



PROBLEM

The Maintainer Trap

- ✦ Work piles onto a few people
- ✦ The hero maintainer burns out
- ✦ **A single point of failure is a design flaw**

Example: Rust

Topic-focused teams (compiler, language, libraries, tooling, infrastructure) each own their area independently. A leadership council coordinates across teams. Ownership is spread by design, so no single person carries the whole project.



PART II

II

The Fellowship

*The work is too much for one person. It has
to be shared.*



FRAMEWORK

Six Pillars That Decide Whether a Project Lasts

Governance

Who decides, and how. Make decision-making explicit before you need it.

Contributor Experience

How easy and rewarding it is to help. Lower the cost of showing up.

Recognition

Whether people's work is seen and valued. Most community labor is invisible.

Local Community

Where belonging actually forms. Global projects still need local homes.

Communication

Whether people can explain what it solves, and why. This is how a project gets known.

Funding and Sponsorship

Whether the work is paid for. Time is never really free.



PILLAR 1

Governance

- ✦ Decide how you will decide, **early**
- ✦ Put shared functions under a neutral body
- ✦ Spread maintainer roles across people
- ✦ Give conflict a clear path
- ✦ Models vary: BDFL, council or committee, foundation

Example: Apache Software Foundation

Committees elect committers on merit. Individuals represent themselves, not employers. Decisions happen in the open: if it wasn't recorded, it didn't happen.



PILLAR 1 · CODE OF CONDUCT

A Code of Conduct

- ✦ Explicit rules, not vague good vibes
- ✦ Name what is **not acceptable**: harassment, discrimination, personal attacks, sustained disruption
- ✦ Rules only matter if they are enforced

Example: Contributor Covenant

A widely adopted code of conduct. Clear expected behavior, clear unacceptable behavior, and a path to report and enforce.



PILLAR 2

Contributor Experience

- ✦ Lower the cost of a first contribution
- ✦ Give newcomers a clear place to start
- ✦ **Visible** path to trusted contributor
- ✦ If it is confusing, they quietly leave

Example: Kubernetes

Published contributor ladder: from member to approver, with clear expectations at each step. Good first issues, mentoring cohorts, and a graceful way to step back.



PILLAR 2 · FROM EXPERIENCE

My First Contribution

- ★ 2021, during Covid, new to the community
- ★ **45 min** just to open the issue, scared of being judged
- ★ Nobody judged. Community was welcoming

drupal.org/node/3227702

Discover Drupal

Build with Drupal

Partners & Services

Community

Support Drupal

Get Started

Drupal

Modules

Wysiwyg

Issues

Add options for Remove Advanced and Target Tabs in CKEditor

View

Edit

View history

Problem/Motivation

We would like to remove the "Advanced" tab from the CKEditor Dialog Window.

Comment	File	Size	Author
#9	create_checkbox_remove_advanced_and_target_tabs_ckeditor-3227702-9.patch	2.14 KB	sinduri

Show 2 more files

Issue fork wysiwyg-3227702

Get push access

Show commands

3227702-remove-advanced-and

changes, plain diff

MR 12 merged

Hide branch

About issue forks

Comments

Toggle MR activity (1 comment)

#1

sinduri created an issue. See original summary.

edit

report as spam

#2

sinduri

She/They

Vienna

commented 5 years ago

Status	File	Size
new	remove_advanced_tab_ckeditor-3227702-2.patch	1.08 KB

edit

report as spam

#3

sinduri

She/They

Vienna

commented 5 years ago

Status: Active

Needs review

edit

report as spam

#4

klaus

he/him

they/them

German

Vienna

commented 5 years ago

Status: Needs review

Needs work

Thanks Sinduri!

I think this is not the correct approach. I just tested the settings in wysiwyg_ckeditor_settings():

```
'LinkShowAdvancedTab' => FALSE,  
'LinkShowTargetTab' => FALSE,
```

And the 2 tabs get hidden correctly with ckeditor 4.x.
So it would be the best if we make config options for the link plugin in wysiwyg_ckeditor_settings_form(), then users can configure those 2 options in their editor profile?

report as spam

#5

sinduri

She/They

Vienna

commented 5 years ago

Status	File	Size
new	create_checkbox_remove_advanced_and_target_tabs_ckeditor-3227702-5.patch	2.16 KB

1 file was hidden/shown/deleted

edit

report as spam

#6

sinduri

She/They

Vienna

commented 5 years ago

Title: Remove Advanced Tab in CKEditor

Remove Advanced and Target Tabs in CKEditor

Status: Needs work

Needs review

edit

report as spam

#7

sinduri

She/They

Vienna

commented 5 years ago

Hi Klaus,

Thanks a lot for the review. I changed the approach and created a new patch to give users the option to hide/show Advanced and Target tabs for Link plugin. Can you please review again.

Thank you very much!

Closed (fixed)

Project:	Wysiwyg
Version:	7.x-2.x-dev
Component:	Editor - CKEditor
Priority:	Normal
Category:	Feature request
Assigned:	Unassigned
Issue tags:	ckeditor
Reporter:	sinduri
Created:	11 Aug 2021 at 15:32 CEST
Updated:	1 Nov 2023 at 13:09 CET

Following 6 followers

Jump to comment: Most recent, Most recent file, Add new

Contribution record

Add child issue, clone issue, add change notice

14 / 31



PILLAR 3

Recognition

- ✦ Most labor is **invisible**: review, triage, docs, mentoring
- ✦ Invisible work gets undervalued
- ✦ Record who did the work, sponsors included

Example: Drupal Contribution Credit System

A public record of who did what, across code and the invisible work. Contribution becomes visible instead of assumed.



PILLAR 3

Why Recognition Changes Behavior

- ✦ Tie recognition to **real work**
- ✦ Companies get visible standing for what they fund
- ✦ It becomes routine, not a favor

When a company treats contribution as part of the actual work, with real time and budget behind it, the alignment becomes real and it lasts. Good incentive design beats good intentions every time.



PILLAR 4

Local Community

WHY IT MATTERS

- ✦ Global projects need **local belonging**
- ✦ Pair global events with local ones
- ✦ "Come for the code, stay for the community"

AT A LOCAL EVENT

- ✦ **Mentorship workshops** for first-timers
- ✦ **Contribution rooms** to work together
- ✦ **Student workshops**: Drupal in a Day

Example: Drupal

DrupalCon globally, local volunteer-run camps, small and accessible by design. That's where new people get pulled in and where most new organizers learn the ropes.

At every event: first-time contributor workshops, contribution days, and Drupal in a Day for students.



PILLAR 5

Communication

- ✦ Open source projects need people who can **explain what problem it solves and why**
- ✦ Great code that nobody understands stays unused
- ✦ Especially important **early**, to make a project known
- ✦ Docs, tutorials, blogs, videos, talks, case studies



PILLAR 6

Funding and Sponsorship

- ✦ Time is not free. Someone pays, in money or unpaid hours
- ✦ Sustainable funding keeps maintainers from **burning out**
- ✦ Fund the boring, critical work, not just features

Examples

Open Collective, GitHub Sponsors, Patreon, Tidelift, and the Sovereign Tech Fund. Different routes to the same goal, paying for work everyone depends on.



HOW TO TELL

Signals of a Healthy Community

- ✱ **Bus factor:** how many can leave before it stalls
- ✱ **Time to first response** on issues and pull requests
- ✱ **Retention:** do first-time contributors come back
- ✱ Is the **maintainer count** growing, flat, or shrinking

Measurable, and no fancy tooling needed. Watch the trend, not the snapshot.



PART III

III

The Road Ahead



*What to prioritize, what AI changes, and
what you can actually do.*



PRIORITIES

What to Do Now vs Later

OPTIMIZE EARLY

- ✦ Clear contribution paths
- ✦ Explicit, written expectations
- ✦ Distributing authority early

Cheap now. Expensive to fix later.

SAFE TO DELAY

- ✦ Heavy formal governance
- ✦ Complex tooling and automation
- ✦ Over-structuring small communities

Heavy process on a tiny project can strangle it before it grows.



NUANCE

Good Advice Needs the Right Partner

"Be welcoming to everyone"

Works when paired with triage, so maintainers can keep up.

"Move fast"

Works when paired with shared decision rights, so people stay aligned.

"Document everything"

Works when paired with clear ownership, so the docs stay current.

Context decides whether a practice helps. The practices aren't the problem; the pairing is.



THE AI QUESTION

Help and Hazard

WHERE AI HELPS

- ★ Lowers the barrier to a first contribution
- ★ Speeds up docs, translation, and issue triage
- ★ Could ease the "privilege of free time" open source depends on

WHERE AI STRAINS

- ★ Low-effort contributions can overwhelm reviewers
- ★ The cost shifts from author to maintainer
- ★ Access is unequal. AI can become a new privilege.

AI doesn't replace community design. It raises the stakes. Share the cost and skill. Build it into contributor experience.



When AI Becomes Slop

- ✦ Low-effort AI output lands as **real work** for maintainers
- ✦ Bogus AI security reports flood small volunteer teams
- ✦ **Seconds to generate, hours to debunk**
- ✦ The cost lands on the reviewer, not the author

Example: curl

curl was flooded with AI-generated security reports. By 2025 about 1 in 5 submissions was slop, and the genuine rate fell below 5%. The team shut down its paid bug bounty to stop the noise. The Python Software Foundation and Open Collective hit the same wall.



MENTAL MODEL

Thrive vs Decay

THRIVING PROJECTS

- ✦ Share decisions
- ✦ Make it easy to help
- ✦ Recognize the work
- ✦ Build local belonging
- ✦ Communicate the why
- ✦ Fund the work

DECAYING PROJECTS

- ✦ Concentrate decisions
- ✦ Leave contributors guessing
- ✦ Let invisible work go unseen
- ✦ Stay purely global
- ✦ Stay hard to understand
- ✦ Rely on unpaid time

The drift is slow and quiet. That's exactly why it's easy to miss.



YOUR TURN

What You Can Realistically Influence

You don't need to be a maintainer, or even a regular contributor. If you just use open source, these are for you.

- ✦ Document one unclear process
- ✦ Review a first contribution
- ✦ Credit invisible work out loud
- ✦ Help one local event
- ✦ Fund a project you rely on
- ✦ Share a project you use on social media

These are small structural acts. They compound.



SOURCES

Sources & Further Reading

PRIMARY READING

- ✦ David Hirsch, [Open Source Communities](#)
- ✦ Dries Buytaert, [The Privilege of AI in Open Source](#)

COMMUNITY EXAMPLES

- ✦ Rust, [Governance and teams](#)
- ✦ Apache, [The Apache Way](#)
- ✦ Kubernetes, [Contributor ladder](#)

DRUPAL

- ✦ [Contribution credit](#)
- ✦ [Mentoring and first-time contributor workshops](#)
- ✦ [Contribution days at events](#)
- ✦ [Drupal in a Day and Open University](#)

MEDIA CREDITS

- ✦ The Lord of the Rings trilogy (2001–2003), New Line Cinema. GIFs via GIPHY: [smW5FBep69d3q](#), [RIZO2mKipB3u8](#), [8Xu2IkvLsjyLe](#), [g67pETponv03e](#).



CLOSE

Open Source Is Not Just Code

- ✦ The system around the code is what scales
- ✦ **Design it on purpose**

REALITY CHECK


- ✦ No quick fix
- ✦ You control your corner, not the whole
- ✦ Changing defaults is slow, and that is normal
- ✦ **Start with one pillar**



COMMUNITY

Join OffOn.dev

- ★ A welcoming space for everyone who loves open source: learners, contributors, maintainers, writers, designers, translators, and organizers
- ★ Built to sustain the people behind open source and grow the maintainers of tomorrow
- ★ **Play Challenges:** hands-on, scenario-driven challenges built around real open source tools. Runs entirely in GitHub Codespaces.




[OffOn.dev](https://offon.dev)



Thank you

Q&A



Open Source Is Not Just Code: Designing Communities That
Actually Scale

Leave Feedback



Slides & Resources