Example 4: Logical Operators

```
class Main {
  public static void main(String[] args) {

    // && operator
    System.out.println((5 > 3) && (8 > 5));  // true
    System.out.println((5 > 3) && (8 < 5));  // false

    // || operator
    System.out.println((5 < 3) || (8 > 5));  // true
    System.out.println((5 > 3) || (8 < 5));  // true
    System.out.println((5 < 3) || (8 < 5));  // false

    // ! operator
    System.out.println(!(5 == 3));  // true
    System.out.println(!(5 > 3));  // false
  }
}
```

Example 3: Relational Operators

```
class Main {
  public static void main(String[] args) {

    // create variables
    int a = 7, b = 11;

    // value of a and b
    System.out.println("a is " + a + " and b is " + b);

    // == operator
    System.out.println(a == b);  // false

    // != operator
    System.out.println(a != b);  // true

    // > operator
    System.out.println(a > b);  // false

    // < operator
    System.out.println(a < b);  // true

    // >= operator
    System.out.println(a >= b);  // false

    // <= operator
    System.out.println(a <= b);  // true
  }
}
```

Example 2: Assignment Operators

```
class Main {
  public static void main(String[] args) {

    // create variables
    int a = 4;
    int var;

    // assign value using =
    var = a;
    System.out.println("var using =: " + var);

    // assign value using =+
    var += a;
    System.out.println("var using +=: " + var);

    // assign value using =*
    var *= a;
    System.out.println("var using *=: " + var);
  }
}
```

Example 1: Arithmetic Operators

```
class Main {
  public static void main(String[] args) {

    // declare variables
    int a = 12, b = 5;

    // addition operator
    System.out.println("a + b = " + (a + b));

    // subtraction operator
    System.out.println("a - b = " + (a - b));

    // multiplication operator
    System.out.println("a * b = " + (a * b));

    // division operator
    System.out.println("a / b = " + (a / b));

    // modulo operator
    System.out.println("a % b = " + (a % b));
  }
}
```

Java instanceof Operator

The `instanceof` operator checks whether an object is an instanceof a particular class. Fo example,

```
class Main {
  public static void main(String[] args) {

    String str = "Programiz";
    boolean result;

    // checks if str is an instance of
    // the String class
    result = str instanceof String;
    System.out.println("Is str an object of String? " + result);
  }
}
```

Example 5: Increment and Decrement Operators

```
class Main {
  public static void main(String[] args) {

    // declare variables
    int a = 12, b = 12;
    int result1, result2;

    // original value
    System.out.println("Value of a: " + a);

    // increment operator
    result1 = ++a;
    System.out.println("After increment: " + result1);

    System.out.println("Value of b: " + b);

    // decrement operator
    result2 = --b;
    System.out.println("After decrement: " + result2);
  }
}
```

Java Ternary Operator

The ternary operator (conditional operator) is shorthand for the `if-then-else` statement. For example,

```
variable = Expression ? expression1 : expression2
```

Here's how it works.

- If the `Expression` is `true`, `expression1` is assigned to the `variable`.
- If the `Expression` is `false`, `expression2` is assigned to the `variable`.

Let's see an example of a ternary operator.

```
class Java {
  public static void main(String[] args) {

    int februaryDays = 29;
    String result;

    // ternary operator
    result = (februaryDays == 28) ? "Not a leap year" : "Leap year";
    System.out.println(result);
  }
}
```