

OffGrid Marketing OS

Google Ads API — Design Documentation

Applicant: OffGrid Marketing OS
Manager Account (MCC) ID: 702-326-7019
Contact: askgauravai@gmail.com
Company URL: https://gridcontrol.lovable.app/
Country: India
Access level requested: Basic Access
Doc version: v1.0 · 2026-06-19

1. Executive Summary

OffGrid Marketing OS is an autonomous AI marketing platform that manages paid advertising on behalf of Direct-to-Consumer (D2C) brand clients in India. Our product is delivered through the Grid Control dashboard, operated by 18 specialized AI agents under explicit human approval gates. The platform integrates Google Ads, Meta Ads, and Google Analytics 4 into a single brand-isolated workspace so a brand owner can plan, create, deploy, and analyze campaigns end-to-end with one-click human approval on every mutation.

We are requesting Google Ads API Basic Access so our **Ad Strategist** and **Data Analyst** agents can interact with client Google Ads accounts that are linked to our Manager (MCC) account. No autonomous spend changes are made — every mutation is queued for human approval before execution.

2. System Architecture

Grid Control is a multi-brand, multi-tenant marketing operations platform. Each brand has an isolated workspace (`brands/<slug>/`) containing its own brand profile, content calendar, performance history, OAuth credentials, and ad account linkage. The Flask API (`dashboard_api.py`) loads per-brand secrets only at request time — no cross-brand contamination.

Component layers:

Layer	Component	Role
Frontend	React 19 + Vite + TanStack Query v5	Grid Control dashboard, approval queue UI, brand switcher
API	Flask (Railway-hosted)	Per-brand auth, agent dispatch, approval state, audit log
Agents	18 Python agents on Claude Agent SDK	Strategy, Content, Creative, Ad Strategist, Data Analyst, etc.

Storage	Supabase (Postgres + RLS)	Brand-isolated rows, audit trail, OAuth tokens encrypted at rest
Obs/Cost	Langfuse (Cloud)	Per-agent trace + token + cost telemetry
Vector	Supabase pgvector + Voyage embeddings	Semantic memory (Brand scope + Grid Control scope)

3. Data Flow — Google Ads API Interactions

#	Trigger	Direction	API surface used
1	Brand owner approves a paid campaign in Grid Control	Write	campaigns / ad_groups / ads / criteria mutate services
2	Weekly performance report (Data Analyst agent)	Read	GoogleAdsService search query (campaign, ad_group, keyword stats)
3	Keyword research request by Ad Strategist agent	Read	KeywordPlanIdeaService
4	Bid adjustment within human-approved policy	Write	ad_group / ad_group_criterion mutate (cpc_bid_micros)
5	Pull search-term reports for negative keyword discovery	Read	GoogleAdsService (search_term_view)
6	Pause / resume campaigns per human approval	Write	campaign mutate (status field)

Approval gate (illustrated):

Agent proposes mutation → mutation serialized to JSON → posted to brands/<slug>/outputs/pending_approval/ → Grid Control UI shows diff to brand owner → owner approves or rejects → on approval, Flask calls Google Ads API with the brand's refresh token → response logged to audit trail + Langfuse trace. No mutation executes without an audit entry tying it to a human approval ID.

4. Authentication & Token Handling

Per-brand OAuth model. Each client brand completes a Google OAuth 2.0 consent flow that grants OffGrid Marketing OS read/write scopes on their Google Ads account (linked under our MCC 702-326-7019). The resulting refresh token is stored encrypted at rest in Supabase, scoped to a single brand row protected by Row-Level Security. Refresh tokens are never logged, never exposed to client-side code, and never shared across brands.

Developer token isolation. The Google Ads API developer token is held only in the Flask backend's environment (Railway secret manager). It is never sent to the browser, never logged, and never embedded in client builds. All Google Ads API calls originate from the backend on the brand owner's behalf.

Scope minimization. Each brand's OAuth grant requests only the adwords scope required for campaign management. We do not request unrelated Google scopes (Drive, Gmail, Calendar) during the Google Ads OAuth flow.

5. Compliance & Policy Posture

Policy area	Our practice
Required Minimum Functionality (RMF)	Our tool provides multi-account management, reporting, and bid-policy automation — well above RMF.
No reselling / no repackaging	We do not resell API access, do not surface raw API responses to third parties, and do not whitelabel the Google Ads API.
Data retention	Performance data is retained for the active client relationship + 30 days, then purged. Raw OAuth tokens are encrypted at rest and rotated on revocation.
Rate-limit hygiene	Client library handles backoff. We additionally throttle write mutations to ≤ 5 / minute per ad account to stay well under platform quotas.
Audit log	Every API call (read or write) is recorded with: brand_id, agent_id, human_approval_id (write only), request payload, response status, and Langfuse trace ID.
Prohibited content / categories	We do not run campaigns for prohibited content categories (e.g. weapons, adult, regulated pharma). Onboarding checklist verifies category fit.
User consent	Each brand owner explicitly consents in writing (DocuSign) before any API action is taken on their ad account.

6. Expected Call Volume & Scale

Use case	Frequency	Typical calls / day
Weekly performance pull (Data Analyst)	weekly	1 search query per client (paged)
Campaign create / edit (approved only)	ad-hoc	5–20 mutates per client per week
Bid policy adjustments	daily	10–40 mutates per client per day
Keyword research	weekly	5–10 KeywordPlanIdeaService calls
Search-term report	weekly	1 paged search query

Initial scale: 2 brand clients linked to MCC 702-326-7019 in the first 60 days. Expected to grow to 10–15 brand clients within the next 6 months as Grid Control onboarding stabilizes. We will stay well within standard quota tiers and request quota increases through standard channels if needed.

7. Out of Scope (Explicit)

We do **not** plan to use this token for: (a) App Conversion Tracking and Remarketing API — we focus on D2C brand search/display/video campaigns, not mobile app install measurement; (b) reselling Google Ads API access to third parties; (c) automated content generation that bypasses Google's ad policies — every creative is reviewed by our Brand Guardian agent and a human reviewer; (d) any scraping, harvesting, or unauthorized access to Google services outside the Google Ads API surface area.

8. Contact

Primary contact: Gaurav Khanna, Founder & CEO, OffGrid Marketing OS

Email: askgauravai@gmail.com

Country: India

Manager Account (MCC): 702-326-7019

Application date: 2026-06-19

We confirm that all information in this design document is accurate and that OffGrid Marketing OS will comply with the Google Ads API Terms and Conditions and Required Minimum Functionality (RMF) policy at all times.