

```

import { useState } from "react";

const TOOLS = [
  {
    id: "product-desc",
    icon: "📦",
    label: "Product Descriptions",
    tag: "eCommerce",
    pitch: "Sell on Etsy, Amazon, or Shopify? Generate SEO-optimized listings in",
    placeholder: "Describe your product (e.g. handmade lavender soy candle, 8oz,",
    systemPrompt: `You are an expert eCommerce copywriter. Generate a compelling,`,
    userPrompt: (input) => `Write a product description for: ${input}`,
  },
  {
    id: "cold-email",
    icon: "✉️",
    label: "Cold Email Writer",
    tag: "Freelancing",
    pitch: "Win clients on autopilot. Generate personalized cold emails that actu",
    placeholder: "Describe your service and target client (e.g. I do web design f",
    systemPrompt: `You are a cold email expert who writes short, punchy outreach`,
    userPrompt: (input) => `Write a cold email for this freelancer: ${input}`,
  },
  {
    id: "youtube-hook",
    icon: "🎬",
    label: "YouTube Hook Generator",
    tag: "Creator Economy",
    pitch: "The first 30 seconds make or break a video. Generate viral hooks for",
    placeholder: "Enter your video topic (e.g. how I made $5k in one month flippi",
    systemPrompt: `You are a YouTube growth strategist who specializes in hooks.`,
    userPrompt: (input) => `Generate YouTube hooks for this video: ${input}`,
  },
  {
    id: "niche-ideas",
    icon: "💡",
    label: "Niche Business Finder",
    tag: "Entrepreneurship",
    pitch: "Discover untapped micro-niches you can monetize in 30 days or less.",
    placeholder: "Enter your skills or interests (e.g. I like fitness and I know",
    systemPrompt: `You are a serial entrepreneur and niche business expert. Gener`,
    userPrompt: (input) => `Generate niche business ideas for someone with these`,
  },
  {

```

```

    id: "social-bio",
    icon: "👤",
    label: "Social Media Bio",
    tag: "Personal Brand",
    pitch: "Your bio is your storefront. Make it magnetic and convert visitors to",
    placeholder: "Tell me about yourself (e.g. fitness coach helping busy moms lo",
    systemPrompt: `You are a personal branding expert. Write 3 versions of a soci`,
    userPrompt: (input) => `Write social media bios for: ${input}`,
  },
  {
    id: "pricing",
    icon: "💰",
    label: "Freelance Pricing Advisor",
    tag: "Freelancing",
    pitch: "Stop undercharging. Get a custom pricing strategy for your exact serv",
    placeholder: "Describe your freelance service (e.g. I write blog posts for Sa",
    systemPrompt: `You are a freelance business consultant. Provide a detailed pr`,
    userPrompt: (input) => `Create a pricing strategy for this freelance service:`,
  },
];

```

```

const TAG_COLORS = {
  "eCommerce": "#f59e0b",
  "Freelancing": "#10b981",
  "Creator Economy": "#ef4444",
  "Entrepreneurship": "#8b5cf6",
  "Personal Brand": "#3b82f6",
};

```

```

export default function App() {
  const [selected, setSelected] = useState(null);
  const [input, setInput] = useState("");
  const [output, setOutput] = useState("");
  const [loading, setLoading] = useState(false);
  const [error, setError] = useState("");

  const handleGenerate = async () => {
    if (!input.trim()) return;
    setLoading(true);
    setOutput("");
    setError("");
    try {
      const response = await fetch("https://api.anthropic.com/v1/messages", {
        method: "POST",
        headers: { "Content-Type": "application/json" },
        body: JSON.stringify({
          model: "claude-sonnet-4-20250514",

```

```

        max_tokens: 1000,
        system: selected.systemPrompt,
        messages: [{ role: "user", content: selected.userPrompt(input) }],
    }},
    });
    const data = await response.json();
    const text = data.content?.map(b => b.text || "").join("\n") || "No respons
    setOutput(text);
} catch (e) {
    setError("Something went wrong. Please try again.");
} finally {
    setLoading(false);
}
};

const handleBack = () => {
    setSelected(null);
    setInput("");
    setOutput("");
    setError("");
};

return (
    <div style={{
        minHeight: "100vh",
        background: "#0a0a0f",
        fontFamily: "'Georgia', 'Times New Roman', serif",
        color: "#e8e4d9",
        padding: "0",
    }}>
        { /* Header */ }
        <div style={{
            borderBottom: "1px solid #1e1e2e",
            padding: "28px 40px",
            display: "flex",
            alignItems: "center",
            justifyContent: "space-between",
            background: "linear-gradient(180deg, #0d0d18 0%, #0a0a0f 100%)",
        }}>
            <div style={{ display: "flex", alignItems: "center", gap: 14 }}>
                <div style={{
                    width: 36, height: 36, borderRadius: 8,
                    background: "linear-gradient(135deg, #f59e0b, #ef4444)",
                    display: "flex", alignItems: "center", justifyContent: "center",
                    fontSize: 18, fontWeight: "bold",
                }}>${</div>
                <div>

```

```

    <div style={{ fontSize: 18, fontWeight: "bold", letterSpacing: "0.05e
      AI HUSTLE STUDIO
    </div>
    <div style={{ fontSize: 11, color: "#666", letterSpacing: "0.12em", t
      6 Income Tools · Powered by Claude
    </div>
  </div>
</div>
<div style={{
  fontSize: 11, color: "#f59e0b", letterSpacing: "0.1em",
  textTransform: "uppercase", border: "1px solid #f59e0b33",
  padding: "4px 12px", borderRadius: 20,
}}>
  Free to use
</div>
</div>

{!selected ? (
  // Tool Grid
  <div style={{ maxWidth: 900, margin: "0 auto", padding: "50px 24px" }}>
    <div style={{ textAlign: "center", marginBottom: 52 }}>
      <h1 style={{
        fontSize: "clamp(32px, 5vw, 52px)",
        fontWeight: "normal",
        color: "#fff",
        lineHeight: 1.2,
        marginBottom: 16,
      }}>
        Your AI-powered<br />
        <span style={{
          background: "linear-gradient(90deg, #f59e0b, #ef4444)",
          WebkitBackgroundClip: "text",
          WebkitTextFillColor: "transparent",
        }}>income machine</span>
      </h1>
      <p style={{ color: "#888", fontSize: 16, maxWidth: 480, margin: "0 au
        Six tools built to save time, win clients, and grow revenue.
        Pick one and start generating.
      </p>
    </div>

    <div style={{
      display: "grid",
      gridTemplateColumns: "repeat(auto-fill, minmax(260px, 1fr))",
      gap: 20,
    }}>
      {TOOLS.map(tool => (

```

```

<div
  key={tool.id}
  onClick={() => setSelected(tool)}
  style={{
    background: "#111118",
    border: "1px solid #1e1e2e",
    borderRadius: 16,
    padding: "28px 24px",
    cursor: "pointer",
    transition: "all 0.2s",
    position: "relative",
    overflow: "hidden",
  }}
  onMouseEnter={e => {
    e.currentTarget.style.border = "1px solid #f59e0b55";
    e.currentTarget.style.transform = "translateY(-3px)";
    e.currentTarget.style.background = "#13131c";
  }}
  onMouseLeave={e => {
    e.currentTarget.style.border = "1px solid #1e1e2e";
    e.currentTarget.style.transform = "translateY(0)";
    e.currentTarget.style.background = "#111118";
  }}
>
  <div style={{ fontSize: 32, marginBottom: 14 }}>{tool.icon}</div>
  <div style={{ display: "flex", alignItems: "center", gap: 8, margin: 0 16px }}>
    <div style={{
      fontSize: 10, textTransform: "uppercase", letterSpacing: "0.1em",
      color: TAG_COLORS[tool.tag] || "#888",
      background: `${TAG_COLORS[tool.tag]}18` || "#88888818",
      padding: "2px 8px", borderRadius: 20,
      border: `1px solid ${TAG_COLORS[tool.tag]}33`,
    }}>{tool.tag}</div>
  </div>
  <div style={{ fontSize: 17, fontWeight: "bold", color: "#fff", margin: 0 16px }}>
    {tool.label}
  </div>
  <p style={{ color: "#777", fontSize: 13, lineHeight: 1.6, margin: 0 16px }}>
    {tool.pitch}
  </p>
  <div style={{
    position: "absolute", bottom: 20, right: 20,
    color: "#f59e0b", fontSize: 18, opacity: 0.5,
  }}>→</div>
</div>
)))
</div>

```

```

</div>
) : (
  // Tool Interface
  <div style={{ maxWidth: 760, margin: "0 auto", padding: "44px 24px" }}>
    <button
      onClick={handleBack}
      style={{
        background: "none", border: "none", color: "#666",
        fontSize: 13, cursor: "pointer", padding: 0,
        marginBottom: 28, letterSpacing: "0.05em",
        display: "flex", alignItems: "center", gap: 6,
      }}
    >
      ← Back to tools
    </button>

    <div style={{
      background: "#111118", border: "1px solid #1e1e2e",
      borderRadius: 20, padding: "36px 32px", marginBottom: 24,
    }}>
      <div style={{ display: "flex", alignItems: "center", gap: 14, marginB
        <span style={{ fontSize: 36 }}>{selected.icon}</span>
        <div>
          <div style={{
            fontSize: 10, textTransform: "uppercase", letterSpacing: "0.1em
            color: TAG_COLORS[selected.tag] || "#888", marginBottom: 4,
          }}>{selected.tag}</div>
          <h2 style={{ margin: 0, fontSize: 24, color: "#fff", fontWeight:
            {selected.label}
          </h2>
        </div>
      </div>
      <p style={{ color: "#777", fontSize: 14, lineHeight: 1.6, marginBotto
        {selected.pitch}
      </p>

      <div style={{ marginBottom: 16 }}>
        <label style={{
          display: "block", fontSize: 11, textTransform: "uppercase",
          letterSpacing: "0.1em", color: "#555", marginBottom: 10,
        }}>Your Input</label>
        <textarea
          value={input}
          onChange={e => setInput(e.target.value)}
          placeholder={selected.placeholder}
          rows={4}
          style={{

```

```

        width: "100%", background: "#0d0d16",
        border: "1px solid #252535", borderRadius: 12,
        padding: "16px", color: "#e8e4d9", fontSize: 14,
        lineHeight: 1.6, resize: "vertical", outline: "none",
        fontFamily: "inherit", boxSizing: "border-box",
    }}
    onFocus={e => e.target.style.border = "1px solid #f59e0b55"}
    onBlur={e => e.target.style.border = "1px solid #252535"}
  />
</div>

<button
  onClick={handleGenerate}
  disabled={loading || !input.trim()}
  style={{
    background: loading || !input.trim()
      ? "#1e1e2e"
      : "linear-gradient(135deg, #f59e0b, #ef4444)",
    color: loading || !input.trim() ? "#444" : "#fff",
    border: "none", borderRadius: 10,
    padding: "14px 28px", fontSize: 14,
    fontFamily: "inherit", fontWeight: "bold",
    cursor: loading || !input.trim() ? "not-allowed" : "pointer",
    letterSpacing: "0.05em", transition: "all 0.2s",
    width: "100%",
  }}
>
  {loading ? "⬢ Generating..." : "⬢ Generate"}
</button>
</div>

{/* Output */}
{(output || error) && (
  <div style={{
    background: "#111118", border: "1px solid #1e1e2e",
    borderRadius: 20, padding: "32px",
    animation: "fadeIn 0.3s ease",
  }}>
    <div style={{
      fontSize: 10, textTransform: "uppercase", letterSpacing: "0.12em"
      color: "#f59e0b", marginBottom: 18,
    }}>⬢ Result</div>
    {error ? (
      <p style={{ color: "#ef4444", fontSize: 14 }}>{error}</p>
    ) : (
      <div style={{
        color: "#d4d0c8", fontSize: 14, lineHeight: 1.8,

```

```

        whiteSpace: "pre-wrap", fontFamily: "'Georgia', serif",
    }}>
        {output}
    </div>
  ))
  {output && (
    <button
      onClick={() => navigator.clipboard?.writeText(output)}
      style={{
        marginTop: 20, background: "none",
        border: "1px solid #252535", color: "#666",
        borderRadius: 8, padding: "8px 18px", fontSize: 12,
        cursor: "pointer", fontFamily: "inherit", letterSpacing: "0.0
      }}
      onMouseEnter={e => e.target.style.color = "#f59e0b"}
      onMouseLeave={e => e.target.style.color = "#666"}
    >
      Copy to clipboard
    </button>
  )}
</div>
)}
</div>
)}

<style>{`
  @keyframes fadeIn { from { opacity: 0; transform: translateY(8px); } to {
    * { box-sizing: border-box; }
    textarea::placeholder { color: #3a3a4a; }
    ::-webkit-scrollbar { width: 6px; }
    ::-webkit-scrollbar-track { background: #0a0a0f; }
    ::-webkit-scrollbar-thumb { background: #252535; border-radius: 3px; }
  `}</style>
</div>
);
}

```