

V7 **SINGLE PHASE**
THREE PHASE



**HORIZONTAL
OPENWELL PUMPSET**

APPROX PERFORMANCE CHART AT 2880 RPM,
350 TO 420 V (T.P.), & 160 TO 230 V (S.P.) 50 HZ AC SUPPLY



OUTLET SIZE:- 25 MM				DISCHARGE IN LPM													
Model No.	Motor Rating		TYPE	Price ₹	Q	M³/h	10.2	9.6	9	7.8	6.9	6	4.8	4.2	3.6	3	0
	Kw	H.P.				AR	L/min	170	160	150	130	115	100	80	70	60	50
Jet	0.37	0.5	V4	6700	HEAD IN METERS			6	7	8	9	10	12	14	15	16	17
X'treme	0.75	1.0	V5	9400			14	16	17	18	20	21	23	25	26	27	28
DP-2H	0.75	1.0 HH	V6	11857			18	22	24	26	27	29	30	31	32	33	34

OUTLET SIZE:- 50 MM				DISCHARGE IN LPM														
Model No.	Motor Rating		TYPE	Price ₹	Q	M³/h	43.2	39	35.4	32.4	25.2	21	19.2	17.4	13.2	12	0	
	Kw	H.P.				AR	L/min	720	650	590	540	420	350	320	290	220	200	0
						SP/TP												
DP-4	1.5	2.0	V7	15440	HEADIN METERS					0	10	15	21	24	26	28	30	
DP-5	2.20	3.0	V7	16722			5	10	13	17	21	22	23	25	26	28	30	
DP-16	3.70	5.0	V7	18936			6	15	20	22	23	28	30	31	33	34	35	

OUTLET SIZE:- 65 MM				DISCHARGE IN LPM														
Model No.	Motor Rating		TYPE	Price ₹	Q	M³/h	48.3	47.4	44.1	38.7	35.4	31.8	27	20.7	18.9	18	0	
	Kw	H.P.				AR	L/min	805	790	735	645	590	530	450	345	315	300	0
						SP/TP												
DP-4L	1.5	2.0	V7	15440	HEADIN METERS				6	11	13	16	18	20	21	22	23	
DP-5L	2.2	3.0	V7	16722			6	8	10	13	16	18	20	22	23	24	25	
DP-16L	3.7	5.0	V7	18936			8	10	15	18	20	22	24	26	28	30	32	

“
SAVE TREES
SAVE ENVIRONMENT”



V7 **SINGLE PHASE**
THREE PHASE



**HORIZONTAL
OPENWELL PUMPSET**

APPROX PERFORMANCE CHART AT 2880 RPM,
350 TO 420 V (T.P.), & 160 TO 230 V (S.P.) 50 HZ AC SUPPLY



OUTLET SIZE:- 50 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	43.2	39	35.4	32.4	25.2	21	19.2	17.4	13.2	12	0
	Kw	H.P..		AR	CR		L/min	850	650	590	540	420	350	320	290	220	200	0
DP-4	1.5	2.0	V7	19242	21573	HEADIN METERS					0	10	15	21	24	26	28	30
DP-5	2.20	3.0	V7	20393	22996			5	18	22	24	26	28	30	30.5	31	32	33
DP-16	3.70	5.0	V7	22762	25798			6	24	26	28	33	34	35	36	38	39	41

OUTLET SIZE:- 65 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	48.3	47.4	44.1	38.7	35.4	31.8	27	20.7	18.9	18	0
	Kw	H.P..		AR	CR		L/min	915	790	735	645	590	530	450	345	315	300	0
DP-4L	1.5	2.0	V7	19242	21573	HEADIN METERS				6	11	13	16	18	20	21	22	23
DP-5L	2.2	3.0	V7	20393	22996			8	14	16	20	21	22	23	24	24.5	25	27
DP-16L	3.7	5.0	V7	22762	25798			8	10	15	20	22	25	28	29	30	31	32

V9 **THREE**
PHASE



**HORIZONTAL
OPENWELL PUMPSET**



AT 415 V, 50 HZ, CATEGORY B, WET TYPE.

OUTLET SIZE:- 50 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	52.2	42.6	40.5	36	34.5	30	27.6	24	21	18.6	0
	Kw	H.P..		AR	CR		L/min	870	710	675	600	575	500	460	400	350	310	0
DP-6	2.2	3	V9	21823	23791	HEAD IN METERS		8	12	14	18	20	23	25	26	27	28	33
DP-8	3.7	5	V9	24395	26670			8	22	24	26	30	32	36	37	39	41	44
DP-10	5.5	7.5	V9	28330	31055			36	39	40	42	44	46	47	49	50	51	52

OUTLET SIZE:- 65 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	58.2	57	55.8	52.2	49.8	45	39	34.2	32	21.1	0
	Kw	H.P..		AR	CR		L/min	970	950	930	870	830	750	650	570	530	351	0
DP-6L	2.2	3	V9	21823	23791	HEAD IN METERS		5	8	10	12	14	16	18	20	22	24	28
DP-7	3.7	5	V9	24395	26670			11	14	16	18	20	23	25	27	28	32	34
DP-9	5.5	7.5	V9	28330	31055			15	20	26	28	29	32	34	36	37	40	42

V7 **SINGLE PHASE**
THREE PHASE



**HORIZONTAL
OPENWELL PUMPSET**

APPROX PERFORMANCE CHART AT 2880 RPM,
350 TO 420 V (T.P.), & 160 TO 230 V (S.P.) 50 HZ AC SUPPLY



OUTLET SIZE:- 50 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	43.2	39	35.4	32.4	25.2	21	19.2	17.4	13.2	12	0
	Kw	H.P..		AR	CR		L/min	850	650	590	540	420	350	320	290	220	200	0
DP-4	1.5	2.0	V7	20509	22923	HEAD IN METERS					0	10	15	21	24	26	28	30
DP-5	2.20	3.0	V7	21734	24332			5	18	22	24	26	28	30	30.5	31	32	33
DP-16	3.70	5.0	V7	24172	27202			6	24	26	28	33	34	35	36	38	39	41

OUTLET SIZE:- 65 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	59.4	56.7	51.6	47.4	43.8	41.1	36	31.2	23.4	18.9	0
	Kw	H.P..		AR	CR		L/min	990	945	860	790	730	685	600	520	390	316	0
DP-4L	1.5	2.0	V7	20509	22923	HEAD IN METERS				5	7	9	11	12	14	16	18	20
DP-5L	2.2	3.0	V7	21734	24332			6	8	10	13	16	18	20	23	25	26	28
DP-16L	3.7	5.0	V7	24172	27202			5	10	15	18	20	22	24	25	30	31	32

“
SAVE WATER
THE WORLD IS IN
YOUR HANDS



V9 THREE
PHASE



HORIZONTAL
OPENWELL PUMPSET

APPROXIMATE PERFORMANCE CHART
AT 415 V, 50 HZ, CATEGORY B, WET TYPE.



POWERZONE
PUMPS

OUTLET SIZE:- 50 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	52.2	42.6	40.5	36	34.5	30	27.6	24	21	18.6	0
	Kw	H.P..		AR	CR		L/min	870	710	675	600	575	500	460	400	350	310	0
DP-6	2.2	3.0	V9	23472	25389	HEAD IN METERS	8	12	14	18	20	23	25	26	27	28	33	
DP-8	3.7	5.0		26220	28446		8	22	25	26	30	32	36	37	39	41	44	
DP-10	5.5	7.5		29836	32509		36	39	40	42	44	46	47	49	50	51	52	
DP-17	7.5	10		36138	38613		8	40	48	50	51	52	55	59	61	63	65	

OUTLET SIZE:- 65 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	58.2	57	55.8	52.2	49.8	45	39	34.2	32	21.1	0
	Kw	H.P..		AR	CR		L/min	970	950	930	870	830	750	650	570	530	351	0
DP-6L	2.2	3.0	V9	23472	25389	HEAD IN METERS	5	8	10	12	14	16	18	20	22	24	28	
DP-7	3.7	5.0		26220	28446		11	14	16	18	20	23	25	27	28	32	34	
DP-9	5.5	7.5		29836	32509		15	20	26	28	29	32	34	36	37	40	42	
DP-17L	7.5	10		36138	38613		10	20	28	32	36	40	42	44	46	48	50	

OUTLET SIZE:- 75 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	87	82.8	77.4	73.8	67.8	64.5	57.9	50.5	42	32.4	0
	Kw	H.P..		AR	CR		L/min	1450	1380	1290	1230	1130	1075	965	842	700	540	0
DP-6LL	2.2	3.0	V9	24875	26848	HEAD IN METERS					0	9	12	13	14	16	17	20
DP-15	3.7	5.0		27096	29378			0	10	12	14	16	17	19	21	23	25	
DP-9LL	5.5	7.5		30702	33566		13	15	17	19	22	23	25	27	29	31	33	
DP-17LL	7.5	10		37461	40217		15	17	19	22	24	26	28	29	31	33	40	

OUTLET SIZE:- 100 MM						DISCHARGE IN LPM												
Model No.	Motor Rating		TYPE	Price ₹		Q	M³/h	90	84.6	82.8	78	76.2	72	66	63	57	49.2	0
	Kw	H.P..		AR	CR		L/min	1500	1410	1380	1300	1270	1200	1100	1050	950	820	0
DP-6LLL	2.2	3.0	V9	24875	26848	HEAD IN METERS					5	8	10	12	13	15	17	18
DP-15LLL	3.7	5.0		27096	29378				5	8	12	14	16	17	19	18	21	
DP-9LLL	5.5	7.5		30702	33566		5	10	12	15	16	18	19	20	21	22	24	
DP-17LLL	7.5	10		37461	40217		8	15	20	24	26	28	30	32	33	34	35	

V9 THREE
PHASE



HORIZONTAL OPENWELL PUMPSET

APPROXIMATE PERFORMANCE CHART
AT 415 V, 50 HZ, CATEGORY B, WET TYPE.



MODEL	K.W.	H.P.	SUC. XDEL.	PRICE 3 PH		HEAD IN METER																					
				C.R.S.S.	C.R. C.I.	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74	76	78	80	82	
WF-1072	7.50	10.0	65X50	58317	62953	L P M	800	790	780	765	750	725	700	685	640	600	570	490	435	320	200	-	-	-	-	-	
WF-1275	9.38	12.5	65X50	70196	74832					800	780	765	750	730	700	680	630	580	540	500	425	350					
WF-1580	11.25	15.0	65X50	77764	82340		870	870	860	850	840	830	820	810	800	780	760	720	670	688	650	600	570	483	400	275	200
WFH-1054	7.50	10.0	65X65	58117	62953		900	800	750	690	580	522	480	400													
WF-1048	7.50	10.0	65X65	58117	62953		980	950	900	800	690																
WFH-1260	9.38	12.5	65X65	70196	74832		1070	1050	1000	930	880	750	650	580	500												
WF-1255	9.38	12.5	65X65	70196	74832					880	860	845	830	810	780	760	710	600	500								
WFH-1570	11.25	15.0	65X65	77764	82340					1080	1060	1045	1025	1000	950	890	800	760	630	530	400						
WF-1565	11.25	15.0	65X65	77764	82340					1250	1240	1200	1120	1020	840	712	570	380									
WFH-2074	15.00	20.0	65X65	118790	130251							1250	1170	1130	1080	1030	930	850	700	580	400						
WF-2570	18.75	25.0	80X65	-	152862					1580	1550	1525	1510	1500	1480	1470	1450	1312	1180	1035	830	600					
WF-3085	22.50	30.0	80X65	-	175925					1700	1680	1650	1630	1620	1600	1580	1550	1500	1450	1400	1350	1300	1240	1150	1100	1050	950

MODEL	K.W.	H.P.	SUC. XDEL.	PRICE SP TP		HEAD IN METER																				
				C.R.S.S.	C.R. C.I.	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	54	56		
WF-10 D	7.50	10.0	100X100	58317	62953	L P M	2050	1950	1700	1650	1500	1380	1150	1050	650	-	-	-	-	-	-	-	-	-	-	
WF-125 D	9.38	12.5	100X100	70196	74832		2400	2300	2155	1970	1800	1730	1580	1280	1110	850	600	-	-	-	-	-	-	-	-	
WF-15 D	11.25	15.0	100X100	77764	82340		2400	2290	2230	2110	2050	1880	1700	1550	1300	1175	955	-	-	-	-	-	-	-	-	
WF-20 D	15.00	20.0	100X100	118790	130251		3034	3000	2900	2850	2780	2650	2510	2400	2225	2080	1920	1685	1210	-	-	-	-	-	-	-
WF-25 D	18.75	25.0	100X100	-	152862		3284	3250	3150	3100	3030	2900	2760	2650	2475	2330	2170	1935	1460	1350	1200	1150	1000	-	-	
WF-30 D	22.50	30.0	100X100	-	186181					3400	3330	3200	3060	2900	2725	2580	2420	2185	2080	1950	1900	1850	1700	1650		
WF-10 E	7.50	10.0	125X125	60403	65040		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WF-125 E	9.38	12.5	125X125	72282	76918		3200	3100	3050	2850	2600	2425	1975	1700	1430	1000	-	-	-	-	-	-	-	-	-	
WF-15 E	11.25	15.0	125X125	79850	84485		3275	3200	3100	3050	2850	2700	2500	2200	1930	1650	1400	1000	-	-	-	-	-	-	-	-
WF-20 E	15.00	20.0	125X125	127713	132349					3250	3200	3150	3090	3000	2900	2750	2450	2250	2000	1700	1250	-	-	-	-	
WF-25 E	18.75	25.0	125X125	-	155180					3300	3250	3200	3150	3120	3050	3000	2950	2850	2750	2450	2000	1700	1320			

MODEL	K.W.	H.P.	SUC. XDEL.	PRICE SP TP		HEAD IN METER																				
				C.R.S.S.	C.R. C.I.	5	7	10	12	15	18	21	24	26	28	30	32	34	36	39	42	45				
WF-10 E	7.50	10.0	125X125	60403	65040	L P M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WF-125 E	9.38	12.5	125X125	72282	76918		3200	3100	3050	2850	2600	2425	1975	1700	1430	1000	-	-	-	-	-	-	-	-	-	
WF-15 E	11.25	15.0	125X125	79850	84485		3275	3200	3100	3050	2850	2700	2500	2200	1930	1650	1400	1000	-	-	-	-	-	-	-	-
WF-20 E	15.00	20.0	125X125	127713	132349					3250	3200	3150	3090	3000	2900	2750	2450	2250	2000	1700	1250	-	-	-	-	
WF-25 E	18.75	25.0	125X125	-	155180					3300	3250	3200	3150	3120	3050	3000	2950	2850	2750	2450	2000	1700	1320			
WF-10 F	7.50	10.0	150X150	60403	65040		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
WF-125 F	9.38	12.5	150X150	72282	76918		3200	3100	3050	2850	2600	2425	1975	1700	1430	1000	-	-	-	-	-	-	-	-	-	
WF-15 F	11.25	15.0	150X150	79850	84485		3275	3200	3100	3050	2850	2700	2500	2200	1930	1650	1400	1000	-	-	-	-	-	-	-	-
WF-20 F	15.00	20.0	150X150	127713	132349					3250	3200	3150	3090	3000	2900	2750	2450	2250	2000	1700	1250	-	-	-	-	
WF-25 F	18.75	25.0	150X150	-	155180					3300	3250	3200	3150	3120	3050	3000	2950	2850	2750	2450	2000	1700	1320			

“ USE WATER
BUT NEVER WASTE
WATER ”

