CLASSORA

Student-Teacher Management Platform

VERSION 0.5 - REFINED THEORETICAL BLUEPRINT

Administration-ready account, identity, relationship, and MVP structure

---

Document status: Planning document only. No website/application code is included.

This refined edition restructures and clarifies the supplied Version 0.5 blueprint. It does not add external research or silently invent product requirements. Confirmed decisions are separated from decisions that remain pending.

Executive Summary

Classora is being designed first as a teacher-centred academic management platform for individual/private teachers and their students, with future expansion toward schools, organisations, teachers, students, and parents.

The central architectural decision is that Classora identity and authentication are separate. A Classora ID identifies a person or record inside Classora; it is not a login credential, password, security token, or secret.

The current sign-in direction is email + password and Google sign-in for Teacher and Student accounts. Email verification is mandatory, and changing the login email requires verification.

The current independent-teacher model gives every teacher an independent workspace automatically. Students may register without joining a classroom, then request access or be invited by a teacher using the student Classora ID.

Decision Area	Status	Decision / Current Position
Authentication	Confirmed	Email + password and Google sign-in; Classora ID is not used as a login credential.
Email verification	Confirmed	Mandatory for new accounts.
Login email changes	Confirmed	Allowed, with verification required.
Teacher workspace	Confirmed	Every teacher automatically receives an independent workspace.
Student registration	Confirmed	Students may register before joining a classroom.
Classroom joining	Confirmed	Student-requested joining plus teacher invitation by Classora ID.
Multiple classrooms	Confirmed	A student may join multiple classrooms taught by the same teacher.
Search result	Confirmed	Name, role, class, profile photo, and Classora ID.

Decision Area	Status	Decision / Current Position
Classora ID visibility	Confirmed	Visible to everyone, per the current decision.
Progress model	Pending	Exact inputs and formula are not yet decided.
Result publication	Pending	Immediate vs teacher-published visibility is not yet decided.

1. Purpose of Version 0.5

Version 0.5 is a deliberate reset of the account and authentication concept. The previous design made the Classora UID itself responsible for login, which created unnecessary technical complexity. This version keeps the useful Classora ID while separating identification from authentication.

The objective is to create a platform that is simple enough for the current project stage, safe and maintainable enough for a serious prototype, and structured so that future school-level administration can be added without redesigning the entire product.

Version 0.5 supersedes the previous login decision in Version 0.4. Other product ideas remain provisional unless changed by this document or later planning decisions.

2. Product Identity

- Brand / product / website / application: Classora
- Spelling: C-L-A-S-S-O-R-A
- Product type: Web application / web platform
- Current target: Individual/private teachers and their students
- Future target: Schools, organisations, teachers, students, and parents
- Current stage: Theoretical refinement before execution planning
- Working principle: Build the simplest useful core first; keep future expansion as a separate layer.

3. Product Vision

Classora is a connected academic management platform intended to make the relationship between teachers and students more organised, transparent, and useful.

A teacher should be able to manage classrooms, students, schedules, examinations, homework, results, notes, progress, and notifications from one place. Students should have their own dashboard containing the information relevant to them.

Classora is not initially intended to be a complete school ERP. The first useful version is a teacher-centred platform that can later grow into an organisation-level platform.

4. Major Architectural Principle - Identity Is Not Authentication

Core principle: A Classora ID identifies a person inside the Classora system. It is not the credential used to sign in.

Conceptual flow:

Authentication -> User Account -> Classora Profile -> Role & Permissions -> Classora ID

- Authentication answers: "Are you really this account owner?"
- Classora ID answers: "Which person or record is this inside Classora?"
- Role answers: "What kind of user are you?"
- Permissions answer: "What are you allowed to see or change?"

This separation avoids turning the Classora ID into a custom authentication mechanism and keeps the system compatible with a standard authentication provider such as Supabase Auth.

5. Account and Login Model

5.1 Primary sign-in methods

- Teacher: email + password or Google sign-in.
- Student: email + password or Google sign-in.
- Parent: future account; authentication method remains to be finalized.
- Password reset is handled through the authentication system.
- Email verification is mandatory for new accounts.
- Optional email OTP / passwordless recovery may be considered later, but is not required for the first MVP.

5.2 What the Classora ID does not do

- It does not authenticate the user.
- It does not replace the password.
- It does not expose or map directly to a hidden authentication email in the browser.
- It is not a secret.
- It is not treated as a password or security token.

5.3 What the Classora ID does

- Provides a permanent Classora identity.
- Helps teachers and administrators identify a person.
- Can be used for student and teacher records.
- Can be displayed on profiles and formal documents.
- Can be used in administration and search workflows where appropriate.
- Remains stable when a student changes teacher, class, or classroom.

6. Classora ID Concept

- Teacher: TC + 12 randomized digits = 14 characters.
- Student: ST + 12 randomized digits = 14 characters.
- Parent: PT + 12 randomized digits = 14 characters (future; not necessarily part of MVP).

Examples:

- Teacher: TC583920174625
- Student: ST741638205914
- Future Parent: PT927461830512

The exact generation mechanism is a technical implementation decision for the execution stage. The theoretical requirements are uniqueness, permanence, non-sequential generation, and server-side/database-side creation.

7. User and Role Model

7.1 Student

- Own account and profile.
- Own permanent Classora ID.
- Can request to join classrooms.
- Can view authorised academic information.
- Can have multiple current teachers.
- Can retain historical teacher/classroom relationships.

7.2 Teacher

- Own account and profile.
- Own permanent Classora ID.
- Automatically receives an independent teacher workspace.
- Can create and manage classrooms.
- Can manage connected students and academic activities.

7.3 Independent Teacher / Individual Administration

A teacher operates an independent teaching workspace. In the first product, this workspace is the closest equivalent to an administrator area for that teacher's own scope.

7.4 School Administration - future

A future school-level administrator may manage teachers, students, parents, organisation-wide settings, and permissions.

7.5 Parent - future

A parent account is intended primarily as a controlled viewer of information for one or more children. Parent verification and child association must be handled explicitly.

8. Registration and Onboarding

8.1 Teacher registration

1. Teacher creates an account using email + password or Google sign-in.
2. The authentication system creates the account identity.
3. Classora creates the teacher profile.
4. Classora assigns a permanent Teacher Classora ID.
5. Teacher completes profile information.
6. An independent teacher workspace is created automatically.

8.2 Student registration

1. Student creates an account using email + password or Google sign-in.
2. The authentication system creates the account identity.
3. Classora creates the student profile.
4. Classora assigns a permanent Student Classora ID.
5. Student completes profile information.
6. Student may remain unassociated with a teacher.
7. Student can later request to join a classroom.

8.3 Parent registration - future

Parent onboarding should include verification and association with a child. A student Classora ID alone must not be treated as proof of parental authority.

9. Profile and Account Information

A profile is conceptually separate from authentication credentials.

- Authentication account: email, password/session, and authentication state.
- Classora profile: name, Classora ID, role, class, optional photo, and other approved information.
- Academic relationships: teachers, classrooms, examinations, homework, results, and progress.
- Private/contact information: restricted according to role and permissions.

Credential rule: Passwords are never part of the Classora profile and are never stored as ordinary profile data.

10. Teacher-Student Relationship

- A student may have multiple teachers.
- A teacher may manage multiple classrooms.
- A student may join multiple classrooms taught by the same teacher.
- A classroom has a teacher/owner in the initial independent-teacher model.
- Students request membership rather than becoming members simply by searching.

- Teachers can also invite students by searching for a Classora ID.
- Teacher approval creates the active classroom relationship.
- The same student can hold only one active membership in the same classroom at a time.
- Leaving a classroom ends active membership but preserves relevant historical records.
- Changing teacher does not change the student's Classora ID.

11. Search and Directory

Search is for discovery, not private-data access.

- Teachers may search for limited teacher/student information where product rules allow it.
- Students may search for limited information where product rules allow it.
- A basic search result may show name, role, class, profile photo, and Classora ID.
- Classora ID is currently intended to be visible to everyone, per the project decision.
- Search must not expose grades, results, private notes, parent/contact information, or private workspace data.
- Finding a Classora ID does not grant access to the account.

12. Academic Modules - Provisional Core

- Dashboard
- Profile
- Classes / Classrooms
- Students
- Teachers
- Schedule / Calendar
- Examinations
- Homework
- Results
- Progress
- Notes
- Notifications
- Downloads / formal documents

These modules remain conceptually valid, but exact MVP boundaries still require final confirmation.

13. Progress and Results

- Results are stored examination-by-examination.
- The system may calculate totals, averages, and percentages where appropriate.
- Progress should be based on underlying academic/activity data rather than one arbitrary manually typed score.

- Possible factors include attendance, class tests, homework/assignments, and improvement.
- Teachers should be able to review underlying data before a final progress interpretation is displayed.
- Result history should preserve meaningful changes.

Open decisions: The exact progress inputs/formula, teacher override policy, result fields, and publication timing are still pending.

14. Notifications

- Exam scheduled/rescheduled.
- Result published.
- Important academic event.
- Classroom updates.
- Join-request decisions.
- Student profile changes after teacher association.
- Other important system events.

Notifications should primarily exist inside Classora. Email notifications can be added later for important events where useful. Whether the first MVP is in-app only remains a pending decision.

15. Privacy and Permission Principle

Authentication alone does not determine what a user can access. Every important action must also be checked against the user's role and relationship to the requested data.

- Student can access their own private academic data.
- Teacher can access data belonging to classrooms/students they are authorised to manage.
- Directory search exposes limited information only.
- One teacher cannot automatically see another independent teacher's private workspace.
- Parent access, when implemented, must be limited to verified child relationships.
- Future school administration may have broader organisation-level permissions.

16. Conceptual Security Model

Authentication -> Profile -> Role -> Relationship -> Permission -> Data

- Authentication: proves account ownership.
- Profile: identifies the Classora person.
- Role: teacher/student/parent/administrator.
- Relationship: determines which classroom, student, or teacher connections exist.
- Permission: determines the permitted operation.
- Database security rules enforce access rather than relying only on frontend hiding.

The final technical implementation is intentionally not prescribed here. The technical stack, database schema, authentication provider configuration, and exact security policies belong to the execution-planning stage.

17. Dashboard Concept

Teacher dashboard

- Classrooms
- Active students
- Pending join requests
- Today's / upcoming schedule
- Upcoming examinations
- Homework
- Recent results
- Progress overview
- Notifications

Student dashboard

- My classrooms
- Today's / upcoming schedule
- Upcoming examinations
- Homework
- Recent results
- Progress
- Current teachers
- Previous teachers
- Notifications

18. Future School Administration

The first release should not require a school administrator. The conceptual hierarchy should nevertheless leave room for organisation-level administration.

Organisation / School Administration -> Teachers / Students / Parents

- Teacher management
- Student management
- Parent/guardian relationships
- Organisation-wide policies
- Classroom oversight
- Permission management

- Reports

These are future expansion layers, not reasons to complicate the first release.

19. MVP Boundary - Refined

The MVP should focus on the smallest useful version of the idea while preserving the account, identity, relationship, and permission principles established in this blueprint.

- Teacher registration and sign-in.
- Student registration and sign-in.
- Email verification.
- Permanent Classora ID generation.
- Teacher and student profiles.
- Automatic independent teacher workspace.
- Teacher classroom creation/management.
- Student classroom join request.
- Teacher invitation by Classora ID.
- Teacher approval of classroom membership.
- Basic schedule.
- Basic homework.
- Basic examinations and results.
- Basic progress view - subject to final progress definition.
- Basic notifications.
- Role-based access control.
- Clean responsive web interface.

Parent portal, school administration, advanced integrations, mobile applications, and other expansion features remain future scope unless later promoted into the MVP.

20. Information Architecture - Provisional

Public / Entry

- Home
- Login
- Teacher Registration
- Student Registration
- Password Recovery
- About / Help

Teacher area

- Dashboard

- Profile
- Classrooms
- Students
- Join Requests
- Schedule
- Examinations
- Homework
- Results
- Progress
- Notes
- Notifications

Student area

- Dashboard
- Profile
- My Classrooms
- My Teachers
- Previous Teachers
- Schedule
- Examinations
- Homework
- Results
- Progress
- Downloads
- Notifications

Future organisation area

- Administration
- Teachers
- Students
- Parents
- Organisation Settings
- Reports

21. Conceptual Core Objects

- Authentication Account
- User / Profile

- Teacher Profile
- Student Profile
- Parent Profile - future
- Classora ID
- Independent Teacher Workspace
- School / Organisation - future
- Class
- Classroom
- Classroom Membership
- Subject
- Schedule Event
- Examination
- Homework
- Result
- Progress Record
- Classroom Note
- Notification
- Academic Document

Modelling rule: These are conceptual objects only. Do not turn the list directly into database tables until relationships and requirements have been reviewed.

22. UX Direction

- Professional academic-system feel.
- Modern but not visually complicated.
- Simple enough for a non-technical teacher.
- Dashboard-first navigation.
- Clear role-specific navigation.
- Responsive web design.
- Desktop-first planning with mobile responsiveness.
- Consistent notification and profile areas.
- Avoid unnecessary forms and repeated data entry.

23. What Is Deliberately Not Being Decided Yet

- Final programming framework.
- Final database schema.
- Exact authentication provider configuration.

- Exact progress formula.
- Detailed notification delivery infrastructure.
- Final visual design system.
- Mobile application architecture.
- School administration implementation.
- Parent portal implementation.
- Third-party integrations.

24. Version 0.5 Decision Register

The following register consolidates the answers already present in the supplied blueprint. Unanswered questions remain explicitly marked pending rather than being filled from outside assumptions.

Decision Area	Status	Decision / Current Position
1. Authentication model	Confirmed	Email + password is accepted as the primary credential model; Google sign-in is also part of the working direction. Classora ID is identity-only.
2. Email verification	Confirmed	Mandatory before normal Classora use.
3. Login email changes	Confirmed	Allowed; verification required.
4. Separate workspace activation	Resolved	No separate upgrade step is needed because every teacher automatically receives an independent workspace.
5. Automatic teacher workspace	Confirmed	Yes.
6. Student may register before joining	Confirmed	Yes.
7. Teacher invitation by Classora ID	Confirmed	Yes, in addition to student-initiated join requests.
8. Multiple classrooms under same teacher	Confirmed	Yes.
9. One active membership in same classroom	Confirmed	Yes.
10. Basic search result	Confirmed	Name, role, class, profile photo, Classora ID.
11. Classora ID visibility	Confirmed	Everyone.
12. Student edits name/class	Confirmed	Allowed.
13. Teacher edits student profile	Confirmed	View and request to change.
14. Profile photos	Confirmed	Optional.
15. Progress factors	Pending	Attendance/exams/tests/homework/configurable combination not finalized.
16. Manual progress override	Pending	Not finalized.

Decision Area	Status	Decision / Current Position
17. Result fields	Pending	Marks vs marks + grade + remarks not finalized.
18. Result publication	Pending	Immediate vs explicit publish not finalized.
19. Homework attachments	Pending	Not finalized.
20. Recurring weekly schedules	Pending	Not finalized.
21. Notification delivery	Pending	In-app-only first vs later email not finalized.
22. Essential five features	Pending	Not finalized.
23. Features to postpone	Pending	Not finalized.
24. Visual direction	Pending	School/university portal vs SaaS dashboard vs hybrid not finalized.
25. Initial operating model	Pending	Teacher-first with school administration as future expansion is proposed in the blueprint, but the explicit answer remains blank.

25. Proposed Next Planning Stage

Once the remaining decision questions are answered, the project should stop changing its authentication concept and move into execution planning.

1. Freeze Version 0.5 account and login principles.
2. Create the complete sitemap.
3. Define the Teacher user journey.
4. Define the Student user journey.
5. Define registration and login screens.
6. Define every page and its purpose.
7. Create the Teacher vs Student permission matrix.
8. Create the conceptual data relationship diagram.
9. Define dashboard widgets.
10. Define forms and validation requirements.
11. Define MVP and future scope.
12. Create low-fidelity wireframes.
13. Create the visual/UI design direction.
14. Prepare the technical requirements document.
15. Only then begin building the first website prototype.

26. Version Boundary

Version 0.5 is not a coding specification. It is the new theoretical baseline. The main change from Version 0.4 is the separation of authentication from Classora identity. The goal is to remove unnecessary custom login complexity while preserving the Classora ID concept.

New ideas after this version should be classified as:

- A. Required for the core workflow.
- B. Useful but later.
- C. Future expansion.

This classification keeps the project from becoming unnecessarily complicated.

27. Version History

- 0.1 - Initial structural brainstorming.
- 0.2 - Relationship, privacy, and permission brainstorming.
- 0.3 - Consolidated product understanding and Classora naming.
- 0.4 - Previous final pre-execution blueprint with UID + password login.
- 0.5 - New theoretical blueprint: email + password authentication with separate Classora ID identity.
- 0.5 Refined - Structural cleanup, decision consolidation, and clarification of current scope without adding external requirements.

28. Working Notes and Current Technical Direction

- Sign in with Google and email sign-in are part of the current direction.
- Authentication will be on Supabase.
- Database will be on Supabase.

Exact provider configuration, schema, security policies, and implementation details remain part of the execution-planning stage.

Final Scope Check

Decision Area	Status	Decision / Current Position
Identity	Confirmed	Permanent Classora ID is separate from login authentication.
Authentication	Confirmed	Email/password + Google direction; mandatory email verification.
Teacher model	Confirmed	Independent teacher workspace is automatic.
Student model	Confirmed	Student may register first and join later.
Relationships	Confirmed	Multiple teachers and multiple classrooms are supported conceptually.

Decision Area	Status	Decision / Current Position
Search	Confirmed	Limited discovery; finding an ID does not grant access.
Privacy	Confirmed	Role + relationship + permission checks are required.
Academic core	Provisional	Schedule, homework, examinations, results, progress, notes, notifications.
MVP boundaries	Partially confirmed	Core workflow is defined; several feature-level questions remain pending.
Technical implementation	Deferred	Schema, final stack/configuration, and detailed security policies remain for execution planning.