

### NAME NOT SET Documentation

Link to diagram: https://app.quickdatabasediagrams.com/#/d/y8OBmj

Server Database - Schema Version 2

Please bump the version by 1, any time the schema changes.

Also, include the migration plan under app/database/migration/server,

update all models, relationships and types.

Lastly, export all PNGs, SVGs, etc under the source project (./docs/database)

If you have any question/queries that you would like to clarify, please reach out to the Mobile Platform Team.

#### Category

Field	Description	Туре	Default	Other
id	server-generated	string		PK
collapsed		bool		
display_name		string		
muted		bool		
sort_order		number		
sorting	alpha, recent, manual	string		
team_id		string		FK, INDEX
type	'channels'   'direct_messages'   'favorites'   'custom'	string		

#### CategoryChannel

Field	Description	Туре	Default	Other
id	composition ID Team.id_Channel.id	string		PK
category_id		string		FK, INDEX
channel_id		string		FK, INDEX
sort_order		number		

#### Channel

Field	Description	Туре	Default	Other
id	server-generated	string		PK, FK
create_at		string		
creator_id		string		FK, INDEX
delete_at		number		
display_name		string		
is_group_constrained		bool		
name		string		INDEX
shared		bool		
team_id		string		FK, INDEX

QuickDBD-NAME NOT SET Page 1 of 8



Field	Description	Туре	Default	Other
type		string		
update_at		number		
banner_info		string		

### ChannelInfo

Field	Description	Туре	Default	Other
id	same value as Channel.id	string		PK, FK
guest_count		number		
header		string		
member_count		number		
pinned_post_count		number		
files_count		number		
purpose		string		

# ChannelMembership

Field	Description	Туре	Default	Other
id	composition ID Channel.id- User.id	string		PK
channel_id		string		FK, INDEX
user_id		string		FK, INDEX
scheme_admin		bool		

# CustomEmoji

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
name		string		

### Draft

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
channel_id		string		FK, INDEX
files	stringify (array)	string		
message		string		
root_id		string		FK, NULLABLE, INDEX
update_at		number		

#### File

QuickDBD-NAME NOT SET Page 2 of 8



Field	Description	Туре	Default	Other
id	server-generated	string		PK
extension		string		
height		number		
image_thumbnail	base64 data string or filepath for video thumbnails	string		
local_path		string		NULLABLE
mime_type		string		
name		string		
post_id		string		FK, INDEX
size		number		
width		number		

## Group

Field	Description	Туре	Default	Other
id	server-generated	string		PK
name		string		INDEX
display_name		string		
description		string		
remote_id		string		INDEX
source		string		
created_at		number		
updated_at		number		
deleted_at		number		

### GroupChannel

Field	Description	Туре	Default	Other
id	composition ID Group.id- Channel.id	string		PK
group_id		string		FK, INDEX
channel_id		string		FK, INDEX
created_at		number		
updated_at		number		
deleted_at		number		

# GroupMembership

Field	Description	Туре	Default	Other
id	composition ID Group.id- User.id	string		PK

QuickDBD-NAME NOT SET Page 3 of 8



Field	Description	Туре	Default	Other
group_id		string		FK, INDEX
user_id		string		FK, INDEX
created_at		number		
updated_at		number		
deleted_at		number		

## ${\sf GroupTeam}$

Field	Description	Туре	Default	Other
id	composition ID Group.id- Team.id	string		PK
group_id		string		FK, INDEX
team_id		string		FK, INDEX
created_at		number		
updated_at		number		
deleted_at		number		

# MyChannel

Field	Description	Туре	Default	Other
id	same as Channel.id	string		PK, FK
is_unread		boolean		
last_post_at		number		
last_viewed_at		number		
manually_unread		boolean		
mentions_count		number		
message_count		number		
roles		string		
viewed_at		number		

# MyChannelSettings

Field	Description	Туре	Default	Other
id	same as Channel.id	string		PK, FK
notify_props		string		

# MyTeam

Field	Description	Туре	Default	Other
id	same as Team.id	string		PK, FK
roles		string		

QuickDBD-NAME NOT SET Page 4 of 8



#### Post

Field	Description	Туре	Default	Other
id	server generated	string		PK
channel_id		string		FK, INDEX
create_at		number		
delete_at		number		
edit_at		number		
is_pinned		boolean		
message		string		
metadata		string		NULLABLE
original_id		string		
pending_post_id		string		INDEX
previous_post_id		string		
props		string		
root_id		string		
type		string		
update_at		number		
user_id		string		FK, INDEX

#### PostsInChannel

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
channel_id		string		FK, INDEX
earliest		number		
latest		number		

### PostsInThread

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
earliest		number		
latest		number		
root_id		string		FK

### Preference

Field	Description	Туре	Default	Other
id	server-generated	string		PK
category		string		INDEX

QuickDBD-NAME NOT SET Page 5 of 8



Field	Description	Туре	Default	Other
name		string		
user_id		string		FK, INDEX
value		string		

### Reaction

Field	Description	Туре	Default	Other
id	server-generated	string		PK
create_at		number		
emoji_name		string		
post_id		string		FK, INDEX
user_id		string		FK, INDEX

#### Role

Field	Description	Туре	Default	Other
id	server-generated	string		PK
name		string		
permissions	stringify array	string		

## System

Field	Description	Туре	Default	Other
id	SYSTEM_IDENTIFIERS	string		PK
value		string		

#### Team

Field	Description	Туре	Default	Other
id	server-generated	string		PK
allowed_domains		string		
description		string		
display_name		string		
is_allow_open_invite		boolean		
is_group_constrained		boolean		
last_team_icon_updated_at		number		
name		string		
type		string		
update_at		number		

# TeamChannelHistory

QuickDBD-NAME NOT SET Page 6 of 8



Field	Description	Туре	Default	Other
id	same as Team.id	string		PK, FK
channel_ids	stringified JSON array; FIFO	string		

### TeamMembership

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
team_id		string		FK, INDEX
user_id		string		FK, INDEX
scheme_admin		bool		

## TeamSearchHistory

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
created_at		number		
display_term		string		
team_id		string		FK
term		string		

#### Thread

Field	Description	Туре	Default	Other
id	similar to Post.id but for root post only	string		PK, FK
is_following		boolean		
last_reply_at		number		
last_viewed_at		number		
reply_count		number		
unread_mentions		number		
unread_replies		number		
viewed_at		number		

### ThreadsInTeam

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
loaded_in_global_threads		boolean		
team_id		string		FK, INDEX
thread_id		string		FK, INDEX

## ThreadParticipant

QuickDBD-NAME NOT SET Page 7 of 8



#### who is participating in this conversation

Field	Description	Туре	Default	Other
id	auto-generated	string		PK
thread_id		string		FK, INDEX
user_id		string		FK, INDEX

#### User

Field	Description	Туре	Default	Other
id	server generated	string		PK
auth_service		string		
delete_at		number		
email		string		
first_name		string		
is_bot		boolean		
is_guest		boolean		
last_name		string		
last_picture_update		number		
locale		string		
nickname		string		
notify_props		string		
position		string		
props		string		
remote_id		string		NULLABLE
roles		string		
status		string		
timezone		string		
update_at		number		
username		string		

QuickDBD-NAME NOT SET Page 8 of 8