

PMC Trenching & Telecom RoW - Structured Rules Summary

[PMC-01] Scope: Guidelines apply to internal and external utilities/agencies/contractors excavating road surface for laying services.

Use: Use

[PMC-02] Coordination: Coordination is required between Ward Office, Main Road Department, utility/municipal agency and reinstatement contractor; inter-department coordination is also required.

Use: Cre

[PMC-03] Application: All digging proposals must be submitted through the Single Window system operated by the PMC Road Department.

Use: Mo

[PMC-04] Application: Utility personnel meet the concerned Junior Engineer for site visits and completion of documents; after sanctions, the work order is issued through the Single Window system.

Use: Sho

[PMC-05] GIS: Route/location/trenching map should use proper GIS mapping with accurate trench length, vertical cross-section and strata-wise length breakup.

Use: Dire

[PMC-06] Site inspection: PMC Road Engineer, utility representative and Ward Office Engineer jointly visit the site and verify application details within 15 days of receipt.

Use: Cre

[PMC-07] Existing utilities: Application scrutiny must consider existing infrastructure services, their safety/operations, and future road widening or service augmentation.

Use: Trig

[PMC-08] Approval: Permission for excavation in trench is granted by the Chief Engineer, Roads.

Use: App

[PMC-09] Payment: After sanction, a demand note and estimate are sent within 3 days; payment is to be made within 15 days after demand note.

Use: Rep

[PMC-10] Bank guarantee: Utility agency submits a bank guarantee equal to 5% of the demand note until completion report is submitted.

Use: Che

[PMC-11] Work order: After payment, Road Department issues permit/work order within 3 days; plan/work order is forwarded to Ward Office and concerned authorities and shared with Steering Committee members.

Use: Stro

[PMC-12] Public notice: Applicant must publish a local newspaper public notice before starting trenching and submit/show the notice to PMC.

Use: Pre

[PMC-13] Traffic coordination: Utility agency must arrange required permissions including Traffic Police; PMC

Junior Engineer should intimate Traffic Police.

Use: Add

[PMC-14] Route control: Start/end dates cannot be changed; trench length above 5% cannot be increased without consequences/new proposal as specified.

Use: Rou

[PMC-15] Public safety: Communication infrastructure work should minimize public inconvenience; off-peak/night execution may be directed.

Use: Saf

[PMC-16] Qualified engineer: Utility agency should appoint a qualified engineer for trenching work and report to PMC.

Use: Rec

[PMC-17] Utility protection: Sand/granular/non-cohesive material should be placed for at least 30 cm above the utility top, with a tile layer as a caution against utility damage.

Use: Con

[PMC-18] Barricading: Area must be barricaded before excavation; reflector signs are required along the trench.

Use: Saf

[PMC-19] Site information board: Boards at trench start/end (and additionally for trenches over 100 m) must display project, agency, dates, site engineer/contact and PMC engineer/contact information.

Use: Gen

[PMC-20] Completion: Utility agency submits completion letter within 7 working days after trenching; PMC engineer visits and may issue completion certificate within 7 days after verification.

Use: Pos

[PMC-21] Avoid repeated excavation: Programs for laying pipelines/cables should be obtained from utilities and synchronized in advance in coordination with Traffic Police.

Use: Cor

[PMC-22] Traffic safety: Security guards/traffic wardens should be provided; steel plates should be used where needed for vehicle/pedestrian crossing.

Use: Site

[PMC-23] 100 m staging: For trenches longer than 100 m, only 100 m should be undertaken at a time; utility is laid and site cleared for reinstatement/traffic before further excavation.

Use: Proj

[PMC-24] Existing utility damage: Applicant is responsible for safety/security of underground utilities and for compensation/indemnification where damage occurs.

Use: Risk

[PMC-25] Damage restoration: If essential services such as water, sewerage, telecom or electricity are damaged, digging agency must restore them to original satisfactory condition at its own cost.

Use: Imp

[PMC-26] Alignment change: If actual work cannot follow the permitted alignment, the applicant must obtain prior

approval from Chief Engineer.

Use: Pre

[PMC-27] Carriageway: As far as possible, excavation on carriageway should not be permitted; if unavoidable, route should be close to edge while leaving water entrances.

Use: GIS

[PMC-28] Trenchless technology: The guideline states that utilities were required to use trenchless methods such as HDD/Pilot Tube from the specified dates, with conventional methods allowed only under specified special permission.

Use: Pot

[PMC-29] Reinstatement: Reinstatement work is generally through Main Road Department/Ward Offices; defect liability period for PMC contractor work is one year.

Use: Pos

[PMC-30] Monitoring: The guideline calls for centralized coordination/monitoring so administration, public and Traffic Police know trenching activity/status; utility-wise/ward-wise monthly details are required.

Use: Dire

[TEL-01] Legal framework: The Telecommunications (Right of Way) Rules, 2024 were notified on 17 September 2024 and are effective from 1 January 2025.

Use: Use

[TEL-02] Public Entity: Public Entity includes Central/State Government, local authority and certain entities managing public facilities.

Use: Autl

[TEL-03] Facility Provider: Facility Provider means the Central Government or an authorized entity, including relevant contractor/sub-contractor/agent.

Use: App

[TEL-04] Property type: RoW applications are for public property and other-than-public property.

Use: Ask

[TEL-05] Public-property application: Facility Provider submits application; Public Entity examines it and may seek clarification. The source presentation gives decision/clarification timelines and deemed-permission logic.

Use: App

[TEL-06] Validity: Permission is co-terminus with the term of authorization/licence or applicable exemption.

Use: RA

[TEL-07] Underground fee: The supplied DoT presentation lists a one-time underground application fee of Rs.1,000/km under Rule 6(4).

Use: Fee

[TEL-08] Survey: The source presentation states no fee for survey and shows permission for survey within 7 days.

Use: Sur

[TEL-09] Other-than-public property: The source presentation states no Public Entity permission is required for other-than-public property; information/intimation is submitted through the portal subject to applicable

requirements.

Use: Bra

[TEL-10] Safety after permission: Facility Provider must implement measures to mitigate public inconvenience and ensure public safety.

Use: Pos

[TEL-11] Digital/as-built GIS: Facility Provider must maintain up-to-date digital information of its underground telecom network, including as-built information, using positional intelligence/appropriate technology, and share/update it on demand through the portal as specified.

Use: Cor

[TEL-12] Monitoring: Public Entity may monitor/inspect ongoing work and take actions for violations as provided in the rules.

Use: Insp

[TEL-13] Common ducts/cable corridors: For notified infrastructure projects/classes, Public Entity shall make common ducts available on an open-access, non-discriminatory/non-exclusive basis subject to applicable charges and provide an online application process.

Use: Futu

[TEL-14] CBuD: Where work may damage/interfere with telecom infrastructure, notice is submitted on the portal; the Facility Provider provides network details and precautionary measures. Source presentation shows 24-hour emergency and 7-day normal timelines.

Use: GIS

[TEL-15] Relocation: For removal/relocation/alteration of telecom network, the source presentation shows a plan within 30 days and removal/relocation within 90 days.

Use: Rel

[TEL-16] Damage/restoration: The source states that damage compensation is based on repair/restoration expenses; critical telecom damage has statutory consequences under the cited Act provision.

Use: Inci

[TEL-17] Non-discrimination: The source summary states permission is granted on a non-discriminatory and non-exclusive basis.

Use: RAO

[TEL-18] Taxes/charges: The source distinguishes charges from applicable taxes, cess and levies and lists restrictions on certain property-related charges.

Use: Fee

[TEL-19] Force majeure: Source lists war/hostilities, major riots/civil commotion, natural disasters and certain government restrictions as force majeure events; execution timelines may be extended as specified.

Use: Tim

[TEL-20] Coordination value: The common-duct section highlights reduced congestion and avoidance of frequent digging/excavation.

Use: Proj