


LVT

Comparison with RVT model(s)

Please use the bookmark to navigate







#### General information on EG DK1.2\_RF\_mmW models

- Maximum supply voltage is 1.8 V.
- Validity domain is defined as follows:
  - ✓ Drawn gate length varies from 150nm to 10um.
  - ✓ Drawn transistor width varies from 0.16um to 10um.
  - ✓ Device temperature varies from -40 °C to 125 °C.



#### **Output parameters definitions**


- Model(s): eglvtnfet\_acc, eglvtpfet\_acc
  - ✓ Vt\_lin: Threshold voltage defined as Vgs value for which drain current is ivt\*M\*1\*W/(1\*L+0+1\*p\_la) at Vds = 0.05V.
  - ✓ Ig\_on: Gate current at Vds = 0V and Vgs = 1.8V.
  - ✓ Gm\_c: Drain transconductance at Vgs = Vt\_lin + 0.2, Vds = Vdd/2V, f = 100kHz.
  - ✓ Gd\_c: Drain conductance at Vgs = Vt\_lin + 0.2, Vds = Vdd/2V, f = 100kHz.
  - ✓ Ig\_off: Gate current at Vds = VddV, Vgs = 0V.
  - ✓ Logioff : log10(Ioffsat).
  - ✓ Gain\_c : Voltage gain defined as Gm\_c / Gd\_c.
  - ✓ Ieff: Average drain current (Ilow + Ihigh) / 2.
  - ✓ Ilin : Drain current at Vgs = 1.8V, Vds = 0.05V.
  - ✓ Dibl: Vt\_lin Vt\_sat.
  - ✓ Ioff\_s : Source current at Vgs = 0V, Vds = vds\_satV.
  - ✓ Ioffsat : Drain current at Vgs = 0V, Vds = vds\_satV.
  - ✓ Ioff\_g : Gate current at Vgs = 0V, Vds = vds\_satV.
  - ✓ Vt\_sat: Threshold voltage defined as Vgs value for which drain current is ivt\*M\*1\*W/(1\*L+0+1\*p\_la) at Vds = vds\_satV.
  - ✓ Cgg\_inv: Total gate capacitance at Vgs = 1.8V, Vds = 0V, f = 100kHz.
  - ✓ Isat : Drain current at Vgs = 1.8V, Vds = VddV.
  - ✓ Cgd\_0v: Gate-to-Drain capacitance at Vgs = 0V, Vds = 0V, f = 100kHz.
  - ✓ Vtgmmax : Threshold voltage at Vds = 0.05 derived from Gm max method.



ST Confidential



# eglvtnfet\_acc Electrical characteristics per geometry







# eglvtnfet\_acc wrt egnfet\_acc @ w=2e-06, l=1.5e-07, swshe=0, pre\_layout\_local=1, sa=1.86e-6, sb=1.86e-6, devtype=PT, as=3.72e-12, ad=3.72e-12, ps=7.72e-06, pd=7.72e-06, vbs=0, vdd=1.8, temp=25.0

#### LVT wrt RVT

	SSF	SS	TT	FF	FFF
Vt_lin [mV]	425.9 -172.7mV	421.6 -158.7mV	376.2 -143.4mV	334.1 -125.4mV	327.2 -115.6mV
Vt_sat [mV]	403.8 -172.9mV	400.1 -159.6mV	355 -143.9mV	312.9 -125.8mV	306.6 -116.3mV
Isat [mA]	1.24 17.9%	1.27 16.3%	1.36 14.4%	1.43 11.7%	1.48 11.4%
Ilin [μA]	159.2 <b>14.4%</b>	168.2 <b>7.2</b> %	182.1 9.1%	194.9 <mark>10.9%</mark>	204.5 7.1%
Gm_c [µS]	603.4 0.5%	634.1 -2.3%	679.7 -0.3%	722.2 1.0%	760 0.2%
Gd_c [µS]	4.41 -7.8%	4.63 -9.6%	5.29 -9.0%	5.98 -7.8%	6.22 -7.9%
Gain_c []	136.8 9.0%	137 8.1%	128.5 9.5%	120.8 9.5%	122.2 8.8%
VtGmmax [mV]	404 -167.8mV	401.9 -157.1mV	359.1 -141.0mV	318.9 -122.4mV	314.4 -113.8mV
Cgd_0v [aF]	438 -0.4%	460.4 -0.8%	458.2 -1.4%	449.9 -1.6%	478.2 -2.1%
Cgg_inv [fF]	3.23 0.5%	3.33 0.4%	3.34 0.5%	3.35 0.5%	3.46 -0.3%
Ieff [μA]	754.6 <mark>28.9%</mark>	777.1 <b>25.4</b> %	854.2 <b>22.4</b> %	925.5 <mark>18.5%</mark>	960.5 17.1%
Ig_on [fA]	0.37 -20.4%	3.12 155.4%	3.23 -25.9%	3.65 -86.2%	34.54 -31.1%
Ioffsat [pA]	14.16 2357.1%	15.6 1485.7%	56.25 1139.5%	200.9 606.2%	229.7 362.3%
Ioff_g [aA]	-7.4 4121.1%	-19.11 4118.5%	-62.89 4116.5%	-221.2 4114.4%	-545.8 4115.1%
Ioff_s [pA]	-14.16 <b>2357.1%</b>	-15.6 <b>1485.7</b> %	-56.25 <b>1139.5</b> %	-200.9 606.2%	-229.7 <mark>362.3%</mark>




# eglvtnfet\_acc wrt egnfet\_acc @ w=2e-06, l=2.0e-06, swshe=0, pre\_layout\_local=1, sa=2.26e-6, sb=2.26e-6, devtype=PT, as=4.52e-12, ad=4.52e-12, ps=8.52e-06, pd=8.52e-06, vbs=0, vdd=1.8, temp=25.0

#### LVT wrt RVT

	SSF	SS	TT	FF	FFF
Vt_lin [mV]	431.3 -172.3mV	433.7 -158.4mV	392.7 -139.6mV	354.7 -118.3mV	352.6 -108.0mV
Vt_sat [mV]	420.3 -172.9mV	422.8 -159.2mV	382.4 -139.9mV	344.9 -118.3mV	342.8 -108.2mV
Isat [μA]	237.2 <mark>23.4</mark> %	234.5 16.7%	264.2 <b>17.2%</b>	292.6 16.4%	293.5 12.2%
Ilin [μA]	19.16 <b>9.6</b> %	18.75 <b>3.4</b> %	20.46 5.8%	21.98 7.5%	21.73 3.2%
Gm_c [µS]	54.8 -5.3%	54.69 - <mark>8.5</mark> %	58.68 <b>-4.9</b> %	62.42 -2.0%	62.48 -4.6%
Gd_c [nS]	45.05 <b>45.8%</b>	45.35 <b>42.6%</b>	51.69 <b>49.2%</b>	58.17 <b>56.6%</b>	58.3 <b>53.4</b> %
Gain_c []	1217 <b>-35.1</b> %	1206 - <mark>35.9</mark> %	1135 <b>-36.3</b> %	1073 -37.4%	1072 -37.8%
VtGmmax [mV]	438 -169.8mV	438.7 -158.9mV	400.1 -139.3mV	364.1 -117.3mV	361.4 -108.6mV
Cgd_0v [aF]	438.1 -0.3%	460.4 -0.8%	458.3 -1.3%	450.3 -1.4%	478.7 -1.9%
Cgg_inv [fF]	30.82 1.2%	31.6 1.2%	32.15 1.2%	32.8 1.1%	33.6 1.1%
Ieff [μA]	127.3 <mark>26.5%</mark>	125.5 <b>19.0%</b>	142.3 18.9%	158.7 <b>17.7%</b>	158.7 12.7%
Ig_on [fA]	4.24 -8.0%	33.28 181.7%	32.85 -22.4%	35.04 <b>-86.5</b> %	315.9 -34.2%
Ioffsat [pA]	0.75 343.9%	0.92 219.4%	1.98 57.1%	5.11 -33.4%	5.22 -61.9%
Ioff_g [fA]	-8.95e-02 <b>4121.1%</b>	-0.23 4118.6%	-0.76 4116.4%	-2.68 4114.4%	-6.6 4115.2%
Ioff_s [pA]	-0.75 <mark>343.8</mark> %	-0.92 <mark>219.3%</mark>	-1.98 <mark>57.1%</mark>	-5.11 <b>-33.5</b> %	-5.21 <b>-61.9</b> %



# eglvtpfet\_acc Electrical characteristics per geometry





## eglvtpfet\_acc wrt egpfet\_acc @ w=2e-06, l=2.0e-06, swshe=0, pre\_layout\_local=1, sa=2.26e-6, sb=2.26e-6, devtype=PT, as=4.52e-12, ad=4.52e-12, ps=8.52e-06, pd=8.52e-06, vdd=1.8, temp=25.0 **sd=1.4e-07** wrt vbs=0

#### LVT wrt RVT

	SSF	SS	TT	FF	FFF
Vt_lin [mV]	325 -279.8mV	294.8 -291.7mV	287.9 -196.7mV	281.9 -107.1mV	249.8 -118.0mV
Vt_sat [mV]	315.3 -268.9mV	285 -281.4mV	278.3 -186.8mV	272.5 -97.3mV	240.3 -108.5mV
Isat [μA]	87.69 <b>108.6%</b>	89.92 <b>103.5</b> %	94.98 83.9%	99.56 <mark>69.5</mark> %	102.4 67.1%
Ilin [μA]	6.23 53.9%	6.18 48.7%	6.47 <b>46.4</b> %	6.72 44.4%	6.69 40.2%
Gm_c [µS]	15.89 <b>72.3%</b>	15.74 <b>66.8%</b>	16.42 <b>72.5</b> %	17.04 80.0%	16.86 76.1%
Gd_c [nS]	18.29 167.2%	18.56 <b>171.6%</b>	21.07 208.1%	23.68 <b>257.4%</b>	23.88 268.2%
Gain_c []	868.9 -35.5%	848.1 -38.6%	779.4 -44.0%	719.3 -49.6%	705.8 -52.2%
VtGmmax [mV]	375.2 -315.0mV	346.4 -324.4mV	342.4 -225.5mV	339.1 -135.5mV	309.1 -145.8mV
Cgd_0v [aF]	363.9 <b>-32.9%</b>	381.7 <b>-33.3</b> %	381.5 - <mark>32.6</mark> %	377.4 <b>-31.9%</b>	403 -32.1%
Cgg_inv [fF]	29.33 -0.8%	30.06 -0.9%	30.54 -1.6%	31.1 -2.1%	31.85 -2.1%
Ieff [μA]	46.88 117.9%	48.2 112.9%	50.92 <b>91.0%</b>	53.38 <mark>75.0%</mark>	55.02 72.7%
Ig_on [fA]	1.06e-02 <b>-27.0</b> %	4.29e-02 <b>-29.4%</b>	0.11 -51.6%	0.32 -67.0%	1.12 -68.2%
Ioffsat [pA]	3.87 114.9%	7.68 <b>92.8</b> %	10.12 -30.0%	14.11 -74.5%	28.46 -76.8%
Ioff_g [fA]	-1.42 -1.6%	-4.3 -1.6%	-11.13 -1.6%	-32.14 -1.7%	-87.09 -1.7%
Ioff_s [pA]	-3.87 <b>115.0%</b>	-7.67 <mark>92.9%</mark>	-10.1 <b>-30.1</b> %	-14.08 <b>-74.6</b> %	-28.37 <b>-76.8%</b>



# eglvtnfet\_acc Electrical characteristics scaling








## Scaling versus Length (W=2e-6,Temp=25)





#### eglvtnfet\_acc, Vt\_lin [mV] vs L [m]








#### eglvtnfet\_acc, Ilin\*L/W [A/sq] vs L [m]












#### eglvtnfet\_acc, VtGmmax [mV] vs L [m]












#### eglvtnfet\_acc, DIBL [mV] vs L [m]












#### eglvtnfet\_acc, Vt\_sat [mV] vs L [m]


Temp==25 and w==2e-6 and l>0.1e-6 and devType=="PCELLwoWPE"




L[m]



#### eglvtnfet\_acc, Isat\*L/W [A/sq] vs L [m]













#### eglvtnfet\_acc, Ioffsat [A] vs L [m]














#### eglvtnfet\_acc, LogIoff [A] vs L [m]













### eglvtnfet\_acc, Ig\_on/(L\*W) [A/m2] vs L [m]










#### eglvtnfet\_acc, Ig\_off/(W) [A/m] vs L [m]













#### eglvtnfet\_acc, Gd\_c\*L/W [s/sq] vs L [m]










### eglvtnfet\_acc, Gm\_c\*L/W [s/sq] vs L [m]












#### eglvtnfet\_acc, Gain\_c [] vs L [m]












#### eglvtnfet\_acc, Cgd\_0v/W [F/m] vs L [m]










#### eglvtnfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs L [m]











## Scaling versus Width (L=0.15e-6,Temp=25)








#### eglvtnfet\_acc, Vt\_lin [mV] vs W [m]












#### eglvtnfet\_acc, Ilin/W [A/m] vs W [m]













#### eglvtnfet\_acc, VtGmmax [mV] vs W [m]












### eglvtnfet\_acc, DIBL [mV] vs W [m]












#### eglvtnfet\_acc, Vt\_sat [mV] vs W [m]












#### eglvtnfet\_acc, Isat/W [A/m] vs W [m]













#### eglvtnfet\_acc, Ioffsat [A] vs W [m]













### eglvtnfet\_acc, LogIoff [A] vs W [m]












### eglvtnfet\_acc, Ig\_on/(L\*W) [A/m2] vs W [m]












#### eglvtnfet\_acc, Ig\_off/(W) [A/m] vs W [m]













## eglvtnfet\_acc, Gd\_c/W [s/m] vs W [m]












## eglvtnfet\_acc, Gm\_c/W [s/m] vs W [m]













## eglvtnfet\_acc, Gain\_c [] vs W [m]













## eglvtnfet\_acc, Cgd\_0v/W [F/m] vs W [m]












#### eglvtnfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs W [m]












# Scaling versus Temp, L=0.15u, W=2u





## eglvtnfet\_acc, Vt\_lin [mV] vs Temp [degC]













#### eglvtnfet\_acc, Ilin/W [A/m] vs Temp [degC]












## eglvtnfet\_acc, VtGmmax [mV] vs Temp [degC]












## eglvtnfet\_acc, DIBL [mV] vs Temp [degC]













#### eglvtnfet\_acc, Vt\_sat [mV] vs Temp [degC]












#### eglvtnfet\_acc, Isat/W [A/m] vs Temp [degC]












## eglvtnfet\_acc, Ioffsat [A] vs Temp [degC]












## eglvtnfet\_acc, LogIoff [A] vs Temp [degC]

l==0.15e-6 and w==2e-6 and devType=="PCELLwoWPE"






dormieub



## eglvtnfet\_acc, Ig\_on/(L\*W) [A/m2] vs Temp [degC]













#### eglvtnfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]

l==0.15e-6 and w==2e-6 and devType=="PCELLwoWPE"











dormieub



## eglvtnfet\_acc, Gd\_c/W [s/m] vs Temp [degC]












#### eglvtnfet\_acc, Gm\_c/W [s/m] vs Temp [degC]












#### eglvtnfet\_acc, Gain\_c [] vs Temp [degC]










#### eglvtnfet\_acc, Cgd\_0v/W [F/m] vs Temp [degC]












#### eglvtnfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs Temp [degC]

l==0.15e-6 and w==2e-6 and devType=="PCELLwoWPE"





Temp [degC]




# Scaling versus Temp, L=0.15u, W=2u

dormieub



## eglvtnfet\_acc, Vt\_lin [mV] vs Temp [degC]












## eglvtnfet\_acc, Ilin/W [%] vs Temp [degC]










#### eglvtnfet\_acc, VtGmmax [mV] vs Temp [degC]














## eglvtnfet\_acc, DIBL [mV] vs Temp [degC]













#### eglvtnfet\_acc, Vt\_sat [mV] vs Temp [degC]












#### eglvtnfet\_acc, Isat/W [%] vs Temp [degC]













## eglvtnfet\_acc, Ioffsat [%] vs Temp [degC]












#### eglvtnfet\_acc, LogIoff [log(A)] vs Temp [degC]











## eglvtnfet\_acc, Ig\_on/(L\*W) [%] vs Temp [degC]













#### eglvtnfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]












## eglvtnfet\_acc, Gd\_c/W [%] vs Temp [degC]












## eglvtnfet\_acc, Gm\_c/W [%] vs Temp [degC]













## eglvtnfet\_acc, Gain\_c [] vs Temp [degC]














#### eglvtnfet\_acc, Cgd\_0v/W [%] vs Temp [degC]













#### eglvtnfet\_acc, Cgg\_inv/(L\*W) [%] vs Temp [degC]











# Scaling versus Temp @ L=2u, W=2u








#### eglvtnfet\_acc, Vt\_lin [mV] vs Temp [degC]












#### eglvtnfet\_acc, Ilin/W [A/m] vs Temp [degC]












#### eglvtnfet\_acc, VtGmmax [mV] vs Temp [degC]













## eglvtnfet\_acc, DIBL [mV] vs Temp [degC]












#### eglvtnfet\_acc, Vt\_sat [mV] vs Temp [degC]












#### eglvtnfet\_acc, Isat/W [A/m] vs Temp [degC]












#### eglvtnfet\_acc, Ioffsat [A] vs Temp [degC]













## eglvtnfet\_acc, LogIoff [A] vs Temp [degC]













#### eglvtnfet\_acc, Ig\_on/(L\*W) [A/m2] vs Temp [degC]












#### eglvtnfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]













# eglvtnfet\_acc, Gd\_c/W [s/m] vs Temp [degC]













#### eglvtnfet\_acc, Gm\_c/W [s/m] vs Temp [degC]












#### eglvtnfet\_acc, Gain\_c [] vs Temp [degC]












#### eglvtnfet\_acc, Cgd\_0v/W [F/m] vs Temp [degC]














#### eglvtnfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs Temp [degC]











# Normalized scaling versus Temp @ L=2u, W=2u




dormieub



#### eglvtnfet\_acc, Vt\_lin [mV] vs Temp [degC]












## eglvtnfet\_acc, Ilin/W [%] vs Temp [degC]










#### eglvtnfet\_acc, VtGmmax [mV] vs Temp [degC]










#### eglvtnfet\_acc, DIBL [mV] vs Temp [degC]













#### eglvtnfet\_acc, Vt\_sat [mV] vs Temp [degC]










## eglvtnfet\_acc, Isat/W [%] vs Temp [degC]












#### eglvtnfet\_acc, Ioffsat [%] vs Temp [degC]













#### eglvtnfet\_acc, LogIoff [log(A)] vs Temp [degC]












#### eglvtnfet\_acc, Ig\_on/(L\*W) [%] vs Temp [degC]

l==2e-6 and w==2e-6 and devType=="PCELLwoWPE"











dormieub



#### eglvtnfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]













# eglvtnfet\_acc, Gd\_c/W [%] vs Temp [degC]












# eglvtnfet\_acc, Gm\_c/W [%] vs Temp [degC]










#### eglvtnfet\_acc, Gain\_c [] vs Temp [degC]












#### eglvtnfet\_acc, Cgd\_0v/W [%] vs Temp [degC]












#### eglvtnfet\_acc, Cgg\_inv/(L\*W) [%] vs Temp [degC]










# eglvtpfet\_acc Electrical characteristics scaling







# Scaling versus Length (W=2e-6,Temp=25)







dormieub



## eglvtpfet\_acc, Vt\_lin [mV] vs L [m]








#### eglvtpfet\_acc, Ilin\*L/W [A/sq] vs L [m]














## eglvtpfet\_acc, VtGmmax [mV] vs L [m]













## eglvtpfet\_acc, DIBL [mV] vs L [m]










## eglvtpfet\_acc, Vt\_sat [mV] vs L [m]








#### eglvtpfet\_acc, Isat\*L/W [A/sq] vs L [m]










## eglvtpfet\_acc, Ioffsat [A] vs L [m]








## eglvtpfet\_acc, LogIoff [A] vs L [m]








## eglvtpfet\_acc, Ig\_on/(L\*W) [A/m2] vs L [m]












## eglvtpfet\_acc, Ig\_off/(W) [A/m] vs L [m]










## eglvtpfet\_acc, Gd\_c\*L/W [s/sq] vs L [m]








## eglvtpfet\_acc, Gm\_c\*L/W [s/sq] vs L [m]












## eglvtpfet\_acc, Gain\_c [] vs L [m]












#### eglvtpfet\_acc, Cgd\_0v/W [F/m] vs L [m]










## eglvtpfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs L [m]











## Scaling versus Width (L=0.15e-6,Temp=25)




dormieub



## eglvtpfet\_acc, Vt\_lin [mV] vs W [m]








## eglvtpfet\_acc, Ilin/W [A/m] vs W [m]











#### eglvtpfet\_acc, VtGmmax [mV] vs W [m]












## eglvtpfet\_acc, DIBL [mV] vs W [m]










#### eglvtpfet\_acc, Vt\_sat [mV] vs W [m]








#### eglvtpfet\_acc, Isat/W [A/m] vs W [m]












## eglvtpfet\_acc, Ioffsat [A] vs W [m]












## eglvtpfet\_acc, LogIoff [A] vs W [m]













## eglvtpfet\_acc, Ig\_on/(L\*W) [A/m2] vs W [m]












## eglvtpfet\_acc, Ig\_off/(W) [A/m] vs W [m]












## eglvtpfet\_acc, Gd\_c/W [s/m] vs W [m]










## eglvtpfet\_acc, Gm\_c/W [s/m] vs W [m]












## eglvtpfet\_acc, Gain\_c [] vs W [m]












## eglvtpfet\_acc, Cgd\_0v/W [F/m] vs W [m]










## eglvtpfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs W [m]












# Scaling versus Temp, L=0.15u, W=2u

dormieub



## eglvtpfet\_acc, Vt\_lin [mV] vs Temp [degC]













#### eglvtpfet\_acc, Ilin/W [A/m] vs Temp [degC]













## eglvtpfet\_acc, VtGmmax [mV] vs Temp [degC]










## eglvtpfet\_acc, DIBL [mV] vs Temp [degC]












#### eglvtpfet\_acc, Vt\_sat [mV] vs Temp [degC]








#### eglvtpfet\_acc, Isat/W [A/m] vs Temp [degC]










# eglvtpfet\_acc, Ioffsat [A] vs Temp [degC]













# eglvtpfet\_acc, LogIoff [A] vs Temp [degC]









# eglvtpfet\_acc, Ig\_on/(L\*W) [A/m2] vs Temp [degC]












#### eglvtpfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]













# eglvtpfet\_acc, Gd\_c/W [s/m] vs Temp [degC]













#### eglvtpfet\_acc, Gm\_c/W [s/m] vs Temp [degC]










# eglvtpfet\_acc, Gain\_c [] vs Temp [degC]












# eglvtpfet\_acc, Cgd\_0v/W [F/m] vs Temp [degC]










# eglvtpfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs Temp [degC]








# Scaling versus Temp, L=0.15u, W=2u



#### eglvtpfet\_acc, Vt\_lin [mV] vs Temp [degC]










# eglvtpfet\_acc, Ilin/W [%] vs Temp [degC]








# eglvtpfet\_acc, VtGmmax [mV] vs Temp [degC]










# eglvtpfet\_acc, DIBL [mV] vs Temp [degC]













#### eglvtpfet\_acc, Vt\_sat [mV] vs Temp [degC]












#### eglvtpfet\_acc, Isat/W [%] vs Temp [degC]













# eglvtpfet\_acc, Ioffsat [%] vs Temp [degC]













#### eglvtpfet\_acc, LogIoff [log(A)] vs Temp [degC]












# eglvtpfet\_acc, Ig\_on/(L\*W) [%] vs Temp [degC]













# eglvtpfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]













# eglvtpfet\_acc, Gd\_c/W [%] vs Temp [degC]










# eglvtpfet\_acc, Gm\_c/W [%] vs Temp [degC]













#### eglvtpfet\_acc, Gain\_c [] vs Temp [degC]












# eglvtpfet\_acc, Cgd\_0v/W [%] vs Temp [degC]













# eglvtpfet\_acc, Cgg\_inv/(L\*W) [%] vs Temp [degC]












# Scaling versus Temp @ L=2u, W=2u





# eglvtpfet\_acc, Vt\_lin [mV] vs Temp [degC]











# eglvtpfet\_acc, Ilin/W [A/m] vs Temp [degC]












# eglvtpfet\_acc, VtGmmax [mV] vs Temp [degC]












# eglvtpfet\_acc, DIBL [mV] vs Temp [degC]













#### eglvtpfet\_acc, Vt\_sat [mV] vs Temp [degC]













#### eglvtpfet\_acc, Isat/W [A/m] vs Temp [degC]












# eglvtpfet\_acc, Ioffsat [A] vs Temp [degC]













# eglvtpfet\_acc, LogIoff [A] vs Temp [degC]













### eglvtpfet\_acc, Ig\_on/(L\*W) [A/m2] vs Temp [degC]












### eglvtpfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]












## eglvtpfet\_acc, Gd\_c/W [s/m] vs Temp [degC]













#### eglvtpfet\_acc, Gm\_c/W [s/m] vs Temp [degC]












#### eglvtpfet\_acc, Gain\_c [] vs Temp [degC]












### eglvtpfet\_acc, Cgd\_0v/W [F/m] vs Temp [degC]

l==2e-6 and w==2e-6 and devType=="PCELLwoWPE"






Temp [degC]



### eglvtpfet\_acc, Cgg\_inv/(L\*W) [F/m2] vs Temp [degC]










# Normalized scaling versus Temp @ L=2u, W=2u





dormieub



### eglvtpfet\_acc, Vt\_lin [mV] vs Temp [degC]












### eglvtpfet\_acc, Ilin/W [%] vs Temp [degC]












#### eglvtpfet\_acc, VtGmmax [mV] vs Temp [degC]











### eglvtpfet\_acc, DIBL [mV] vs Temp [degC]












#### eglvtpfet\_acc, Vt\_sat [mV] vs Temp [degC]













#### eglvtpfet\_acc, Isat/W [%] vs Temp [degC]












## eglvtpfet\_acc, Ioffsat [%] vs Temp [degC]












#### eglvtpfet\_acc, LogIoff [log(A)] vs Temp [degC]











#### eglvtpfet\_acc, Ig\_on/(L\*W) [%] vs Temp [degC]













### eglvtpfet\_acc, Ig\_off/(W) [A/m] vs Temp [degC]










## eglvtpfet\_acc, Gd\_c/W [%] vs Temp [degC]












## eglvtpfet\_acc, Gm\_c/W [%] vs Temp [degC]













#### eglvtpfet\_acc, Gain\_c [] vs Temp [degC]













#### eglvtpfet\_acc, Cgd\_0v/W [%] vs Temp [degC]













### eglvtpfet\_acc, Cgg\_inv/(L\*W) [%] vs Temp [degC]












## **Annex**



#### **Conditions of simulations**

The simulations were done with SBenchLSF Alpha using Eldo simulator 2018.2.

- Model eglvtnfet\_acc (LVT)
  - ✓ Input Parameters
    - **x** vds\_off = vds\_sat V
    - $\times$  vds\_cgd = 0 V
    - $\times$  vds\_cgg = 0 V
    - $\times$  mc\_sens = 0
    - $\times$  vds lin = 0.05 V
    - $\times$  ivt = 300e-9 A
    - **✗** model\_version = 1.2.d
    - **x** ams\_release = 2018.2
    - $\times$  vgs\_stop = vdd V
    - **✗** dlshrink\_ivt = 0
    - **✗** sbenchlsf\_release = Alpha
    - $\times$  vds\_sat = Vdd V
    - **x** mc\_nsigma = 3
    - **x** shrink\_ivt = 1



Sep 27, 2018

- **✗** dlshrink\_tinv = 0
- $\times$  vgs\_start = -0.5 V
- **x** plashrink\_ivt = 1
- $\star$  ithslwi = 10e-9 A
- $\times$  vds\_cbd = 0 V
- $\mathbf{x}$  vddmax = vdd
- $\times$  voffset = 0.2 V
- $\times$  mc runs = 1000
- $\mathbf{X}$  vstep\_ivt = 0.005 V
- $\mathbf{x}$  vgs\_off = 0 V
- $\times$  temp = 25 °C
- $\star$  f\_ext = 100k Hz
- $\mathbf{x}$  vbs = 0 V
- $\times$  vdd = 1.8 V
- $\star$  shrink\_tinv = 0.9
- $\mathsf{X}$  vds\_gmgd = Vdd/2 V
- ✓ Sweep Parameters
  - **x** temp = -40.0, 0.0, 25.0, 85.0, 125.0
- ✓ Extra parameters
  - $\mathbf{x}$  eglvt\_dev = 0
  - **✗** gflag\_noisedev\_eglvt\_cmos028fdsoi = 0
- Model eglvtpfet\_acc (LVT)
  - ✓ Input Parameters
    - **x** vds\_off = vds\_sat V
    - $\times$  vds\_cgd = 0 V



- $\times$  vds\_cgg = 0 V
- $\mathbf{x}$  mc sens = 0
- $\times$  vds\_lin = 0.05 V
- **x** ivt = 70e-9 A
- **✗** model\_version = 1.2.d
- **x** ams\_release = 2018.2
- $\times$  vgs\_stop = vdd V
- **✗** dlshrink\_ivt = 0
- **x** sbenchlsf\_release = Alpha
- $\times$  vds\_sat = Vdd V
- **x** mc\_nsigma = 3
- **x** shrink\_ivt = 1
- **✗** dlshrink\_tinv = 0
- $\times$  vgs\_start = -0.5 V
- **x** plashrink\_ivt = 1
- $\star$  ithslwi = 10e-9 A
- $\times$  vds\_cbd = 0 V
- $\mathbf{x}$  vddmax = vdd
- $\times$  voffset = 0.2 V
- **x** mc\_runs = 1000
- $\mathbf{X}$  vstep\_ivt = 0.005 V
- $\times$  vgs\_off = 0 V
- $\times$  temp = 25 °C
- $\mathbf{X}$  f ext = 100k Hz
- **x** vbs = 1.8 V

- $\times$  vdd = 1.8 V
- $\star$  shrink tinv = 0.9
- $\times$  vds\_gmgd = Vdd/2 V
- ✓ Sweep Parameters
  - **x** temp = -40.0, 0.0, 25.0, 85.0, 125.0
- ✓ Extra parameters
  - $\mathbf{x}$  eglvt\_dev = 0
  - **✗** gflag\_noisedev\_eglvt\_cmos028fdsoi = 0
- Model egnfet\_acc (RVT)
  - ✓ Input Parameters
    - **x** vds\_off = vds\_sat V
    - $\times$  vds\_cgd = 0 V
    - $\times$  vds\_cgg = 0 V
    - $\times$  mc\_sens = 0
    - $\times$  vds lin = 0.05 V
    - $\times$  ivt = 300e-9 A
    - **✗** model\_version = 1.2.c
    - $\mathbf{x}$  ams\_release = 2018.3
    - $\mathsf{x}$  vgs\_stop = vdd V
    - **✗** dlshrink\_ivt = 0
    - **x** sbenchlsf\_release = Alpha
    - $\times$  vds\_sat = Vdd V
    - **x** mc\_nsigma = 3
    - **✗** shrink\_ivt = 1
    - **✗** dlshrink\_tinv = 0



- $\times$  vgs\_start = -0.5 V
- **x** plashrink\_ivt = 1
- $\star$  ithslwi = 10e-9 A
- $\times$  vds\_cbd = 0 V
- $\mathbf{X}$  vddmax = vdd
- $\times$  voffset = 0.2 V
- $\times$  mc runs = 1000
- $\mathbf{X}$  vstep\_ivt = 0.005 V
- $\mathbf{x}$  vgs\_off = 0 V
- **x** temp =  $25 \, ^{\circ}$ C
- $\star$  f\_ext = 100k Hz
- $\mathbf{x}$  vbs = 0 V
- $\times$  vdd = 1.8 V
- $\star$  shrink\_tinv = 0.9
- $\times$  vds\_gmgd = Vdd/2 V
- ✓ Sweep Parameters
  - $\times$  temp = -40.0, 0.0, 25.0, 85.0, 125.0
- ✓ Extra parameters
  - $\angle$  eg\_dev = 0
  - $\mathbf{x}$  eglvt\_dev = 0
  - **✗** gflag\_noisedev\_eg\_cmos028fdsoi = 0
  - **✗** gflag\_\_noisedev\_\_eglvt\_\_cmos028fdsoi = 0
- Model egpfet\_acc (RVT)
  - ✓ Input Parameters
    - **x** vds\_off = vds\_sat V



- $\times$  vds\_cgd = 0 V
- $\times$  vds\_cgg = 0 V
- $\mathbf{x}$  mc sens = 0
- $\times$  vds\_lin = 0.05 V
- **X** ivt = 70e-9 A
- **✗** model\_version = 1.2.c
- $\mathbf{x}$  ams\_release = 2018.3
- $\mathbf{x}$  vgs\_stop = vdd V
- **✗** dlshrink\_ivt = 0
- **x** sbenchlsf\_release = Alpha
- $\times$  vds sat = Vdd V
- **x** mc\_nsigma = 3
- **x** shrink\_ivt = 1
- **✗** dlshrink\_tinv = 0
- $\times$  vgs\_start = -0.5 V
- **✗** plashrink\_ivt = 1
- $\star$  ithslwi = 10e-9 A
- $\times$  vds\_cbd = 0 V
- $\mathbf{X}$  vddmax = vdd
- $\times$  voffset = 0.2 V
- **x** mc\_runs = 1000
- $\times$  vstep\_ivt = 0.005 V
- $\mathbf{x}$  vgs\_off = 0 V
- $\times$  temp = 25 °C
- $\star$  f\_ext = 100k Hz



- $\mathbf{x}$  vbs = 0 V
- $\times$  vdd = 1.8 V
- $\star$  shrink\_tinv = 0.9
- $\times$  vds\_gmgd = Vdd/2 V
- ✓ Sweep Parameters
  - **x** temp = -40.0, 0.0, 25.0, 85.0, 125.0
- ✓ Extra parameters
  - $\mathbf{x}$  eg\_dev = 0
  - $\mathbf{x}$  eglvt\_dev = 0
  - **✗** gflag\_noisedev\_eg\_cmos028fdsoi = 0
  - **✗** gflag\_\_noisedev\_\_eglvt\_\_cmos028fdsoi = 0