

## 1. Release Notes

### 1.1 Product Release Information

Table 1. Product Identification

Parameter	Description
Library Name	C28SOI_IO_EXT_CSF_BASIC_EG_6U1X2T8XLB
Library Version	7.0
Library Type	IO Cells
Technology	CMOS028_FDSOI
DK Version	DK_cmos28FDSOI_RF_6U1x_2T8x_LB_2.8.c-08

### 1.2 Impact of Product Release

For latest information, please refer to LYS (<http://col2.cro.st.com/libyield>).

### 1.3 Related Documentation

- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_7.0 User Manual
- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_7.0 Release Notes and Known Problems and Solutions
- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_7.0 HDL MODELS model usage guidelines
- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_ff28\_1.05V\_1.95V\_125C\_7y50kR\_ss28\_1.10V\_1.65V\_m40C\_7y50kR\_7.0 DataBook
- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_ff28\_1.10V\_1.95V\_m40C\_tt28\_1.00V\_1.80V\_25C\_ss28\_0.90V\_1.65V\_125C\_7.0 DataBook
- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_ff28\_0.90V\_1.95V\_125C\_2ey\_ss28\_0.90V\_1.65V\_m40C\_2ey\_7.0 Data-Book

- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_ff28\_0.90V\_1.95V\_m40C\_2ey\_ss28\_0.90V\_1.65V\_125C\_2ey\_7.0 Data-Book
- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_ff28\_1.10V\_1.95V\_125C\_ss28\_0.90V\_1.65V\_m40C\_7.0 DataBook
- C28SOI\_IO\_EXT\_CSF\_BASIC\_EG\_ff28\_1.10V\_1.95V\_m40C\_7y50kR\_ss28\_1.10V\_1.65V\_125C\_7y50kR\_7.0 DataBook

## 2. Changes with respect to all Previous Versions

### 2.1 Changes in Version 7.0-02 w.r.t Version 7.0-01

A. STF are Characterized with SPICE DK\_cmos28FDSOI\_RF\_6U1x\_2U2x\_2T8x\_LB 2.8.c-08

B. 86 corners are added in this release

No Update

### 2.2 Changes in Version 7.0-01 w.r.t Version 6.0.b

A. This is the Final release

B. Major content of packages are

(1) HDL Models:

(a) Emulator (\_emul.v), Tetramax(\_tmax.v), Verilog(.v), Power Verilog (\_allpins.v), MENTOR

(2) STF View contains 51 corners

(3) Physical Views (Layout ,Signoff LEF , CADENCE LEF ,Schematic, CDL, GDS, SPI, Abstract , Synopsys Layout )

(4) Other views(ADMS, NOVAS, CPF, IODA, VOLTUS etc.)

First release

### 2.3 Changes in Version 6.0.b w.r.t Version 6.0

Physical views of this package updated CDL , GDS and SYNOPSYS LAYOUT & FRAM.

### 2.4 Version 6.0

A. This is the Final release.

B. This package contains Verilog, libs, Cadence LEF, SIGNOFF LEF, SIP, SIGNOFF GDS, CDL and SYNOPSYS LAYOUT & FRAM.

(1) Verilog Models:

I. Verilog (.v) model : Compliance with power aware flow.

**II. In VERILOG Pin name, Pin direction and functionality is aligned with Usermanual .**

**(2) Liberty NLDM (STF) :**

**I. STF view is compliance with UPF flow .**

### 3. Known Problems and Solutions of this release



This document is compatible for viewing with acroread 7.0 and later versions. If opened with a lower version of acroread, there might be some color display problem.



#### DRC Errors:

**EMET.DEN.1** - All topcells - Corrected at chip level  
**EMET.DEN.2** - All topcells - Corrected at chip level  
**EMET.DEN.3** - All topcells - Corrected at chip level  
**EMET.DEN.4** - All topcells - Corrected at chip level  
**EMET.DEN.5** - All topcells - Corrected at chip level  
**EMET.DEN.6** - All topcells - Corrected at chip level  
**EMET.DEN.7** - All topcells - Corrected at chip level  
**EMET.DEN.8** - All topcells - Corrected at chip level  
**EMET.DEN.9** - All topcells - Corrected at chip level  
**EMET.DEN.10** - All topcells - Corrected at chip level  
**EMET.DEN.11** - All topcells - Corrected at chip level  
**EMET.DEN.12** - All topcells - Corrected at chip level  
**RX.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles  
**PC.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles  
**M1.DEN.1** - GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS and EMPTYCELL\_EXT\_CSF\_FC\_INNER/OUTER - Corrected by tiles  
**M2.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS, GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, FILLCELL\_FEEDTHROUGH\_40UM\_EXT\_CSF\_CL\_LIN - Corrected by tiles  
**M3.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS, GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, FILLCELL\_FEEDTHROUGH\_40UM\_EXT\_CSF\_CL\_LIN - Corrected by tiles  
**M4.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS, GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, FILLCELL\_FEEDTHROUGH\_40UM\_EXT\_CSF\_CL\_LIN - Corrected by tiles  
**M5.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles  
**M6.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles  
**B1.DEN.1** - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

B2.DEN.1 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

IA.DEN.1 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

IB.DEN.1 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

GR8x00\_IA - all FILLCELL\_1GRID\_EXT\_CSF\* - Corrected by abutment

GR8x01a\_IA - all FILLCELL\_1GRID\_EXT\_CSF\* - Corrected by abutment

GR601a\_M5 - all FILLCELL\_1GRID\_EXT\_CSF\* - Corrected by abutment

GR601aSE\_M5 - all FILLCELL\_1GRID\_EXT\_CSF\* - Corrected by abutment

HYBRID.W.1 - all FILLCELL\_1GRID\_EXT\_CSF\* - Corrected by abutment

GR8x00\_IB - all FILLCELL\_1GRID\_EXT\_CSF\* - Corrected by abutment

GR8x01a\_IB - all FILLCELL\_1GRID\_EXT\_CSF\* - Corrected by abutment

GRB\_N301 - FILLCELL\_1UM\_EXT\_CSF\_CL\_LIN - Corrected by abutment

GR3T02 - FILLCELL\_1UM\_EXT\_CSF\_CL\_LIN and FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected by abutment

GR3T05 - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected by abutment

ST\_B\_BP01a - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected by abutment

GR350a - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected by abutment

PLDDSOI.B.1.2 - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected by abutment

NLDDSOI.B.1.2 - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected by abutment

ST\_B\_BN01a - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected by abutment

RX.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

PC.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

M1.DEN.8 - GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS and EMPTYCELL\_EXT\_CSF\_FC\_INNER/OUTER - Corrected by tiles

M2.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS, GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, FILLCELL\_FEEDTHROUGH\_40UM\_EXT\_CSF\_CL\_LIN - Corrected by tiles

M3.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS, GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, FILLCELL\_FEEDTHROUGH\_40UM\_EXT\_CSF\_CL\_LIN - Corrected by tiles

M4.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER, \*CORNER\_EXT\_CSF\_FC\_2ROWS, GNDE/VDDE\_EXT\_CSF\_FC\_OUTER, FILLCELL\_FEEDTHROUGH\_40UM\_EXT\_CSF\_CL\_LIN - Corrected by tiles

M5.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

M6.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

B1.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

B2.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

IA.DEN.8 - EMPTYCELL\_EXT\_CSF\_FC\_OUTER and GNDE/VDDE\_EXT\_CSF\_FC\_OUTER - Corrected by tiles

	<b>IB.DEN.8 - EMPTYCELL_EXT_CSF_FC_OUTER and GNDE/VDDE_EXT_CSF_FC_OUTER</b> - Corrected by tiles
--	---

**LVS/ERC Errors**

**Comparison : nothing in layout - All topcells with empty schematic - Corrected at chip level**

**ERC1a - all Filler Cut cells and all 1Grid cells - Corrected at chip level**

**ERC2.ST - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected at chip level**

**ERC3.ST - FILLCELL\_1GRID\_EXT\_CSF\_CL\_LIN - Corrected at chip level**

**SOFTCHECK: stamping conflict - FILLCUTCELL\_ALL\_EXT\_CSF\_FC\_2ROWS and FILL-CUTCELL\_ALL\_EXT\_CSF\_FC\_LIN - Corrected by abutment**

## 4. Contact Information

For more information about this product/IP/Library or any problems or suggestions, please contact **HELPDESK** (<http://col2.cro.st.com/helpdesk>).

Non-ST users, please contact the respective Customer Support.





**Please Read Carefully:**

Information in this document is provided solely in connection with ST products. STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, modifications or improvements, to this document, and the products and services described herein at any time, without notice.

All ST products are sold pursuant to ST's terms and conditions of sale. Purchasers are solely responsible for the choice, selection and use of the ST products and services described herein, and ST assumes no liability whatsoever relating to the choice, selection or use of the ST products and services described herein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted under this document. If any part of this document refers to any third party products or services it shall not be deemed a license grant by ST for the use of such third party products or services, or any intellectual property contained therein or considered as a warranty covering the use in any manner whatsoever of such third party products or services or any intellectual property contained therein.

**UNLESS OTHERWISE SET FORTH IN ST'S TERMS AND CONDITIONS OF SALE ST DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY WITH RESPECT TO THE USE AND/OR SALE OF ST PRODUCTS INCLUDING WITHOUT LIMITATION IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE (AND THEIR EQUIVALENTS UNDER THE LAWS OF ANY JURISDICTION), OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. UNLESS EXPRESSLY APPROVED IN WRITING BY TWO AUTHORIZED ST REPRESENTATIVES, ST PRODUCTS ARE NOT RECOMMENDED, AUTHORIZED OR WARRANTED FOR USE IN MILITARY, AIR CRAFT, SPACE, LIFE SAVING, OR LIFE SUSTAINING APPLICATIONS, NOR IN PRODUCTS OR SYSTEMS WHERE FAILURE OR MALFUNCTION MAY RESULT IN PERSONAL INJURY, DEATH, OR SEVERE PROPERTY OR ENVIRONMENTAL DAMAGE. ST PRODUCTS WHICH ARE NOT SPECIFIED AS "AUTOMOTIVE GRADE" MAY ONLY BE USED IN AUTOMOTIVE APPLICATIONS AT USER'S OWN RISK.**

Resale of ST products with provisions different from the statements and/or technical features set forth in this document shall immediately void any warranty granted by ST for the ST product or service described herein and shall not create or extend in any manner whatsoever, any liability of ST.

ST and the ST logo are trademarks or registered trademarks of ST in various countries.

Information in this document supersedes and replaces all information previously supplied.

The ST logo is a registered trademark of STMicroelectronics. All other names are the property of their respective owners.

© 2012 STMicroelectronics - All rights reserved

STMicroelectronics group of companies

Australia - Belgium - Brazil - Canada - China - Czech Republic - Finland - France - Germany - Hong Kong - India - Israel - Italy - Japan - Malaysia - Malta - Morocco - Philippines - Singapore - Spain - Sweden - Switzerland - United Kingdom - United States of America

[www.st.com](http://www.st.com)