

Colotl-Garista, Oscar <ocolotl-gar@cps.edu>

Forms of Programming

Google Forms <forms-receipts-noreply@google.com> To: ocolotl-gar@cps.edu

Tue, Sep 3, 2024 at 11:27 AM

Thanl	ks for	· fillina	out	Forms	of	Progra	ımmi	na
		J				J		

Here's what was received.

View score

Forms of Programming

Ema	
ocolo	tl-gar@cps.edu
1. As	a programmer, some forms of programming give you direct access to the
	while others abstract the hardware into more
	that needs to be translated or converted into the
	of the hardware. *
	computer processor; human language; native language
0	computer hardware; computer code; machine language
0	CPU; programming language; compiled code
\bigcirc	RAM; binary code; operating system

2	allo	ow programmers to code instructions directly to
the p	processor or hardware. *	
•	Machine languages	
\bigcirc	Interpreted languages	
0	Assembly languages	
0	Scripting languages	
		n be programmed by sending sequences and
patte	erns of bits through the processo	or to enable actions to take place. *
•	Processors	
\bigcirc	Compilers	
\bigcirc	Interpreters	
0	Assemblers	
		nich is an abstraction of machine language,
uses	s codes to modify processor regi	sters and perform functions. *
•	Assembly languages	
\bigcirc	High-level languages	
0	Machine languages	
0	Object-oriented languages	
5	are	e readable by humans more easily than
asse	embly or machine languages. *	
•	Interpreted languages	

called an interpreter reads each line of code and then interprets it into native instructions for the computer. The process is much slower than since the interpreter needs to convert each instruction provided by the programmer. * component; machine language processor; assembly language compiler; machine code transistor; binary language 7 is an example of an language. A programmer can stop the execution of the program, make a change to a line, and then run it again without any other steps. * JavaScript; interpreted C++; compiled Python; compiled HTML; scripting 8. A language takes instructions written by a human and sends that code to something called a compiled; compiler scripting; parser assembly; interpreter	0	Machine languages Low-level languages
processor; assembly language compiler; machine code transistor; binary language 7 is an example of an language. A programmer can stop the execution of the program, make a change to a line, and then run it again without any other steps. * JavaScript; interpreted C++; compiled Python; compiled HTML; scripting 8. A language takes instructions written by a human and sends that code to something called a * compiled; compiler scripting; parser	and slow	then interprets it into native instructions for the computer. The process is much er than since the interpreter needs to convert
compiler; machine code transistor; binary language 7	•	component; machine language
transistor; binary language 7	0	processor; assembly language
7 is an example of an language. A programmer can stop the execution of the program, make a change to a line, and then run it again without any other steps. * ③ JavaScript; interpreted ○ C++; compiled ○ Python; compiled ○ HTML; scripting 8. A language takes instructions written by a human and sends that code to something called a * ⑥ compiled; compiler ○ scripting; parser	0	compiler; machine code
language. A programmer can stop the execution of the program, make a change to a line, and then run it again without any other steps. * ① JavaScript; interpreted ② C++; compiled ③ Python; compiled ③ HTML; scripting 8. A language takes instructions written by a human and sends that code to something called a * ② compiled; compiler ③ scripting; parser	\bigcirc	transistor; binary language
8. A language takes instructions written by a human and sends that code to something called a * compiled; compiler scripting; parser	_	JavaScript; interpreted C++; compiled
and sends that code to something called a * compiled; compiler scripting; parser	0	HTML; scripting
scripting; parser		
	•	compiled; compiler
assembly; interpreter	0	scripting; parser
	\bigcirc	assembly; interpreter

O	interpreted; assembler
	takes the program instructions and converts it to or native code for the hardware and creates a
	ram called an*
•	compiler; binary; executable
0	interpreter; assembly; script
\bigcirc	assembler; text; application
0	linker; hex; batch file
	is native to the hardware and operating system
	This program
	Machine code
\bigcirc	Source code
0	Assembly code
11	is an example of a compiled language. *
•	C
\bigcirc	Python
\bigcirc	JavaScript
0	Ruby
12	, or OOP, treats everything as an object. *
•	Object-oriented programming

	Functional programming	
0	Procedural programming	
0	Assembly language	
	and are e	xamples
of ob	object-oriented languages. *	
•	Java; C#	
0	Python; SQL	
0	HTML; CSS	
0	Assembly; COBOL	
	is a language designed for working with abases. *	
	abases. *	
	abases. * SQL or sequel	
	abases. * SQL or sequel Python	
	abases. * SQL or sequel Python JavaScript	
	abases. * SQL or sequel Python	
data	abases. * SQL or sequel Python JavaScript Bash	
data	abases. * SQL or sequel Python JavaScript Bash What are scripting languages? *	
data o 15. \	abases. * SQL or sequel Python JavaScript Bash What are scripting languages? * Languages designed for automating tasks	
data o 15. \	abases. * SQL or sequel Python JavaScript Bash What are scripting languages? * Languages designed for automating tasks Languages that compile to binary	
data o 15. \	abases. * SQL or sequel Python JavaScript Bash What are scripting languages? * Languages designed for automating tasks	

Create your own Google Form

Report Abuse