
COREXY 3D PRINTER



ref1: https://www.thingiverse.com/thing:1752766

ref2: https://rb.gy/2e0byr

Serial	Description	Details	Qty	Pricing (INR)	Image
	Extrusion profile - 20 mm x 20 mm	6ft x 4 ₹850/12ft (ca. 366 cm) 4 no. of 12ft (ca. 366 cm) required	2	 ₹ 1,700	
	Corner bracket	Dimension=20 mm x 20 mm	 50 	 ₹ 1,100	
3	Filament holder	electrical wire holder	 	 	

	 M5 Button head screw 	8 mm	 	 	
5 	 M5 Button head screw 	 10 mm 	 	 ₹450.00 	
6 6	L		 	L	
 	Hardened Steel smooth rod - Y axis	 8 mm x 400 mm	 		
8	Hardened Steel smooth rod - Z axis	12 mm x 400 mm	 	 	

9	Copper Alloy Bearing Bushing -X axis	#Material=copper alloy #ID=10 mm #OD=12 mm #Height=20 mm #Dimension=10 x 12 x 20 mm		 ₹1,481.00 	1020
10	Linear Motion Ball Bearing Slide Bushing - Z axis (LM12LUU linear bearing)	#Type=LM12LUU #Equipment Type=Roller #Material=Ball Bearing Steel #ID=12mm #OD=21mm #Dimension=12x2 1x57mm	 	 	
11	Linear Motion Ball Bearing Slide Bushing - Y axis (LM8LUU linear bearing)	#Type=LM8LUU #Equipment Type=Roller #Material=Ball Bearing Steel #ID=8mm #OD=15mm #Dimension=8x15x 45mm	 	 	
12	T8 Lead Screw - Z	#Length=400 mm #Diameter=8mm	 		
13	Anodized Aluminum tube - X axis	#Dimension=10 mm x 400 mm	 		

14	Aluminum Flexible Shaft Coupler	#Type:Flexible Shaft Coupling #Material=Aluminiu m #Inner Hole Size=5mm x 8mm #Outside Diameter=19mm #Length=25mm #Main dimensions=d1=5 mm, d2=8mm, D=19mm, L=25mm	1	 	THE STATE OF THE S
15	F623ZZ Flange Bearing Bearing	#Model=F623ZZ #Material=Bearing steel #Size=3x10x4mm #Outer Diameter=10mm #Inner Diameter=3mm #Thickness=4mm	10	 	
16	 GT2 Belt 	#GT2 Pitch=2mm #Belt Height=1.38mm #Tooth Height=0.75mm #Material=Rubber #Quantity=5 meters #Width=10mm	1	 ₹864.00	((CARIV))
 	2GT-20 Teeth Timing Pulley (RECEIVED WITH GT2 BELT)	#Inner=8MM #Tooth=7.5MM #Overall Length=18.5MM #Two M3 keyhole 90° distribution #Outside diameter=18MM #Tooth number=20 #Tooth pitch=2mm #Hole diameter=5mm #Flange=double #Tooth width=7mm	2	 	

18	Knurled Drive Gear	#Inner hole=5MM #Outer diameter=8MM #Length=12MM	 	 ₹1,190.00	
19 	PTFE push fit connector	#Model: PC4-01 #Screw threaded: M10 #PC4-01: Suitable for tube 4MM #(Perfect adapt to	 	 	
20	 Filament : ABS 	#Length=10 mtr #Diameter=1.75m m	 	 ₹ 480	SHERWER ST. ST.
	Stepper Motor	L	 	L ₹ 1,940	STEPPER MOTOR JK42HS40-1704-13A Lot No.201406

	Stepper Driver : DRV8825 With Heat Sink	Received with set.	5	 	
	Stepper Driver : A4988 With Heat Sink	 Amazon 		 ₹ 111	
24 	Arduino Mega 2560 based : GT2560	L Aliexpress	 	L	
 	3MM MK3 Aluminum Board PCB Heating bed	 Received with set. 	 	 ₹ 0.0	HOT ZONE DO NOT TOUCH! HOT ZONE DO NOT TOUCH! CAUTION: Before touching power off the healthed and wolt at least 10 minutes! So had other powered off the healthed and wolt at least 10 minutes! So had touc continued to one would have continued to one would have a continued to one would have a continued to the season of the
	LCD with control knob	L		L	O 2 3 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

27	TL-Smoothers			 ₹ 589	
28 	Single Ended Glass Sealed Thermistor Temperature Sensor	1 100K 1% NTC 	 	 ₹ 420	
29	Endstop Switch with cables		 	 ₹ 1,099	
30	Power supply w/ cables		 	₹ 0.0	Col States of Parts
31	Brushless Turbine Blower Cooling Fan	 DC 12V 2 Pin 0.13A 50 mm 	+ 	 ₹ 598	

32	Heated Bed Leveling Hand Adjustment Fixing Nut		— — - 	 ₹ 275	
33	H — — — — — — — — — — — — — — — — — — —				
34	Inductive Proximity Sensor Detection Switch			 ₹ 400	
35	RAMPS 1.4	Received with set.	 	 ₹ 2,150	
 	 	Received with set.	— — - 	₹ 0.0	

37	Heated Bed Power Expansion Module	For bigger heated bed			
	İ	Total Amount	<u> </u>	₹23,294.10	