

# PROJEKTNI ZADATAK

*SkyAdria Website*



Predmet: Web Programiranje 1

Predmetni Profesor: Nenad Kojić

Predmetni Asistenti: Luka Lukić, Milena Čančarević

Student: Ognjen Burić

Indeks Studenta: 23/24

# Sadržaj

■ Uvod.....	3
- Korišćeni Programski jezici .....	3
- Funkcionalnosti.....	3
- Template.....	3
Organizacija.....	5
- Organizaciona šema .....	5
- Mapa sajta .....	5
- Slike stranica i opisi funkcionalnosti .....	6
Index.html .....	6
Flightnotfound.html .....	7
Results.html.....	8
Contactus.html .....	8
Author.html .....	9
■ Kodovi.....	10
Main2.js .....	10
style.css .....	23
Index.html .....	29
Contactus.html .....	30
Flightnotfound.html .....	31
Results.html.....	32
Author.html .....	33

## Uvod

### - Korišćeni Programski jezici

Za kreiranje sajta korišćeni su: **HTML, CSS, JavaScript**

Radi bržeg dizajna korišćen framework: **Bootstrap**

Okruženje u kojem je projekat napravljen: **Visual Studio Code**

### - Funkcionalnosti

Dinamičko generisanje sadržaja kroz js koristeći json objekte.

Obrada forme i ispisavanje greški o unosu korisnika kroz labela

Pretraga letova na osnovu niza objekata i sortiranje na osnovu cijene leta

Leteće notifikacije koristeći localStorage


### - Template

Kodovi većinski preuzeti sa interneta:

Navigacija: <https://getbootstrap.com/docs/4.0/components/navbar>


Author div: <https://bootstrapexamples.com/@kemaya/author-box>

Osnovni template svake stranice je: Navigacija i Footer, koji se štampaju pri učitavanju svake stranice. Sami dizajn nije konstantan na svakoj strani, samo struktura.



# Organizacija

## - Organizaciona šema



## - Mapa sajta

```
- <?xml version="1.0" encoding="UTF-8"?>
- <urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
-
```

```


- <url>
-   <loc>https://ognjenburic2324.github.io/SkyAdria/index.html</loc>
-   <lastmod>2026-01-12</lastmod>
-   <changefreq>weekly</changefreq>
-   <priority>1.0</priority>
- </url>
- <url>
-   <loc>https://ognjenburic2324.github.io/SkyAdria/author.html</loc>
-   <lastmod>2026-01-12</lastmod>
-   <changefreq>monthly</changefreq>
-   <priority>0.5</priority>
- </url>
- <url>
-   <loc>https://ognjenburic2324.github.io/SkyAdria/flightrunfound.htm
1</loc>
-   <lastmod>2026-01-12</lastmod>
-   <changefreq>yearly</changefreq>
-   <priority>0.3</priority>
- </url>
- <url>
-   <loc>https://ognjenburic2324.github.io/SkyAdria/contactus.html</lo
c>
-   <lastmod>2026-01-12</lastmod>
-   <changefreq>yearly</changefreq>
-   <priority>0.4</priority>
- </url>
- <url>
-   <loc>https://ognjenburic2324.github.io/SkyAdria/results.html</loc>
-   <lastmod>2026-01-12</lastmod>
-   <changefreq>monthly</changefreq>
-   <priority>0.5</priority>
- </url>
- </urlset>

```

## - Slike stranica i opisi funkcionalnosti


Index.html – booking forma za letove. Provjera validnosti i ispis grešaka u labeli. Onemogućen izbor datuma koji prethode današnjem. Radio One Way omogućava pretragu leta u jednom pravcu i briše return date input (dodaje class

hidden). Pretragom Search Flights pravi object literal koji sadrži podatke o unosu korisnika, koji se pakuje je u JSON objekat koristeći stringify metodu. Prikazuje leteće notifikacije koristeći local storage.



SKYADRIA [Contact us](#) [Author](#) [Download Zip](#) [Documentation](#)

Your e-mail has been sent



**Flightnotfound.html** – Strana sa statičkim sadržajem ukoliko nema letova koji se poklapaju sa unosom korisnika.

## Your flight is unavailable

We are sorry to inform You, but Your flight for selected destination or date is unavailable, please return to the main page.

[Return Home](#)

SKYADRIA  
Site Links

**Results.html** – Parsira JSON objekat pretrage korisnika i upoređuje unijete podatke sa nizom letova. Dugme za sortiranje sortira letove po cijeni i obrće smjer sortiranja. Štampa sve letove koji se poklapaju sa pretragom i daje mogućnost izbora leta. Izbor se završavam vraćanjem na index stranicu i učitavanjem notifikacije o ptovrđi izbora.

## Available Flights

Choose your preferred SkyAdria flight and we will do the rest!

Sort by Price (Low → High)

[obrće sortiranje](#)

TGD → ZRH

Duration: 1h 45m

Price: 500€

Available seats: 2

[Select Flight](#)

TGD → ZRH

Duration: 1h 45m

Price: 300€

Available seats: 2


[Select Flight](#)

SKYADRIA  
Site Links

• SKYADRIA

**Contactus.html** – stranica za klasično slanje poruke putem forme. Predaja forme je onemogućena dok se ne ispune sva polja. Validnost formata unosa u svako polje se obrađuje pomoću Regex i ispisa greške u labelama





Have questions?

*Send us an e-mail and our customer support staff will help you*

Name & Surname  
Name Surname


E-mail  
E-mail address

Subject  
Subject

E-mail  
Message

Send E-mail

## Author.html – Statička strana sa informacijama o autoru. Dizajn bloka za autora je preuzet



# Kodovi

## Main2.js

```
//#region const
const flights = [
  { id: 1, from: "TGD", to: "FRA", price: 250, seats: 5, duration: "2h 10m" },
  { id: 2, from: "TGD", to: "ZRH", price: 500, seats: 2, duration: "1h 45m" },
  { id: 3, from: "TIV", to: "CDG", price: 200, seats: 8, duration: "2h 30m" },
  { id: 4, from: "TIV", to: "FRA", price: 170, seats: 0, duration: "2h 15m" },
  { id: 5, from: "TGD", to: "ZRH", price: 300, seats: 2, duration: "1h 45m" },
  { id: 6, from: "TGD", to: "FRA", price: 120, seats: 5, duration: "2h 10m" },
];
//#endregion

let pathNameArray = window.location.pathname.split("/");
let pathname = "/" + pathNameArray[pathNameArray.length - 1];
if (pathname == "/") {
  pathname = "/" + "index.html";
}

//#region FUNCTION CREATE ELEMENT
function createElementWithClass(tag, className) {
  let element = document.createElement(tag);
  element.className = className;
  return element;
}

function appendChildToParent(parent, child) {
  parent.appendChild(child);
}

//#endregion

//#region GLOBAL FUNCTION
function addFlightSelectionListener() {
  const buttons = document.querySelectorAll(".select-flight");

  buttons.forEach((button) => {
    button.addEventListener("click", function () {
      localStorage.setItem("showNotification2", "true");
      window.location.href = "index.html";
    });
  });
});
```

```

}

function printNav() {
  navDiv.id = "navbar";
  navId = document.getElementById("navbar");
  var navigationBootstrap = {
    SKYADRIA: `

```

```

heroDiv.id = "hero";
const heroId = document.getElementById("hero");
var heroContent = {
  HEROLEFT: `<div class="hero-left">
    <h1>SKYADRIA</h1>
    <p>Inspired by the Sea. Perfected in the Sky.</p>
  </div>`,
  BOOKINGFORM: `<div class="booking-form">
    <form id="my-form" name="my-form">
      <div class="trip-type">
        <label>
          <input type="radio" name="trip" checked value="round" /> Round
          Trip</label>
        </div>
        <label>
          <input type="radio" name="trip" value="oneway" /> One Way</label>
        </div>

      <div class="form-group">
        <label for="from-choice" id="from">From</label>
        <select id="from-choice">
          <option value="empty"></option>
          <option value="TGD">Podgorica (TGD)</option>
          <option value="TIV">Tivat (TIV)</option>
        </select>
      </div>

      <div class="form-group">
        <label for="to-choice" id="to">To</label>
        <select id="to-choice">
          <option value="empty"></option>
          <option value="FRA">Frankfurt (FRA)</option>
          <option value="ZRH">Zurich (ZRH)</option>
          <option value="CDG">Paris (CDG)</option>
          <option value="TGD">Podgorica (TGD)</option>
        </select>
      </div>

      <div class="form-group">
        <label id="departure">Departure Date</label>
        <input type="date" id="departure-date" />
      </div>

      <div class="form-group" id="return-date-formgr">

```

```

        <label id="return">Return Date</label>
        <input type="date" id="return-date" />
    </div>

    <button type="submit">Search Flights</button>
</form>
</div>`,
};

var heroPrint = "";
for (let key in heroContent) {
    heroPrint += heroContent[key];
}
heroId.innerHTML = heroPrint;
}

function printAboutUs() {
    const aboutClass = document.querySelector(".about");
    var aboutContent = {
        ABOUTTEXT: `<div class="about-text">
            <h2>ABOUT US</h2>
            <p>
                SkyAdria is a premium European airline inspired by the calm strength of
                the Adriatic Sea. Based in Montenegro, we connect the region to the world
                with precision, comfort, and understated elegance.
            </p>
        </div>`,
        ABOUTIMG: `<div class="about-image"></div>`,
    };
    var aboutPrint = "";
    for (let key in aboutContent) {
        aboutPrint += aboutContent[key];
    }
    aboutClass.innerHTML = aboutPrint;
}

function printFooter() {
    const footerClass = document.querySelector(".footer");
    var footerContent = {
        BRAND: `<div id="footer-brand">
            <h3>SKYADRIA</h3>
        </div>`,
        LINKS: `<div class="site-links d-flex flex-column">
            <h4>Site Links</h4>
            <ul class="text-decoration-none">
                <li>

```

```

        <a href="index.html" class="text-decoration-none">SKYADRIA</a>
    </li>
    <li><a href="author.html" class="text-decoration-none">Author</a></li>
    <li>
        <a href="SkyAdria.zip" download class="text-decoration-none"
            >Download Zip</a>
        >
    </li>
    <li>
        <a href="SkyAdriaDoc.pdf" class="text-decoration-none">Documentation</a>
    </li>
    <li>
        <a class="nav-link" href="contactus.html">Contact us</a>
    </li>
</ul>
</div>`,
};
var footerPrint = "";
for (let key in footerContent) {
    footerPrint += footerContent[key];
}
footerClass.innerHTML = footerPrint;
}
function printflightnotfound() {
    const flightnotfoundClass = document.querySelector(".hero2");
    var flightnotfoundContent = {
        INFO: `<div id="info" class="text-center">
            <h1>Your flight is unavailable</h1>
            <p>We are sorry to inform You, but Your flight for selected destination or
date is unavailable, please return to the main page.
            </p>
        </div>`,
        FORM: `<div class="booking-form">
            <form id="my-form2" name="my-form2">
            <button type="submit">Return Home</button></form> </div>`,
    };
    var flightnotfoundPrint = "";
    for (let key in flightnotfoundContent) {
        flightnotfoundPrint += flightnotfoundContent[key];
    }
    flightnotfoundClass.innerHTML = flightnotfoundPrint;
}
function printContactUs() {
    const contactUsClass = document.querySelector(".hero");

```

```

var contactUsContent = {
  LEFT: `<div class="hero-left">
    <h1>Have questions?</h1>
    <p>Send us an e-mail and our customer support staff will help you</p>
  </div>`,
  BOOKINGFORM: `<div class="booking-form">
    <form id="my-form3" name="my-form3">
      <div class="form-group">
        <label for="name" id="name-label">Name & Surname</label>
        <input
          type="text"
          id="name"
          name="name"
          placeholder="Name Surname"
          class="form-control"
          required
        />
      </div>

      <div class="form-group">
        <label for="e-mail" id="e-mail-label">E-mail</label>
        <input
          type="email"
          name="email"
          id="e-mail"
          placeholder="E-mail address"
          class="form-control"
          required
        />
      </div>

      <div class="form-group">
        <label for="subject" id="subject-label">Subject</label>
        <input
          type="text"
          name="subject"
          id="subject"
          placeholder="Subject"
          class="form-control"
          required
        />
      </div>

      <div class="form-group">
        <label for="message" id="message-label">E-mail</label>

```

```

        <textarea
            name="message"
            id="message"
            placeholder="Message"
            class="form-control"
            required
        ></textarea>
    </div>

    <button type="submit" id="submit">Send E-mail</button>
</form>
</div>`,
};
var contactUsPrint = "";
for (let key in contactUsContent) {
    contactUsPrint += contactUsContent[key];
}
contactUsClass.innerHTML = contactUsPrint;
}

function printFlights(flightArray, parentDiv) {
    const heroDiv = createElementWithClass("div", "hero2");
    appendChildToParent(parentDiv, heroDiv);

    const infoDiv = createElementWithClass("div", "info");
    infoDiv.innerHTML = `
        <h1>Available Flights</h1>
        <p>Choose your preferred SkyAdria flight and we will do the rest!</p>
    `;
    appendChildToParent(heroDiv, infoDiv);

    const bookingDiv = createElementWithClass("div", "booking-form");

    const sortDiv = createElementWithClass("div", "form-group");
    const sortBtn = document.createElement("button");
    sortBtn.id = "sort-price";
    sortBtn.textContent = "Sort by Price (Low → High)";
    appendChildToParent(sortDiv, sortBtn);
    appendChildToParent(bookingDiv, sortDiv);

    let isAscending = true;

    const resultsContainer = createElementWithClass("div", "");
    resultsContainer.id = "flight-results";
    appendChildToParent(bookingDiv, resultsContainer);

```



```

appendChildToParent(heroDiv, bookingDiv);

flightArray.forEach((flight) => {
  const card = createElementWithClass("div", "flight-card");
  card.innerHTML = `
    <h3>${flight.from} → ${flight.to}</h3>
    <p>Duration: ${flight.duration}</p>
    <p>Price: ${flight.price}€</p>
    <p>Available seats: ${flight.seats}</p>
    <button data-id="${flight.id}" class="select-flight">
      Select Flight
    </button>
  `;
  appendChildToParent(resultsContainer, card);
});

sortBtn.addEventListener("click", () => {
  const sortedFlights = [...flightArray].sort((a, b) =>
    isAscending ? a.price - b.price : b.price - a.price,
  );

  sortBtn.textContent = isAscending
    ? "Sort by Price (High → Low)"
    : "Sort by Price (Low → High)";

  isAscending = !isAscending;

  const resultsContainer = document.getElementById("flight-results");
  resultsContainer.innerHTML = "";

  sortedFlights.forEach((flight) => {
    const card = document.createElement("div");
    card.className = "flight-card";
    card.innerHTML = `
      <h3>${flight.from} → ${flight.to}</h3>
      <p>Duration: ${flight.duration}</p>
      <p>Price: ${flight.price}€</p>
      <p>Available seats: ${flight.seats}</p>
      <button data-id="${flight.id}" class="select-flight">
        Select Flight
      </button>
    `;
    resultsContainer.appendChild(card);
  });
});

```

```

        addFlightSelectionListener();
    });

    addFlightSelectionListener();
}

//#endregion

//#region NAVIGATION
var navDiv = createElementWithClass("nav");
appendChildToParent(document.body, navDiv);
navDiv.classList.add("navbar", "navbar-expand-lg", "bg-body-tertiary");
navDiv.id;
printNav();

//#endregion

if (pathname == "/index.html") {
    //printovi
    var heroDiv = createElementWithClass("div", "hero");
    appendChildToParent(document.body, heroDiv);
    printHero();
    const todayDate = new Date();
    var departureId = document.getElementById("departure-date");
    var returnId = document.getElementById("return-date");
    const today = todayDate.toISOString().split("T")[0];
    departureId.setAttribute("min", today);
    returnId.setAttribute("min", today);
    var aboutUsDiv = createElementWithClass("div", "about");
    appendChildToParent(document.body, aboutUsDiv);
    printAboutUs();
    //provjera forme
    document.getElementById("my-form").addEventListener("submit", function (e) {
        e.preventDefault();

        let fromPlace = document.getElementById("from-choice").value;
        let toPlace = document.getElementById("to-choice").value;
        let departureValue = document.getElementById("departure-date").value;
        let returnValue = document.getElementById("return-date").value;
        let hasError = false;

        const returnDateField = document.getElementById("return-date-formgr");

        if (!departureValue) {

```

```

    document.getElementById("departure").textContent =
        "Please select a departure date";
    hasError = true;
}

if (!returnValue && !returnDateField.classList.contains("hidden")) {
    document.getElementById("return").textContent =
        "Please select a return date";
    hasError = true;
}

let departureDate = new Date(departureValue);
let returnDate = new Date(returnValue);

if (fromPlace == "empty") {
    document.getElementById("from").textContent =
        "Cannot leave this field empty";
    hasError = true;
}

if (toPlace == "empty") {
    document.getElementById("to").textContent =
        "Cannot leave this field empty";
    hasError = true;
}

if (fromPlace == toPlace && toPlace != "empty") {
    document.getElementById("to").textContent =
        "Cannot choose the same destination as departure city";
    hasError = true;
}

if (departureDate.getTime() > returnDate.getTime()) {
    document.getElementById("return").textContent =
        "Return date cannot be before departure date";
    hasError = true;
}

if (!hasError) {
    const tripType = document.querySelector(
        'input[name="trip"]:checked',
    ).value;
    const searchData = {
        from: fromPlace,
        to: toPlace,

```

```

        departure: departureValue,
        trip: tripType,
    };
    if (tripType === "round") {
        searchData.return = returnValue;
    }
    localStorage.setItem("searchData", JSON.stringify(searchData));
    window.location.href = "results.html";
}
});
}
//brisanje return date
const tripRadios = document.querySelectorAll('input[name="trip"]');
const returnDate = document.getElementById("return-date-formgr");

tripRadios.forEach((radio) => {
    radio.addEventListener("change", () => {
        if (radio.nextSibling.textContent.includes("One Way") && radio.checked) {
            returnDate.classList.add("hidden");
        } else if (radio.checked) {
            returnDate.classList.remove("hidden");
        }
    });
});

//prikazi notifikacije
window.addEventListener("load", () => {
    if (localStorage.getItem("showNotification") === "true") {
        const notification = document.getElementById("notification");
        notification.classList.add("show");

        setTimeout(() => {
            notification.classList.remove("show");
            localStorage.removeItem("showNotification");
        }, 3000);
    }
    if (localStorage.getItem("showNotification2") === "true") {
        const notification = document.getElementById("notification2");
        notification.classList.add("show");

        setTimeout(() => {
            notification.classList.remove("show");
            localStorage.removeItem("showNotification2");
        }, 3000);
    }
}

```

```

});

if (pathname == "/flightnotfound.html") {
    //printovi
    var flightnotfoundDiv = createElementWithClass("div", "hero2");
    appendChildToParent(document.body, flightnotfoundDiv);
    printflightnotfound();
    flightnotfoundDiv.classList.add("d-flex", "flex-column", "mx-auto");
    document.getElementById("my-form2").addEventListener("submit", function (e) {
        e.preventDefault();
        window.location.href = "index.html";
        return true;
    });
}

if (pathname == "/contactus.html") {
    var contactUsDiv = createElementWithClass("div", "hero");
    appendChildToParent(document.body, contactUsDiv);
    printContactUs();
    //regex
    const nameRegex = /^[A-Za-z]{3,} [A-Za-z]{3,}$/;
    const emailRegex = /^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$/;
    const subjectRegex = /^.{5,50}$/;
    const messageRegex = /^.{3,}$/;
    //labele
    const nameLabel = document.getElementById("name-label");
    const subjectLabel = document.getElementById("subject-label");
    const emailLabel = document.getElementById("e-mail-label");
    const messageLabel = document.getElementById("message-label");
    // dodatna polja
    const form = document.getElementById("my-form3");
    const submitBtn = document.getElementById("submit");
    window.addEventListener("DOMContentLoaded", () => {
        submitBtn.disabled = true;
    });

    function validateForm() {
        submitBtn.disabled = !form.checkValidity();
    }

    form.addEventListener("input", validateForm);

    document.getElementById("my-form3").addEventListener("submit", function (e) {
        const email = document.getElementById("e-mail").value;
        const name = document.getElementById("name").value;

```

```

const subject = document.getElementById("subject").value;
const message = document.getElementById("message").value;
e.preventDefault();
let hasError = false;
if (!emailRegex.test(email.trim())) {
  emailLabel.textContent = "email is not written correctly";
  hasError = true;
}
if (!nameRegex.test(name.trim())) {
  nameLabel.textContent = "name is not written correctly";
  hasError = true;
}
if (!subjectRegex.test(subject.trim())) {
  subjectLabel.textContent = "subject is not written correctly";
  hasError = true;
}
if (!messageRegex.test(message.trim())) {
  messageLabel.textContent = "message is not written correctly";
  hasError = true;
}
if (!hasError) {
  localStorage.setItem("showNotification", "true");
  window.location.href = "index.html";
}
});
}

if (pathname === "/results.html") {
  const resultsDiv = createElementWithClass("div", "results-container");
  appendChildToParent(document.body, resultsDiv);
  const searchData = JSON.parse(localStorage.getItem("searchData"));
  if (!searchData) {
    window.location.href = "index.html";
  }
  const filteredFlights = flights.filter(
    (flight) =>
      flight.from === searchData.from &&
      flight.to === searchData.to &&
      flight.seats > 0,
  );
  if (filteredFlights.length === 0) {
    window.location.href = "flightnotfound.html";
  } else {
    printFlights(filteredFlights, resultsDiv);
  }
}

```

```

}
var footerDiv = createElementWithClass("footer", "footer");
appendChildToParent(document.body, footerDiv);
printFooter();

```

## style.css

```

:root {
  --deep-blue: #0b2d4a;
  --pearl-white: #f5f7f8;
  --silver: #bfc6cc;
  --teal: #2fa4a9;
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: "Inter", sans-serif;
}

body {
  background: var(--pearl-white);
  color: var(--deep-blue);
}

#secondary-nav {
  background: var(--deep-blue);
}

#float-confirm {
  opacity: 0.5;
  width: 20%;
  height: 5%;
  z-index: 100;
  background-color: var(--deep-blue);
}

/* HERO SECTION */
.hero {
  min-height: 100vh;
  background:
    linear-gradient(rgba(11, 45, 74, 0.55), rgba(11, 45, 74, 0.55)),
    url("https://images.unsplash.com/photo-1507525428034-b723cf961d3e")
    center/cover no-repeat;

```

```

display: grid;
grid-template-columns: 1fr 1fr;
align-items: center;
padding: 4rem;
gap: 3rem;
}
.hero1 {
min-height: 100vh;
background:
  linear-gradient(rgba(11, 45, 74, 0.55), rgba(11, 45, 74, 0.55)),
  url("https://images.unsplash.com/photo-1507525428034-b723cf961d3e")
  center/cover no-repeat;
display: grid;
grid-template-columns: 1fr;
align-items: center;
padding: 4rem;
gap: 3rem;
}
.hero2 {
min-height: 80vh;
background: var(--pearl-white);
display: grid;
grid-template-columns: 1fr 1fr;
align-items: center;
padding: 4rem;
gap: 3rem;
}
.hero-left h1 {
font-size: 3.5rem;
letter-spacing: 0.2em;
color: white;
margin-bottom: 1rem;
}
.hero-left p {
font-style: italic;
font-size: 1.2rem;
color: var(--silver);
max-width: 420px;
}
.info {
min-width: 20vh;
}

```



```

.info h1 {
  font-size: 3.5rem;
  letter-spacing: 0.2em;
  color: var(--deep-blue);
  margin-bottom: 1rem;
}

.info p {
  font-size: 1.2rem;
  color: var(--deep-blue);
  max-width: 420px;
}

/* BOOKING FORM */
.booking-form {
  background: white;
  border-radius: 20px;
  padding: 2rem;
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.2);
}

.author {
  background: white;
  border-radius: 20px;
  padding: 2rem;
  box-shadow: 0 20px 40px rgba(0, 0, 0, 0.2);
}

img {
  width: 120px;
  border: 8px solid var(--deep-blue);
  border-radius: 50%;
}

.trip-type {
  display: flex;
  gap: 1rem;
  margin-bottom: 1.5rem;
}

.trip-type label {
  font-size: 0.9rem;
}

.form-group {

```

```

display: flex;
flex-direction: column;
margin-bottom: 1rem;
}

.form-group label {
  font-size: 0.75rem;
  color: #555;
  margin-bottom: 0.25rem;
}

.form-group input,
.form-group select {
  padding: 0.6rem;
  border-radius: 8px;
  border: 1px solid var(--silver);
}

.booking-form button {
  margin-top: 1rem;
  width: 100%;
  padding: 0.8rem;
  background: var(--deep-blue);
  color: white;
  border: none;
  border-radius: 10px;
  font-weight: 600;
  cursor: pointer;
}

.booking-form button:disabled {
  opacity: 0.5;
  cursor: not-allowed;
  filter: grayscale(30%);
  pointer-events: none;
}

#return-date-formgr.hidden {
  display: none;
}

/* ABOUT US */
.about {
  display: grid;
  grid-template-columns: 1fr 1fr;
  padding: 5rem;

```

```

    gap: 3rem;
    align-items: center;
}

.about-text {
    position: relative;
    z-index: 2;
    background: rgba(255, 255, 255, 0.85);
    padding: 2rem;
    border-radius: 16px;
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.1);
}

.about-text h2 {
    margin-bottom: 1rem;
    letter-spacing: 0.1em;
}

.about-text p {
    font-size: 0.95rem;
    line-height: 1.6;
    color: #333;
}

.about-image {
    height: 350px;
    background: url("https://images.unsplash.com/photo-1471922694854-ff1b63b20054")
        center/cover no-repeat;
    border-radius: 24px;
}

/* FOOTER */
footer {
    min-height: 120px;
    background: var(--deep-blue);
    color: white;
    padding: 2rem;
    align-items: flex-start;
}

footer #footer-brand {
    display: block;
}

footer .site-links {
    display: block;
}

```

```

footer h3 {
  letter-spacing: 0.2em;
  font-weight: 600;
}

footer h4 {
  letter-spacing: 0.2em;
  font-weight: 600;
}

footer a {
  color: var(--silver);
}

#notification,
#notification2 {
  position: fixed;
  top: -100px;
  left: 50%;
  transform: translateX(-50%);
  background: var(--deep-blue);
  color: white;
  padding: 15px 30px;
  border-radius: 6px;
  font-size: 16px;
  transition: top 0.6s ease;
  z-index: 1000;
}

#notification.show,
#notification2.show {
  top: 20px;
}

.flight-card {
  border: 1px solid var(--silver);
  border-radius: 12px;
  padding: 1rem;
  margin-bottom: 1rem;
  background: var(--pearl-white);
  transition:
    transform 0.2s ease,
    box-shadow 0.2s ease;
}

.flight-card:hover {

```

```

    transform: translateY(-3px);
    box-shadow: 0 10px 20px rgba(0, 0, 0, 0.08);
}

.flight-card h3 {
    margin-bottom: 0.5rem;
}

.flight-card p {
    font-size: 0.9rem;
    margin-bottom: 0.3rem;
}

.flight-card button {
    margin-top: 0.5rem;
}

@media (max-width: 900px) {
    .hero {
        grid-template-columns: 1fr;
    }

    .about {
        grid-template-columns: 1fr;
    }

    .about-image {
        display: none;
    }
}

```

## Index.html

```

<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta
      name="keywords"
      content="SkyAdria, airline, Montenegro, European, premium"
    />
    <meta name="description" content="Premium Airline based in Montenegro" />
    <title>SkyAdria</title>

```

```

<link
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.c
ss"
  rel="stylesheet"
  integrity="sha384-
sRI14kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"
  crossorigin="anonymous"
/>
<link rel="stylesheet" href="css/style.css" />
</head>
<body>
  <div id="notification">
    <p>Your e-mail has been sent</p>
  </div>
  <div id="notification2">
    <p>Your flight has been selected, happy travels!</p>
  </div>

  <!-- NAV -->

  <!-- HERO -->

  <script
    src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.
min.js"
    integrity="sha384-
FKyoeFForCGlyvwx9Hj09JcYn3nv7wiPVLz7YYwJrWVcXK/BmnVDxM+D2scQbITxI"
    crossorigin="anonymous"
  ></script>
  <script src="js/main2.js"></script>
</body>
</html>

```

## Contactus.html

```

<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta
      name="keywords"

```

```

        content="SkyAdria, airline, Montenegro, European, premium"
    />
    <meta name="description" content="Premium Airline based in Montenegro" />
    <title>SkyAdria</title>

    <link
        href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.c
ss"
        rel="stylesheet"
        integrity="sha384-
sRI14kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"
        crossorigin="anonymous"
    />
    <link rel="stylesheet" href="css/style.css" />
</head>
<body>
    <script
        src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.
min.js"
        integrity="sha384-
FKyoeFForCGlyvwx9Hj09JcYn3nv7wiPVlZ7YYwJrWVcXK/BmnVDxM+D2scQbITxI"
        crossorigin="anonymous"
    ></script>
    <script src="js/main2.js"></script>
</body>
</html>

```

## Flightnotfound.html

```

<!doctype html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <meta name="keywords" content="SkyAdria, flight, unavailable, trip" />
        <meta name="description" content="Page for unavailable flights" />
        <title>SkyAdria</title>

        <link
            href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.c
ss"
            rel="stylesheet"

```

```

        integrity="sha384-
sRI14kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"
        crossorigin="anonymous"
    />
    <link rel="stylesheet" href="css/style.css" />
</head>
<body>
    <!-- MAIN -->

    <script
        src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.
min.js"
        integrity="sha384-
FKyoEForCGlyvwx9Hj09JcYn3nv7wiPVLz7YYwJrWVcXK/BmnVDxM+D2scQbITxI"
        crossorigin="anonymous"
    ></script>
    <script src="js/main2.js"></script>
</body>
</html>

```

## Results.html

```

<!doctype html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <meta
            name="keywords"
            content="SkyAdria, airline, Montenegro, European, premium"
        />
        <meta name="description" content="Premium Airline based in Montenegro" />
        <title>SkyAdria</title>

        <link
            href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.c
ss"
            rel="stylesheet"
            integrity="sha384-
sRI14kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"
            crossorigin="anonymous"
        />
        <link rel="stylesheet" href="css/style.css" />
    
```



```

</head>
<body>
  <script src="js/main2.js"></script>
</body>
</html>

```

## Author.html

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="keywords" content="SkyAdria, airline, Author, Ognjen" />
    <meta name="description" content="Page for the author of the Website" />
    <title>SkyAdria</title>

    <link
      href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.c
ss"
      rel="stylesheet"
      integrity="sha384-
sRI14kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBuJZqJLB"
      crossorigin="anonymous"
    />
    <link rel="stylesheet" href="css/style.css" />
  </head>
  <body>
    <!-- NAV -->
    <nav class="navbar navbar-expand-lg bg-body-tertiary">
      <div class="container-fluid">
        <a class="navbar-brand" href="index.html">SKYADRIA</a>
        <button
          class="navbar-toggler"
          type="button"
          data-bs-toggle="collapse"
          data-bs-target="#navbarSupportedContent"
          aria-controls="navbarSupportedContent"
          aria-expanded="false"
          aria-label="Toggle navigation"
        >
          <span class="navbar-toggler-icon"></span>
        </button>

```

```

<div class="collapse navbar-collapse" id="navbarSupportedContent">
  <ul class="navbar-nav me-auto mb-2 mb-lg-0">
    <li class="nav-item">
      <a class="nav-link" href="SkyAdria.zip" download>Download Zip</a>
    </li>
    <li class="nav-item">
      <a class="nav-link" href="SkyAdriaDoc.pdf">Documentation</a>
    </li>
  </ul>
</div>
</div>
</nav>
<!-- HERO -->
<div class="hero1">
  <div class="container py-5 author">
    <div class="col-md-9 px-5 py-4 mx-auto d-sm-flex align-items-center">
      
      <div class="mx-sm-5">
        <span>Author</span>
        <h4>Ognjen Burić</h4>
        <h4>23/24</h4>
        <p class="text-secondary">
          Ja sam Ognjen, trenutno student druge godine smjera IT na Visokoj
          ICT školi.
        </p>
      </div>
    </div>
  </div>
</div>
<!-- FOOTER -->
<footer>
  <div id="footer-brand">
    <h3>SKYADRIA</h3>
  </div>
  <div class="site-links d-flex flex-column">
    <h4>Site Links</h4>
    <ul class="text-decoration-none">
      <li>
        <a href="index.html" class="text-decoration-none">SKYADRIA</a>
      </li>
      <li><a href="author.html" class="text-decoration-none">Author</a></li>
    </ul>
  </div>
</div>

```

```
<li>
  <a href="SkyAdria.zip" download class="text-decoration-none"
    >Download Zip</a>
  >
</li>
<li>
  <a href="SkyAdriaDoc.pdf" class="text-decoration-none"
    >Documentation</a>
  >
</li>
</ul>
</div>
</footer>
</body>
</html>
```