

This ESP32S8 TV based on an ESP32-S3-WROOM-1 N8R8 ESPRESSIF Wi fi module with a 1.54" IPS LCD. Now support the NerMiner v2.

The NerMiner v2 is a cool gadget that let you try to reach a bitcoin block with a small piece of hardware. The main goal of this project is to let you learn more about bitcoin minery and to have a beautiful piece of hardware in your desktop.

The NerMiner v2 implements the Stratum protocol to mine on solo pool. Pool can be changed but originally works with web.public-cool.io. The miner is multicore and multithreads, each thread mine a different block template. After receiving a new job from pool the miner starts double Hashing different nonces in order to solve the block puzzle. Each miner connected to the pool recives a separate job to avoid mining the same job template.

Mining with the NerMiner is considered a really difficult thing, It is considered a very unlikely task, because its mining power is so small that the chances of finding the block before another miner are extremely low. This product on its current state must be considered more a gadget than a miner.

MINER MAKER

Try to mine Bitcoin blocks with small hardware devices



MULTIPLE
COLORS



LOW POWER
CONSUMPTION



EASY TO
CONFIGURE




OPEN
SOURCE

CLASSIC SHAPE & SMALL SIZE DESIGN



It can be directly installed on the desktop for use



USB-TYPE C INTERFACE

5V power supply and program download



ULTRA-LOW POWER ONLY 1W

Annual electricity costs only \$2



low power



low cost



SHORT MINING INTERVALS LOW COMPUTING POWER



Quickly experience bitcoin mining technology, using multi-core multi-thread design, each thread mines different block templates

 **10** minutes

 **22K** kash/s

 **Stratum**
Agreement



MULTI-INTERFACE DISPLAY VIEW GLOBAL DATA IN REAL TIME

Equipped with a large-sized display screen for better data observation

1.54inch
Screen size

ST7789
Driver

240*240
Resolution

Full Color
Display Color



EASY TO CONFIGURE

Power on the device to any usb power adapter (5V /1A)

a. Use your phone to scan for Wi-Fi networks and connect to NerdMinerAP



b. Once connected, the following menu will be shown. Click on Configure Wifi to setup.

1. Set up your Wifi network
2. Add your BTC address
3. If necessary, the password can be changed

A screenshot of the 'WiFiManager' app interface for 'NerdMinerAP'. The interface has a blue header with the title 'WiFiManager' and 'NerdMinerAP'. Below the header, there are several buttons: 'Configure Wifi' (highlighted in blue), 'Info', 'Exit', and 'Update'. To the right of these buttons is a form with fields for 'SSID', 'Password', 'Pool url' (with a default value of 'public-pool.io'), 'Pool port' (with a default value of '21434'), 'Your BTC address', and 'Timezone from UTC (-12/+12)' (with a default value of 'Z'). There is a checkbox for 'Save mining statistics to flash memory.' and a 'Save' button. At the bottom, there is a 'Refresh' button. The status 'No AP set' is displayed at the bottom left of the form area.

SELECTION OF MINING POOLS

You can choose from the following source pools recommended for you

Low-difficulty shared source pool			
URL	Port	Web adress	Status
public-pool.io	21496	https://web.public-pool.io	Open source independent currency pool, support open source miners
pool.nerdminers.org	3333	https://nerdminers.org	Official miner pool website - maintained by @golden-guy
pool.nerdminer.io	3333	https://nerdminer.io	Maintained by CHMEX
pool.pyblock.xyz	3333	https://pool.pyblock.xyz/	Maintained by curly60e
pool.sethforprivacy.com	3333	https://pool.sethforprivacy.com/	Maintained by @sethforprivacy - Public pool fork
pool.stompi.de	3333	http://web.stompi.de	Maintained by @odinstar - Public pool fork
pool.solomining.de	3333	https://pool.solomining.de/	Maintained by https://x.com/solo_mining

Other standard swimming pools that are incompatible with low-difficulty sharing			
URL	Port	Web adress	
solo.ckpool.org	3333	https://solo.ckpool.org/	
btc.zsolo.bid	6057	https://zsolo.bid/en/btc-solo-mining-pool	
eu.stratum.slushpool.com	3333	https://brains.com/pool	

Specification	Details
Product Name	MINER MAKER
Optional Colors	Yellow/Blue/White
Display Screen	1.54 TFT ST7789 240X240
Working Voltage	3.3V

Power Supply	DC 5V
Operating Power	1W
Connection Port	USB-Type C
Device Features	802.11b/g/n Wi-Fi 8MB(QuadSPI) 8MB(OctalSPI)
MX1.25 terminal outlet interface	3V3 GND GPIO5 GPIO4
Product Size	42mm X 42mm X 46mm

PRODUCT PARAMETER

Product Name	MINER MAKER
Optional Colors	Yellow/Blue/White
Display Screen	1.54 TFT ST7789 240X240
Working Voltage	3.3V
Power Supply	DC 5V
Operating Power	1W
Connection Port	USB-Type C
Device Features	802.11b/g/n Wi-Fi 8MB(QuadSPI) 8MB(OctalSPI)
MX1.25 terminal outlet interface:	3V3 GND GPIO5 GPIO4
Product Size	42mm X 42mm X 46mm



Button

Type-C

Button operation

Click:Change Screen

Double-click:
Change screen orientation

Three clicks :
Close the screen and turn it on again

Press and hold for 5 seconds:
Reset the configuration and restart device

Interface:

ESP32 S3 N8R8	1.54 TFT ST7789 240X240
GPIO42	DC
GPIO41	CS
GPIO40	SCL/CLK/SCK
GPIO39	SDA/DIN/MOSI

GPIO38	RESET
GPIO21	LCD_BL




ClockMiner SCREEN



GlobalStates SCREEN



PRODUCT LIST



Packaging box *1



Device *1