# Macro-Level Soleus Simulation

### Onder Gurcan

May 9, 2012

## 1 Experimental Frame

- Start / End: 2012-05-09 14:45:49 / 2012-05-09 15:00:41
- Duration: 14 minutes 51 seconds / 000081200000.0ticks

### 1.1 Simulation Parameters

- Annoyance levels (reorganization/evolution): 20 40
- Resting AHP Level (mV): 0.1
- Pathway beginning/end (ms): 39.5 200.0
- Smoothing count: 8
- Average frequency fault tolerance (Hz): 0.6

### 1.2 Agents

- Number of Existing Neuron Agents: 553
- $\bullet\,$  Number of Removed Neuron Agents: 0
- Number of Existing Synapses: 875
- Number of Removed Synapses: 227

### 2 Results

#### Reference PSF

• Peristimulus mean: 7.701737775375868

• ErrorBox LowerB: -23.737677024926487

• ErrorBox UpperB: 42.59999985390896

#### Simulated PSF

• Peristimulus mean: 7.924359735747878

• ErrorBox LowerB: -34.95184934461402

• ErrorBox UpperB: 40.009422370183145

#### Simulated Results vs. Reference Data

• Peristimulus mean diff: 0.22262196037200965

• Pearson correlation [39.5, 200.0]: 0.9791302436331606

• r2: 0.9586960339971324




Figure 1: Raw Reference PSF




Figure 2: Filtered Reference PSF




Figure 3: PSF - Average Discharge Rates




Figure 4: Simulated PSF




Figure 5: Reference PSF-CUSUM




Figure 6: Simulated PSF-CUSUM




Figure 7: Number of Entities by time