Macro-Level Soleus Simulation

Onder Gurcan

May 9, 2012

1 Experimental Frame

- Start / End: 2012-05-09 11:33:27 / 2012-05-09 11:50:51

- Duration: 17 minutes 23 seconds / 000097000000.0ticks

1.1 Simulation Parameters

- Annoyance levels (reorganization/evolution): 20 - 40

- Resting AHP Level (mV): 0.1

- Pathway beginning/end (ms): 39.5 - 200.0

- Smoothing count: 8

- Average frequency fault tolerance (Hz): 0.6

1.2 Agents

- Number of Existing Neuron Agents: 564

- Number of Removed Neuron Agents: 0

- Number of Existing Synapses: 905

- Number of Removed Synapses: 219

2 Results

Reference PSF

- Peristimulus mean: 7.701737775375868

- ErrorBox LowerB: -23.737677024926487

- ErrorBox UpperB: 42.59999985390896

Simulated PSF

- Peristimulus mean: 7.872608238520667

- ErrorBox LowerB: -44.56535532820766

- ErrorBox UpperB: 33.54610644463065

Simulated Results vs. Reference Data

- Peristimulus mean diff: 0.1708704631447988

- Pearson correlation [39.5, 200.0]: 0.9599358535533228

- r2: 0.9214768429371464

Figure 1: Raw Reference PSF


Figure 2: Filtered Reference PSF

3

Figure 3: PSF - Average Discharge Rates

Figure 4: Simulated PSF

4

Figure 5: Reference PSF-CUSUM

Figure 6: Simulated PSF-CUSUM

Figure 7: Number of Entities by time