

# Macro-Level Soleus Simulation

Onder Gurcan

May 9, 2012

## 1 Experimental Frame

- Start / End: 2012-05-09 11:58:59 / 2012-05-09 12:51:50
- Duration: 52 minutes 50 seconds / 000202600000.0ticks

### 1.1 Simulation Parameters

- Annoyance levels (reorganization/evolution): 20 - 40
- Resting AHP Level (mV): 0.1
- Pathway beginning/end (ms): 39.5 - 200.0
- Smoothing count: 8
- Average frequency fault tolerance (Hz): 0.6

### 1.2 Agents

- Number of Existing Neuron Agents: 778
- Number of Removed Neuron Agents: 0
- Number of Existing Synapses: 1307
- Number of Removed Synapses: 245

## 2 Results

### Reference PSF

- Peristimulus mean: 7.701737775375868
- ErrorBox LowerB: -23.737677024926487
- ErrorBox UpperB: 42.59999985390896

### Simulated PSF

- Peristimulus mean: 7.887893094796457
- ErrorBox LowerB: -39.9200809028603
- ErrorBox UpperB: 53.00112560684892

### Simulated Results vs. Reference Data

- Peristimulus mean diff: 0.18615531942058894
- Pearson correlation [39.5, 200.0]: 0.9570376548499276
- r2: 0.9159210728006493




Figure 1: Raw Reference PSF




Figure 2: Filtered Reference PSF




Figure 3: PSF - Average Discharge Rates




Figure 4: Simulated PSF




Figure 5: Reference PSF-CUSUM




Figure 6: Simulated PSF-CUSUM




Figure 7: Number of Entities by time