

Sensor **Ping**

OK

Ping Time 0 msec 21 msec 21 msec

Maximum 91 msec

Minimum 4 msec

Packet Loss 0 %

Channel	ID	Last Value	Minimum	Maximum	Settings
Downtime	-4				
Maximum	2	91 msec	6 msec	91 msec	
Minimum	1	4 msec	4 msec	5 msec	
Packet Loss	3	0 %	0 %	0 %	
Ping Time	0	21 msec	5 msec	21 msec	

Sensor **HTTP**

OK

Channel	ID	Last Value	Minimum	Maximum	Settings
Downtime	-4				
Loading Time	0	120 msec	120 msec	489 msec	

Sensor **DNS v2**

OK: A=127.0.0.1

Records Resolved

Yes

Record Count1 #

Response Time 15 msec

Channel	ID	Last Value	Minimum	Maximum	Settings
Downtime	-4				
Record Count	2	1 #	1 #	1 #	
Records Resolved	0	Yes	Yes	Yes	
Response Time	1	15 msec	11 msec	16 msec	

Sensor **HTTPS**

OK

Channel	ID	Last Value	Minimum	Maximum	Settings
Downtime	-4				
Loading Time	0	932 msec	820 msec	1.218 msec	

Sensor **SSL Certificate Sensor (Port 443)**

Warning caused by lookup value 'No' in channel 'Root Authority Trusted' — Warning caused by lookup value 'Unable to check revocation status' in channel 'Revoked' (OK. Certificate Common Name: tplinkmodem.net - Certificate Thumbprint: C7693FCD6EBFA8249268BE16CF189041B00D14BB)

Days to Expiration	0	#2.563	#2.563	#
Common Name Check	Disabled			
Public Key Length	Perfect (4096)			
Revoked	Unable to check revocation status			
Root Authority Trusted	No			
Self-Signed	Yes			

Channel	ID	Last Value	Minimum	Maximum	Settings
Common Name Check	7	Disabled	Disabled	Disabled	

Days to Expiration	2	2.563 #	2.563 #	2.563 #
Downtime	-4			
Public Key Length	5	Perfect (4096)	Perfect (4096)	Perfect (4096)
Revoked	4	Unable to check revocation status	Unable to check revocation status	Unable to check revocation status
Root Authority Trusted	3	No	No	No
Self-Signed	6	Yes	Yes	Yes

Sensor**SSL Security Check (Port 443)**

OK

Channel	ID	Last Value	Minimum	Maximum	Settings
Downtime	-4				
Security Rating	2	Only Strong Protocols Available	Only Strong Protocols Available	Only Strong Protocols Available	

SSL 3.0 (Weak)	3	Denied	Denied	Denied
TLS 1.0 (Weak)	4	Denied	Denied	Denied
TLS 1.1 (Weak)	5	Denied	Denied	Denied
TLS 1.2 (Strong)	6	Accepted	Accepted	Accepted
TLS 1.3 (Perfect)	7	Denied	Denied	Denied