



Select a definition

default

Pet Clinic API 1.0.0

[Base URL: localhost:8090/]
http://localhost:8090/v2/api-docs

Authorize



admin-controller Admin Controller



GET	/admin/current_user	find	
GET	/admin/find/email={email}	find	
GET	/admin/find/id={id}	find	
GET	/admin/list/all	list	
GET	/admin/list/page={page}/size={size}	list	
GET	/admin/list/role_id={id}	listByRoleId	
GET	/admin/list/role_id={id}/page={page}/size={size}	listByRoleId	
GET	/admin/list/status_id={id}	listByStatusId	
GET	/admin/list/status_id={id}/page={page}/size={size}	listByStatusId	
GET	/admin/search/key={key}	search	
GET	/admin/search/key={key}/page={page}/size={size}	search	
GET	/admin/search/status_id={id}/key={key}	searchWithStatus	
GET	/admin/search/status_id={id}/key={key}/page={page}/size={size}	searchWithStatus	
POST	/admin/user/add	add	
Parameters			<div>Try it out</div>

Name	Description
user * required	
object	user
(body)	Example Value Model
	<div><div><div>User</div><div>{</div><div>email*</div><div></div><div>enabled</div><div>id</div><div>img</div><div>name*</div><div></div><div>password*</div><div>phone*</div><div></div><div>roles</div><div></div><div>status</div><div></div><div>tokenExpired</div><div>}</div></div><div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>pattern: (^(.+)@(.+)\$)</div><div>boolean</div><div>integer(\$int32)</div><div>string</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>string</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div><div>[...]</div><div>ActiveStatus</div><div>{...}</div><div>boolean</div></div></div>
Responses	Response content type */*
Code	Description
200	OK
	Example Value Model
	{}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

POST

/admin/user/update

update

Parameters

Try it out

Name

Description

Name	Description
user * required	
object (body)	user
	Example Value Model
	<div><div><div>User</div><div>{</div><div>email*</div><div></div><div>enabled</div><div>id</div><div>img</div><div>name*</div><div></div><div>password*</div><div>phone*</div><div></div><div>roles</div><div></div><div>status</div><div></div><div>tokenExpired</div><div>}</div></div><div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>pattern: (^(.+)@(.+)\$)</div><div>boolean</div><div>integer(\$int32)</div><div>string</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>string</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div><div>[...]</div><div>ActiveStatus</div><div>{...}</div><div>boolean</div></div></div>
Responses	
Response content type <input type="text" value="*/"/>	
Code	Description
200	OK
	Example Value Model
	<div><div>{}</div></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

POST

/admin/user/upload_image/user_id={id} uploadImage

Parameters

Try it out

Name

Description

Name	Description
image file (<i>formData</i>)	<div>Dosya Seç Do...di</div>
id * required integer(\$int32) (<i>path</i>)	<div>id - id</div>

Responses

Response content type */*

Code	Description
200	OK <div>Example Value Model<div>{}</div></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

agenda-controller

Agenda Controller

▼

POST /agenda/add add

Parameters

Try it out

Name	Description
------	-------------

Name	Description
note <small>* required</small>	
object	note
(body)	Example Value Model

```

Note {
  date*      string($date)
  hour*      string
  id          integer($int32)
  note*      string
              minLength: 0
              maxLength: 500
  title*     string
              minLength: 0
              maxLength: 50
  user
User      {...}
}
```

Responses

Response content type

/

Code	Description
200	OK
	Example Value Model
	<pre>{}</pre>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

POST /agenda/delete delete



Parameters

Try it out

Name	Description
------	-------------

Name	Description
note * required	
object	note
(body)	Example Value Model
	<div><div><div>Note</div><div><div>date*</div><div>hour*</div><div>id</div><div>note*</div><div>title*</div><div>user</div></div></div><div><div><div>string(\$date)</div><div>string</div><div>integer(\$int32)</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>User</div><div>{...}</div></div></div></div>
Responses	
Response content type	
**	
Code	Description
200	OK
	Example Value Model
	<div><div><div></div></div></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET	/agenda/list/all list	
GET	/agenda/list/date={date} search	
GET	/agenda/list/date={date}/page={page}/size={size} search	
GET	/agenda/list/page={page}/size={size} list	
GET	/agenda/search/key={key} search	

POST /agenda/update update

Parameters

Try it out

Name	Description
note * required	note
object (body)	Example Value Model
	<pre> Note { date* string(\$date) hour* string id integer(\$int32) note* string minLength: 0 maxLength: 500 title* string minLength: 0 maxLength: 50 user User {...} } </pre>

Responses

Response content type */*

Code	Description
200	OK
	Example Value Model
	<pre>{}</pre>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

POST

/calendar/add add



Parameters

Try it out

Name

Description

meeting * required

object

meeting

(body)

Example Value Model

```
Meeting {
  customer
  date*
  doctor
  hour*
  id
  pet
}
```

```
Customer {...}
string($date)
User {...}
string
integer($int32)
Pet {...}
```

Responses

Response content type

/

Code

Description

200

OK

Example Value Model

```
{}
```

201

Created

401

Unauthorized

403

Forbidden

404

Not Found

GET

/calendar/admin_secretary/list/after_today listAfterToday



GET

/calendar/admin_secretary/list/after_today/page={page}/size={size} listAfterToday



GET
























/calendar/admin_secretary/list/all list



GET

/calendar/admin_secretary/list/before_today listBeforeToday



GET	/calendar/admin_secretary/list/before_today/page={page}/size={size} listBeforeToday	
GET	/calendar/admin_secretary/list/customer_id={cid} listByCustomerId	
GET	/calendar/admin_secretary/list/customer_id={cid}/page={page}/size={size} listByCustomerId	
GET	/calendar/admin_secretary/list/customer_no={no} listByCustomerNo	
GET	/calendar/admin_secretary/list/customer_no={no}/page={page}/size={size} listByCustomerNo	
GET	/calendar/admin_secretary/list/date={date} list	
GET	/calendar/admin_secretary/list/date={date}/page={page}/size={size} list	
GET	/calendar/admin_secretary/list/page={page}/size={size} list	
GET	/calendar/admin_secretary/list/pet_cardno={no} listByPetCardNo	
GET	/calendar/admin_secretary/list/pet_cardno={no}/page={page}/size={size} listByPetCardNo	
GET	/calendar/admin_secretary/list/pet_chipno={no} listByPetChipNo	
GET	/calendar/admin_secretary/list/pet_chipno={no}/page={page}/size={size} listByPetChipNo	
GET	/calendar/admin_secretary/list/pet_id={pid} listByPetId	
GET	/calendar/admin_secretary/list/pet_id={pid}/page={page}/size={size} listByPetId	
GET	/calendar/list/doctor_id={id}/after_today listAfterTodayByDoctorId	
GET	/calendar/list/doctor_id={id}/after_today/page={page}/size={size} listAfterTodayByDoctorId	
GET	/calendar/list/doctor_id={id}/before_today listBeforeTodayByDoctorId	
GET	/calendar/list/doctor_id={id}/before_today/page={page}/size={size} listBeforeTodayByDoctorId	
GET	/calendar/list/doctor_id={id}/customer_id={cid}/page={page}/size={size} listByDoctorIdAndCustomerId	
GET	/calendar/list/doctor_id={id}/customer_id={no}/page={page}/size={size} listByDoctorIdAndCustomerNo	
GET	/calendar/list/doctor_id={id}/pet_cardno={no}/page={page}/size={size} listByDoctorIdAndPetCardNo	
GET	/calendar/list/doctor_id={id}/pet_chipno={no}/page={page}/size={size} listByDoctorIdAndPetChipNo	
GET	/calendar/list/doctor_id={id}/pet_id={pid}/page={page}/size={size} listByDoctorIdAndPetId	

GET

/calendar/list/doctor_id={uid} listByDoctorId

🔒

GET

/calendar/list/doctor_id={uid}/customer_id={cid} listByDoctorIdAndCustomerId

🔒

GET

/calendar/list/doctor_id={uid}/customer_no={no} listByDoctorIdAndCustomerNo

🔒

GET

/calendar/list/doctor_id={uid}/date={date} listByDoctorIdAndDate

🔒

GET

/calendar/list/doctor_id={uid}/date={date}/page={page}/size={size} listByDoctorIdAndDate

🔒

GET

/calendar/list/doctor_id={uid}/page={page}/size={size} listByDoctorId

🔒

GET

/calendar/list/doctor_id={uid}/pet_cardno={no} listByDoctorIdAndPetCardNo

🔒

GET

/calendar/list/doctor_id={uid}/pet_chipno={no} listByDoctorIdAndPetChipNo

🔒

GET

/calendar/list/doctor_id={uid}/pet_id={pid} listByDoctorIdAndPetId

🔒

POST

/calendar/update update

🔒

Parameters

Try it out

Name	Description
meeting * required	meeting
object (body)	Example Value Model
	<div><div><div>Meeting</div><div>{</div><div>customer</div><div>date*</div><div>doctor</div><div>hour*</div><div>id</div><div>pet</div><div>}</div></div><div><div>Customer</div><div>{...}</div><div>string(\$date)</div><div>User</div><div>{...}</div><div>string</div><div>integer(\$int32)</div><div>Pet</div><div>{...}</div></div></div>

Responses

Response content type */*

Code	Description
200	OK
	Example Value Model
	{}

Code	Description
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

category-controller

Category Controller



POST

/category/add

add

Parameters

Try it out

Name	Description
category <small>* required</small>	category
object (body)	<div>Example ValueModel</div> <div><div>Category</div><div>{</div><div><div>id</div><div>integer(\$int32)</div></div><div><div>name*</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div></div></div> <div>}</div>

Responses

Response content type

**

Code	Description
200	OK
	<div>Example ValueModel</div> <div><div>{}</div></div>
201	Created
401	Unauthorized

Code	Description
403	Forbidden
404	Not Found

GET

/category/find/id={id} find

🔒

GET

/category/list/all list

🔒

GET

/category/list/page={page}/size={size} list

🔒

GET

/category/products/list/category_id={id} list

🔒

GET

/category/products/list/category_id={id}/page={page}/size={size} list

🔒

GET

/category/search/key={key} search

🔒

GET

/category/search/key={key}/page={page}/size={size} search

🔒

POST

/category/update update

🔒

Parameters

Try it out

Name	Description				
category <small>* required</small>	category				
object (body)	<table><thead><tr><th>Example Value</th><th>Model</th></tr></thead><tbody><tr><td><pre>Category { id name* }</pre></td><td><pre>integer(\$int32) string minLength: 0 maxLength: 50</pre></td></tr></tbody></table>	Example Value	Model	<pre>Category { id name* }</pre>	<pre>integer(\$int32) string minLength: 0 maxLength: 50</pre>
Example Value	Model				
<pre>Category { id name* }</pre>	<pre>integer(\$int32) string minLength: 0 maxLength: 50</pre>				

Responses

Response content type

Code	Description
------	-------------

Code	Description
200	OK
	Example Value Model
	<pre>{}</pre>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

customer-controller

Customer Controller



POST

/customer/add add

Parameters

Try it out

Name	Description
customer ★ required	
object	customer
(body)	Example Value Model

Name		Description
		<div><div><div>Customer</div><div>{</div></div><div><div>address*</div><div></div></div><div><div>city*</div><div></div></div><div><div>discount*</div><div></div></div><div><div>district*</div><div></div></div><div><div>group</div><div></div></div><div><div>id</div><div></div></div><div><div>mail*</div><div></div></div><div><div>name*</div><div></div></div><div><div>no*</div><div></div></div><div><div>note</div><div></div></div><div><div>pets</div><div></div></div><div><div>phone1*</div><div></div></div><div><div>phone2*</div><div></div></div><div><div>status</div><div></div></div><div><div>surname*</div><div></div></div><div><div>taxname*</div><div></div></div><div><div>taxno*</div><div></div></div><div>}</div></div> <div><div>string</div><div>minLength: 0</div><div>maxLength: 100</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>number</div><div>minimum: 0</div><div>maximum: 100</div><div>exclusiveMinimum: false</div><div>exclusiveMaximum: false</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>CustomerGroup</div><div>{...}</div><div>integer(\$int32)</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>pattern: (^(.+)\@(.+)\\$)</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>[...]</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div><div>ActiveStatus</div><div>{...}</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>string</div><div>pattern: (^\$ [0-9]{11})</div></div>

Code	Description
404	
	Not Found

POST

/customer/delete

delete

Parameters

Try it out

Name	Description
customer <small>* required</small>	
object	customer
(body)	Example Value Model
	<div><div>Customer {</div><div>address* city* discount* district* group id mail* name* no* note pets phone1* phone2* status surname* taxname* taxno* }</div><div><div>string minLength: 0 maxLength: 100 string minLength: 0 maxLength: 50 number minimum: 0 maximum: 100 exclusiveMinimum: false exclusiveMaximum: false string minLength: 0 maxLength: 50 CustomerGroup {...} integer(\$int32) string minLength: 0 maxLength: 50 pattern: (^(.+)(.+)\$) string minLength: 0 maxLength: 50 string pattern: (^\$ [0-9]{10}) string minLength: 0 maxLength: 500 [...] string pattern: (^\$ [0-9]{10}) string pattern: (^\$ [0-9]{10}) ActiveStatus {...} string minLength: 0 maxLength: 50 string minLength: 0 maxLength: 50 string pattern: (^\$ [0-9]{11})</div></div></div>

Responses

Response content type

/

Code	Description
200	OK Example Value Model {}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET	/customer/elastic_search/key={key} elasticSearch	
GET	/customer/elastic_search/key={key}/page={page}/size={size} elasticSearch	
GET	/customer/find/id={id} find	
GET	/customer/find/no={no} find	
GET	/customer/list/all list	
GET	/customer/list/page={page}/size={size} list	
GET	/customer/list/status_id{sid}/page={page}/size={size} list	
GET	/customer/list/status_id={sid} list	
GET	/customer/search/key={key} search	
GET	/customer/search/key={key}/page={page}/size={size} search	
GET	/customer/search/status_id{sid}/key={key} search	
GET	/customer/search/status_id={sid}/key={key}/page={page}/size={size} search	
POST	/customer/update update	

Parameters

Try it out

Name	Description	
customer ★ required		
object	customer	
(body)	Example Value	Model
	<pre>Customer { address★ city★ discount★ district★ group id mail★ name★ no★ note pets phone1★ phone2★ status surname★ taxname★ taxno★ }</pre>	<pre>{ string minLength: 0 maxLength: 100 string minLength: 0 maxLength: 50 number minimum: 0 maximum: 100 exclusiveMinimum: false exclusiveMaximum: false string minLength: 0 maxLength: 50 CustomerGroup {...} integer(\$int32) string minLength: 0 maxLength: 50 pattern: (^.(.)@(.)\$) string minLength: 0 maxLength: 50 string pattern: (^\$ [0-9]{10}) string minLength: 0 maxLength: 500 [...] string pattern: (^\$ [0-9]{10}) string pattern: (^\$ [0-9]{10}) ActiveStatus {...} string minLength: 0 maxLength: 50 string minLength: 0 maxLength: 50 string pattern: (^\$ [0-9]{11}) }</pre>

Responses

Response content type

/

Code	Description
200	<div>OK</div> <div>Example Value Model</div> <div>{}</div>
201	<div>Created</div>

Code	Description
401	Unauthorized
403	Forbidden
404	Not Found

customer-group-controller

Customer Group Controller



POST

/customer_group/add

add

Parameters

Try it out

Name	Description
customerGroup * required	customerGroup
object (body)	Example Value Model
	<div><div>CustomerGroup</div><div>{</div><div>count</div><div>detail*</div><div>id</div><div>name*</div><div>}</div><div><div>integer(\$int32)</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>integer(\$int32)</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div></div></div>

Responses

Response content type

/

Code	Description
200	OK
	Example Value Model
	{}
201	Created
401	Unauthorized

Code	Description
403	Forbidden
404	Not Found

GET

/customer_group/customers/list/group_id={id} list

🔒

GET

/customer_group/customers/list/group_id={id}/page={page}/size={size} list

🔒

GET

/customer_group/find/id={id} find

🔒

GET

/customer_group/list/all list

🔒

GET

/customer_group/list/page={page}/size={size} list

🔒

GET

/customer_group/search/key={key} search

🔒

GET

/customer_group/search/key={key}/page={page}/size={size} search

🔒

POST

/customer_group/update update

🔒

Parameters

Try it out

Name	Description
customerGroup * required	customerGroup
object (body)	<div>Example Value Model</div> <div><div>CustomerGroup { count integer(\$int32) detail* string minLength: 0 maxLength: 500 id integer(\$int32) name* string minLength: 0 maxLength: 50 }</div></div>

Responses

Response content type

/

Code	Description
------	-------------

Code	Description
200	OK
	Example Value Model
	<pre>{}</pre>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

product-controller

Product Controller



POST

/product/add add

Parameters

Try it out

Name	Description

Name	Description
product * required	
object	product
(body)	Example Value Model

```
Product {
  barcode* string
    pattern: (^[0-9]{13})
  buy_price number
    minimum: 0
    exclusiveMinimum: false
  category Category {...}
  code* string
    pattern: (^[0-9]{10})
  crit_stock number
    minimum: 0
    exclusiveMinimum: false
  id integer($int32)
  name* string
    minLength: 0
    maxLength: 50
  sell_price number
    minimum: 0
    exclusiveMinimum: false
  stock number
    minimum: 0
    exclusiveMinimum: false
  supplier Supplier {...}
  tax Tax {...}
  type ProductType {...}
  unit Unit {...}
}
```

Responses

Response content type

/

Code	Description
200	OK Example Value Model {}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found



GET	/product/find/code={code} findByCode	
GET	/product/find/id={id} find	
GET	/product/list/all list	
GET	/product/list/page={page}/size={size} list	
GET	/product/list/supplier_id={id} listBySupplierId	
GET	/product/list/supplier_id={id}/page={page}/size={size} listBySupplierId	
GET	/product/list/type_id={id} listByTypeId	
GET	/product/list/type_id={id}/page={page}/size={size} listByTypeId	
GET	/product/list/unit_id={id} listByUnitId	
GET	/product/list/unit_id={id}/page={page}/size={size} listByUnitId	
GET	/product/search/key={key} search	
GET	/product/search/key={key}/page={page}/size={size} search	
GET	/product/search/supplier_id={id}/key={key} searchWithSupplier	
GET	/product/search/supplier_id={id}/key={key}/page={page}/size={size} searchWithSupplier	
GET	/product/search/type_id={id}/key={key} searchWithType	
GET	/product/search/type_id={id}/key={key}/page={page}/size={size} searchWithType	
GET	/product/search/unit_id={id}/key={key} searchWithUnit	
GET	/product/search/unit_id={id}/key={key}/page={page}/size={size} searchWithUnit	
POST	/product/update update	
Parameters		<div>Try it out</div>
Name	Description	

Name	Description
product * required	
object	product
(body)	Example Value Model

```
Product {
  barcode* string
    pattern: (^[0-9]{13})
  buy_price number
    minimum: 0
    exclusiveMinimum: false
  category Category {...}
  code* string
    pattern: (^[0-9]{10})
  crit_stock number
    minimum: 0
    exclusiveMinimum: false
  id integer($int32)
  name* string
    minLength: 0
    maxLength: 50
  sell_price number
    minimum: 0
    exclusiveMinimum: false
  stock number
    minimum: 0
    exclusiveMinimum: false
  supplier Supplier {...}
  tax Tax {...}
  type ProductType {...}
  unit Unit {...}
}
```

Responses

Response content type

/

Code	Description
200	OK Example Value Model {}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found



POST

/receipt/add add

Parameters

Try it out

Name	Description
receipt * required	
object (body)	receipt Example Value Model
	<pre>Receipt { customer id no* note paytype price status }</pre>
	<pre>Customer {...} integer(\$int32) string pattern: (^\$ [0-9]{10}) string minLength: 0 maxLength: 500 PayType {...} number minimum: 0 exclusiveMinimum: false PayStatus {...}</pre>

Responses

Response content type */*

Code	Description
200	OK Example Value Model <pre>{}</pre>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET

/receipt/find/id={id} find

GET

/receipt/find/no={no} find

GET	/receipt/list/all list	
GET	/receipt/list/customer_id={cid}/status_id={sid} listByCustomerIdAndStatusId	
GET	/receipt/list/customer_id={cid}/status_id={sid}/page={page}/size={size} listByCustomerIdAndStatusId	
GET	/receipt/list/customer_id={id} listByCustomerId	
GET	/receipt/list/customer_id={id}/page={page}/size={size} listByCustomerId	
GET	/receipt/list/page={page}/size={size} list	
GET	/receipt/list/paytype_id={id} listByPaytypeId	
GET	/receipt/list/paytype_id={id}/page={page}/size={size} listByPaytypeId	
GET	/receipt/list/status_id={id} listByStatusId	
GET	/receipt/list/status_id={id}/page={page}/size={size} listByStatusId	
GET	/receipt/pay/id={id} pay	
GET	/receipt/search/customer_id={cid}/status_id={sid}/key={key} searchWithCustomerAndStatus	
GET	/receipt/search/customer_id={cid}/status_id={sid}/key={key}/page={page}/size={size} searchWithCustomerAndStatus	
GET	/receipt/search/customer_id={id}/key={key} searchWithCustomer	
GET	/receipt/search/customer_id={id}/key={key}/page={page}/size={size} searchWithCustomer	
GET	/receipt/search/key={key} search	
GET	/receipt/search/key={key}/page={page}/size={size} search	
GET	/receipt/search/paytype_id={id}/key={key} searchWithPaytype	
GET	/receipt/search/paytype_id={id}/key={key}/page={page}/size={size} searchWithPaytype	
GET	/receipt/search/status_id={id}/key={key} searchWithStatus	
GET	/receipt/search/status_id={id}/key={key}/page={page}/size={size} searchWithStatus	

Parameters

Try it out

Name	Description
sale * required	
object	sale
(body)	Example Value Model
	<div><div><div>Sale {</div><div>amount</div><div>id</div><div>note</div><div>product</div><div>receipt</div><div>}</div></div><div><div>number</div><div>minimum: 0</div><div>exclusiveMinimum: false</div><div>integer(\$int32)</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>Product {...}</div><div>Receipt {...}</div></div></div>

Responses

Response content type */*

Code	Description
200	OK
	Example Value Model
	{}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET /sale/list/all list



GET /sale/list/page={page}/size={size} list



GET /sale/list/product_code={code} listByProductCode



GET /sale/list/product_code={code}/page={page}/size={size} listByProductCode



GET	/sale/list/product_id={pid} listByProductId	🔒
GET	/sale/list/product_id={pid}/page={page}/size={size} listByProductId	🔒
GET	/sale/list/receipt_id={rid} listByReceiptId	🔒
GET	/sale/list/receipt_id={rid}/page={page}/size={size} listByReceiptId	🔒
GET	/sale/list/receipt_no={no} listByReceiptNo	🔒
GET	/sale/list/receipt_no={no}/page={page}/size={size} listByReceiptNo	🔒
GET	/sale/search/key={key} search	🔒
GET	/sale/search/key={key}/page={page}/size={size} search	🔒

static-controller Static Controller



GET	/static/list/active_status listActiveStatus	🔒
GET	/static/list/genders listGenders	🔒
GET	/static/list/pay_status listPayStatus	🔒
GET	/static/list/pay_types listPayTypes	🔒
GET	/static/list/product_types listProductTypes	🔒
GET	/static/list/races listRaces	🔒
GET	/static/list/roles listRoles	🔒
GET	/static/list/specs listSpecs	🔒
GET	/static/list/taxes listTaxes	🔒
GET	/static/list/test_status listTestStatus	🔒
GET	/static/list/test_types listTestTypes	🔒
GET	/static/list/units listUnits	🔒

statistics-controller Statistics Controller



supplier-controller

Supplier Controller

▼

POST /supplier/add add 🔒

Parameters

Try it out

Name	Description
supplier * required	supplier
object (body)	Example Value Model
	<div><div><div>Supplier</div><div>{</div><div>id</div><div>mail*</div><div></div><div>name*</div><div></div><div>phone*</div><div>}</div></div><div><div>integer(\$int32)</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>pattern: (^(.+)(.+)\$)</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div></div></div>

Responses

Response content type */*

Code	Description
200	OK
	Example Value Model
	{}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET

/supplier/list/all list

🔒

GET

/supplier/list/page={page}/size={size} list

🔒

GET

/supplier/search/key={key} search

🔒

GET

/supplier/search/key={key}/page={page}/size={size} search

🔒

POST

/supplier/update update

🔒

Parameters

Try it out

Name	Description
supplier <small>* required</small>	supplier
object (body)	Example Value Model
	<div><div><div>Supplier {</div><div>idinteger(\$int32)</div><div>mail*string minLength: 0 maxLength: 50 pattern: (^(.+)@(.+)\$)</div><div>name*string minLength: 0 maxLength: 50</div><div>phone*string pattern: (^\$ [0-9]{10})</div><div>}</div></div></div>

Responses

Response content type */*

Code	Description
200	OK
	Example Value Model
	{}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found



POST

/test/add add

Parameters

Try it out

Name	Description
test * required	
object (body)	test
	Example Value Model
	<div><div><div>Test {</div><div>id</div><div>no*</div><div>pet</div><div>result*</div><div>status</div><div>type</div><div>}</div></div><div><div>integer(\$int32)</div><div>string</div><div>pattern: (^\$ /[0-9]{10})</div><div>Pet {...}</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>TestStatus {...}</div><div>TestType {...}</div></div></div>

Responses

Response content type */*

Code	Description
200	OK
	Example Value Model
	<div><div>{}</div></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET

/test/find/id={id} find

GET

/test/find/no={no} find

GET

/test/list/all list

GET

/test/list/page={page}/size={size} list

GET

/test/list/pet_cardno={no} listByPetCardno

GET

/test/list/pet_cardno={no}/page={page}/size={size} listByPetCardno

GET

/test/list/pet_chipno={no} listByPetChipno

GET

/test/list/pet_chipno={no}/page={page}/size={size} listByPetChipno

GET

/test/list/pet_id={id} listByPetId

GET

/test/list/pet_id={id}/page={page}/size={size} listByPetId

GET

/test/list/status_id={id} listByStatusId

GET

/test/list/status_id={id}/page={page}/size={size} listByStatusId

GET

/test/search/key={key} search

GET

/test/search/key={key}/page={page}/size={size} search

GET

/test/search/status_id={id}/key={key} searchWithStatus

GET

/test/search/status_id={id}/key={key}/page={page}/size={size} searchWithStatus

POST

/test/update update

Parameters

Try it out

Name	Description
test <small>* required</small>	test
object (body)	Example Value Model
	<div><div><div>Test</div><div>{</div><div>id</div><div>no*</div><div>pet</div><div>result*</div><div>status</div><div>type</div><div>}</div></div><div><div>integer(\$int32)</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div><div>Pet {...}</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>TestStatus {...}</div><div>TestType {...}</div></div></div>

Responses		Response content type
		/
Code	Description	
200	OK	
	Example Value	Model
	{ }	
201	Created	
401	Unauthorized	
403	Forbidden	
404	Not Found	

ticket-controller

Ticket Controller

▼

POST /ticket/add add		
Parameters		Try it out
Name	Description	
ticket * required	ticket	
object (body)	Example Value	Model
	<div><div><div>Ticket</div><div>{</div></div><div><div>id</div><div>no*</div></div><div><div>note</div><div></div></div><div><div>price</div><div></div></div><div><div>status</div><div></div></div><div><div>supplier</div><div></div></div><div><div>title</div><div></div></div><div><div>}</div></div></div> <div><div>integer(\$int32)</div><div>string</div><div>pattern: (^\$ [0-9]{10})</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>number</div><div>minimum: 0</div><div>exclusiveMinimum: false</div><div>PayStatus</div><div>{...}</div><div>Supplier</div><div>{...}</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div></div>	

Responses

Response content type

**

Code	Description
200	OK Example Value Model <pre>{}</pre>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET /ticket/find/id={id} find



GET /ticket/find/no={no} find



GET /ticket/list/all list



GET /ticket/list/page={page}/size={size} list



GET /ticket/list/status_id={id} listByStatusId



GET /ticket/list/status_id={id}/page={page}/size={size} listByStatusId



GET /ticket/list/supplier_id={id} listBySupplierId



GET /ticket/list/supplier_id={id}/page={page}/size={size} listBySupplierId



GET /ticket/pay/id={id} pay



GET /ticket/search/key={key} search



GET /ticket/search/key={key}/page={page}/size={size} search



GET /ticket/search/status_id={id}/key={key} searchWithStatus



GET /ticket/search/status_id={id}/key={key}/page={page}/size={size} searchWithStatus



GET

/ticket/search/supplier_id{id}/key={key} searchWithSupplier

GET

/ticket/search/supplier_id={id}/key={key}/page={page}/size={size} searchWithSupplier

POST

/ticket/update update

Parameters

Try it out

Name	Description
ticket ★ required	
object (body)	ticket Example Value Model
	<div><div><div>Ticket {</div><div>id</div><div>no★</div><div>note</div><div>price</div><div>status</div><div>supplier</div><div>title</div><div>}</div></div><div><div>integer(\$int32)</div><div>string</div><div>pattern: (^\$ /[0-9]{10})</div><div>string</div><div>minLength: 0</div><div>maxLength: 500</div><div>number</div><div>minimum: 0</div><div>exclusiveMinimum: false</div><div>PayStatus {...}</div><div>Supplier {...}</div><div>string</div><div>minLength: 0</div><div>maxLength: 50</div></div></div>

Responses

Response content type

**

Code	Description
200	OK Example Value Model {}
201	Created
401	Unauthorized
403	Forbidden
404	Not Found



POST

/user/change_password/confirm

changePasswordConfirm

Parameters

Try it out

Name	Description
referenceHolder * required	referenceHolder
object (body)	Example Value Model
	<div><div>ReferenceHolder</div><div>{</div><div><div>id</div><div>integer(\$int32)</div></div><div><div>newPassword</div><div>string</div></div><div><div>reference</div><div>string</div></div><div><div>uid</div><div>integer(\$int32)</div></div></div> <div>}</div>

Responses

Response content type

/

Code	Description
200	OK
	Example Value Model
	<div><div>{}</div></div>
201	Created
401	Unauthorized
403	Forbidden
404	Not Found

GET

/user/change_password/request

changePassword

GET

/user/current_user

find

Models

```
ActiveStatus {
  id integer($int32)
  name string
}
```

```
Category {
  id integer($int32)
  name* string
  minLength: 0
  maxLength: 50
}
```

```
Customer {
  address* string
  minLength: 0
  maxLength: 100

  city* string
  minLength: 0
  maxLength: 50

  discount* number
  minimum: 0
  maximum: 100
  exclusiveMinimum: false
  exclusiveMaximum: false

  district* string
  minLength: 0
  maxLength: 50

  group CustomerGroup {...}

  id integer($int32)
  mail* string
  minLength: 0
  maxLength: 50
  pattern: (^(.+)@(.+)$)

  name* string
  minLength: 0
  maxLength: 50

  no* string
  pattern: (^$|[0-9]{10})

  note string
  minLength: 0
  maxLength: 500

  pets [...]

  phone1* string
  pattern: (^$|[0-9]{10})

  phone2* string
  pattern: (^$|[0-9]{10})

  status ActiveStatus {...}

  surname* string
  minLength: 0
  maxLength: 50

  taxname* string
  minLength: 0
  maxLength: 50

  taxno* string
  pattern: (^$|[0-9]{11})
}
```

```
CustomerGroup {
  count integer($int32)
  detail* string
  minLength: 0
  maxLength: 500

  id integer($int32)
  name* string
  minLength: 0
  maxLength: 50
}
```

```
Gender {
  id integer($int32)
  name string
}
```

```
Meeting {
  customer Customer {...}
  date* string($date)
  doctor User {...}
  hour* string
  id integer($int32)
  pet Pet {...}
}
```

```
ModelAndView {
  empty boolean
  model {...}
  modelMap {...}
  reference boolean
  status string
  Enum:
    Array [ 68 ]
  view View {...}
  viewName string
}
```

```
Note {
  date* string($date)
  hour* string
  id integer($int32)
  note* string
    minLength: 0
    maxLength: 500
  title* string
    minLength: 0
    maxLength: 50
  user User {...}
}
```

```
PayStatus {
  id integer($int32)
  name string
}
```

```
PayType {
  id integer($int32)
  name string
}
```

```
Pet {
    birthdate*
    cardno*

    chipno*

    color*

    gender

    has_spayed*
    id
    name*

    race

    spec

}

string($date)
string
pattern: (^$/[0-9]{10})
string
pattern: (^$/[0-9]{10})
string
minLength: 0
maxLength: 50

Gender {...}
boolean
integer($int32)
string
minLength: 0
maxLength: 50

Race {...}
Spec {...}
```

```
Product {
  barcode*      string
                pattern: (^$|[0-9]{13})
  buy_price     number
                minimum: 0
                exclusiveMinimum: false
  category      Category {...}
  code*         string
                pattern: (^$|[0-9]{10})
  crit_stock    number
                minimum: 0
                exclusiveMinimum: false
  id            integer($int32)
  name*         string
                minLength: 0
                maxLength: 50
  sell_price    number
                minimum: 0
                exclusiveMinimum: false
  stock         number
                minimum: 0
                exclusiveMinimum: false
  supplier      Supplier {...}
  tax           Tax {...}
  type          ProductType {...}
  unit          Unit {...}
}
```

```
ProductType {
    id          integer($int32)
    name        string
}
```

```
Race {
    id          integer($int32)
    name        string
}
```

```
Receipt {
  customer
  id
  no*
  note
  paytype
  price
  status
}

Customer {...}
integer($int32)
string
pattern: (^$|[0-9]{10})
string
minLength: 0
maxLength: 500

PayType {...}
number
minimum: 0
exclusiveMinimum: false

PayStatus {...}
```

```
ReferenceHolder {
  id
  newPassword
  reference
  uid
}

integer($int32)
string
string
integer($int32)
```

```
Role {
  id
  title
}

integer($int32)
string
```

```
Sale {
  amount
  id
  note
  product
  receipt
}

number
minimum: 0
exclusiveMinimum: false
integer($int32)
string
minLength: 0
maxLength: 500

Product {...}

Receipt {...}
```

```
Spec {
  id
  name
  race
}

integer($int32)
string

Race {...}
```

```
Supplier {
  id
  mail*
  name*
  phone*
}

integer($int32)
string
minLength: 0
maxLength: 50
pattern: (^(.+)@(.+)$)
string
minLength: 0
maxLength: 50
string
pattern: (^$|[0-9]{10})
```

Tax

{

amount

id

}

number

integer(\$int32)

Test

{

id

no*

pet

result*

status

type

}

integer(\$int32)

string

pattern: (^\$|[0-9]{10})

Pet

{...}

string

minLength: 0

maxLength: 500

TestStatus

{...}

TestType

{...}

TestStatus

{

id

name

}

integer(\$int32)

string

TestType

{

id

name

}

integer(\$int32)

string

Ticket

{

id

no*

note

price

status

supplier

title

}

integer(\$int32)

string

pattern: (^\$|[0-9]{10})

string

minLength: 0

maxLength: 500

number

minimum: 0

exclusiveMinimum: false

PayStatus

{...}

Supplier

{...}

string

minLength: 0

maxLength: 50

Unit

{

id

name

}

integer(\$int32)

string

User

{

email*

enabled

id

img

name*

password*

phone*

roles

status

tokenExpired

}

string

minLength: 0

maxLength: 50

pattern: (^(.+)@(.+)\$)

boolean

integer(\$int32)

string

string

minLength: 0

maxLength: 50

string

string

pattern: (^\$|[0-9]{10})

[...]

ActiveStatus

{...}

boolean

View

{

contentType

}

string