

Spaces

ogwata/structeval-analyz

📁

👍 like 0

● Running

☰

App

Files

Community

Settings

🔗

👤

🔍

StructEval-T Analyzer

松尾研LLM講義2025 メインコンペ用 推論結果分析ツール

inference.json

と

public\_150.json

をアップロードすることで、モデル出力の構文的正確性（パース可能性）やエラーパターンを分析できます。

使い方:

1. 

public\_150.json

 をアップロード

2. 1つ以上の 

inference.json

 をアップロード（複数ファイル対応・実験比較可能）

3. 「分析開始」ボタンをクリック

public\_150.json

×

public\_150.json214.4 KB ↓

inference.json（複数可）

⬆ ×

inference.json337.1 KB ↓

🚀 分析開始

📄 サマリー

📊 実験比較

✖ エラー詳細

✖ エラー詳細 (inference)

パース失敗: 34件

| task_name    | output_type | error_patterns          | error_msg                                                    |
|--------------|-------------|-------------------------|--------------------------------------------------------------|
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid value (at end of document)                |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Unterminated string (at end of document)          |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid value (at end of document)                |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid value (at end of document)                |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Unterminated string (at end of document)          |
| Text to TOML | TOML        | unknown                 | TOMLError: Unclosed inline table (at line 3, column 8782)    |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Unterminated string (at end of document)          |
| Text to TOML | TOML        | natural_language_prefix | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Unterminated string (at end of document)          |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Unterminated string (at end of document)          |
| Text to TOML | TOML        | unknown                 | TOMLError: Unterminated string (at end of document)          |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid value (at end of document)                |
| Text to TOML | TOML        | unknown                 | TOMLError: Invalid initial character for a key part (at line |
| Text to XML  | XML         | truncation              | XMLError: unclosed token: line 608, column 12                |
| Text to XML  | XML         | unknown                 | XMLError: not well-formed (invalid token): line 52, column 1 |
| Text to XML  | XML         | truncation              | XMLError: unclosed token: line 461, column 0                 |
| Text to XML  | XML         | truncation              | XMLError: unclosed token: line 569, column 0                 |
| Text to XML  | XML         | truncation              | XMLError: mismatched tag: line 41, column 2                  |
| JSON to XML  | XML         | unknown                 | XMLError: not well-formed (invalid token): line 17, column 1 |
| Text to CSV  | CSV         | unknown                 | Inconsistent cols: {16, 721}                                 |
| Text to CSV  | CSV         | unknown                 | Inconsistent cols: {17, 13}                                  |
| Text to CSV  | CSV         | unknown                 | Inconsistent cols: {8, 17, 12, 14}                           |
| Text to CSV  | CSV         | unknown                 | Inconsistent cols: {12, 15}                                  |
| Text to CSV  | CSV         | unknown                 | Inconsistent cols: {7, 15}                                   |
| XML to CSV   | CSV         | unknown                 | Inconsistent cols: {4, 5, 6}                                 |



**注意:** このツールは構文的な正確性（パース可能かどうか）のみを検証します。運営側の採点基準である `raw_output_metric`（特定キーの存在チェック等）は `public_150.json` から削除されているため、完全なスコア再現はできません。

**エラーパターンの凡例:**

- `markdown_block`: マークダウンコードブロック（``json 等）の混入
- `natural_language_prefix`: 先頭に自然言語 ("Here is..."等) が混入
- `natural_language_suffix`: 末尾に自然言語 ("Note:"等) が混入
- `truncation`: 出力の途切れ（閉じ括弧・タグの欠落）
- `empty_output`: 空の出力
- `wrong_format`: 要求と異なるフォーマットの出力
- `cot_leakage`: 思考過程（<think>等）の混入
- `tool_call_leakage`: ツールコール（<tool\_call>等）の混入
- `unknown`: 上記に該当しない構文エラー